

## BAB V

### KESIMPULAN DAN SARAN

#### A. Kesimpulan

Berdasarkan hasil penelitian yang dilakukan, dapat disimpulkan sebagai berikut :

1. Pola penggunaan obat antipsikotik pada pengobatan pasien skizofrenia yang menjalani rawat jalan di Rumah Sakit jiwa Daerah Surakarta pada tahun 2013.
  - a. Jenis obat antipsikotik yang digunakan pada pengobatan pasien skizofrenia meliputi Risperidon, Klozapin, Trifluperazin, Klorpromazin, dan Haloperidol.
  - b. Obat tunggal yang paling banyak digunakan adalah Risperidon sebanyak 29 kasus (10,2%), sedangkan obat kombinasi yang paling banyak digunakan adalah Risperidon-Klorpromazin sebanyak 88 kasus (31,1%).
2. Kesesuaian penggunaan obat antipsikotik pada pengobatan pasien skizofrenia yang menjalani rawat jalan di RSJD Surakarta pada tahun 2013 berdasarkan Formularium RSJD Surakarta Tahun 2011 adalah jenis obat 100% dan dosis obat 80%. Kesesuaian jenis obat dan dosis obat berdasarkan *Texas Medication Aloritm Project Procedural Manual Schizophrenia Treatment Algorithms* adalah 100%.

## B. Saran

Bagi Rumah Sakit Jiwa Daerah Surakarta:

1. Kepada pihak rumah sakit disarankan untuk meningkatkan pelayanan medik terutama dalam pengobatan terhadap pasien skizofrenia dengan tetap memantau efek samping obat antipsikotik agar tetap menjaga keselamatan pasien dan menghindarkan pasien dari efek samping merugikan obat.
2. Perlunya formularium RSJD Surakarta mengenai terapi penunjang skizofrenia yang mengacu pada *guideline*.
3. Diperlukannya pembaruan Formularium Rumah Sakit dengan klasifikasi dosis yang jelas sesuai dengan keadaan terapi pasien untuk peningkatan kualitas pelayanan kesehatan.
4. Diharapkan data rekam medik lebih lengkap sehingga dapat digunakan sebagai bahan penelitian berikutnya.

Bagi peneliti selanjutnya:

1. Perlunya penelitian lanjutan mengenai pola penggunaan antipsikotik pada penyakit skizofrenia di Instalasi Rawat Jalan.
2. Dapat dilakukan pengkajian lebih lanjut terhadap obat-obat yang diberikan untuk mengatasi efek samping yang ditimbulkan antipsikotik dan korelasi antara penggunaan obat antipsikotik dengan obat pendampingnya.

## DAFTAR PUSTAKA

- [Depertemen Kesehatan RI]. 2008. *Informatorium Obat Nasional Indonesia*. Badan POM RI. Gramedia, Jakarta.
- [Depertemen Kesehatan RI]. 2007. *Riset kesehatan dasar*. Jakarta: Balitbangkes Depkes.RI.
- [FKUI]. 2007. *Hipnotik – Sedatif dan Alkohol; Psikotropik, Farmakologi dan Terapi*. Edisi V. Departemen farmakologi dan Fakultas Kedokteran Universitas Indonesia. Jakarta: Balai Penerbit FKUI.
- [KEPMENKES RI] Keputusan Menteri Kesehatan Republik Indonesia NOMOR 312 / MENKES / SK / IX / 2013. 2013. *Daftar Obat Esensial Nasional 2013*. <http://www.pdpersi.co.id>, diakses pada 23 September 2013.
- [TMAP] *Texas Medication Algorithm Project Procedural Manual*. 2008. *Schizophrenia Treatment Algorithm*. Texas.
- [WHO] *World Health Organization*. 2010. *Collaborating Centre For Drug Statistics Methodology*. Oslo.
- Arif IS. 2006. *Skizofrenia : Memahami Dinamik Keluarga Pasien*. Bandung: Refika Aditama
- Caron, Jean., Lecomte, Yves., Stip, Emmanuel., Renaud, Suzanne. (2005). Predictors of Quality of Life in Schizophrenia. *Community Mental Health Journal*, 41, 4: 399-417.
- Carpenito L.J.,. 1998. *Diagnosa keperawatan (terjemahan), 6th edition*. Jakarta, EGC
- Crismon, M.L., Dorson, P.G., 2002, Schizophrenia, Dipiro, J.T.,Talbert, R.L., Mat Zhe,G.R., Yee,G.C and Wells, L.M., *Pharmacotherapi (Pathophysiologic Approach)*. Edition 1219-1241. Mc Graw-Hill,Ine, New York.
- Durand, M.V. & Barlow, H. D. 2007. *Psikologi Abnormal*. Jakarta: Penerbit Pustaka belajar.
- Durand, V.M. and Barlow, D.H. (2006). *Essentials of abnormal psychology*. Belmont USA: Thomson Woodsworth.
- Harvey R.A, Champe P.C.,. 2002. *Farmakologi Ulasan Bergambar Edisi 4*. Penerbit Buku kedokteran EGC. Jakarta.

- Hyman S, C Dan dan K Ronald. Disease control priorities related to mental, neurological, depelovmental and substance abuse disorder. Jenewa: WHO, 2010.
- Idaiani S, Suhardi dan Y.K Antonius. Analisis gejala gangguan mental emosional penduduk Indonesia. *Majalah Kedokteran Indonesia* 2009; 59(10):473-479.
- Ikawati Zullies. 2011. *Farmakoterapi Penyakit Sistem Saraf*. Yogyakarta: Bursa Ilmu.
- Ingram, I.M., Timbury g.c., Mowbray, R.M. 1995. *Notes On Psychiatry*, Edisi 6. Hal. 8
- Irmansyah, M. 2005. *Skizofrenia Bisa Mengenai Siapa Saja*. Jakarta: Majalah Kesehatan Jiwa No.3
- Isaac A,. 2005. *panduan belajar keperawatan kesehatan jiwa dan psikiatrik (terjemahan), 3th edition*, Jakarta, EGC.
- ISFI, 2008, *ISO Farmakoterapi*, Halaman 288-289, Penerbit PT ISFI Penerbitan Jakarta.
- Iyus, Yosep. 2011. *Keperawatan Jiwa*. Bandung: PT. Refika Aditama
- Kaplan, Sadock, Grebb. 1997. *Sinopsis Psikiatri Ilmu Pengetahuan Prilaku Psikiatri Klinis Jilid Satu*. Jakarta: Binarupa Aksara.
- Keliat BA. 2008. *Pemberdayaan klien dan keluarga dalam perawatan klien skizofrenia dengan perilaku kekerasan di Rumah Sakit Jiwa Pusat Bogor*. Perpustakaan Pusat UI.
- Maneak Mariana Augusta. 2012. Analisis Penggunaan Obat Antipsikotik Menggunakan Metode ATC/DDD Pada pasien Skizofrenia Di Instalasi Rawat Inap Di Rumah Sakit Jiwa Dr. RM. SOEDJARWADI KLATEN Tahun 2010 dan 2011 [Skripsi]. Surakarta: Fakultas Farmasi, Universitas Setia Budi.
- Maramis, Willi F., Albert A. Maramis. 2009. *Ilmu Kedokteran Jiwa*. Surabaya. Pusat Penerbitan dan Percetakan (AUP).
- Margono, 2004, *Metodologi Penelitian Pendidika*, Jakarta: Rineka Cipta.
- Maslim, R. 1996. *Diagnosa Gangguan Jiwa*. 1996. Edisi 6. Hal 45.
- Mulyadi S, Devina A.S,. 2012. *Incorporates Tes Music Therapy For People With Residual Type Of Schizophrenia*. *International Journal of Management Sciences and Business Research*. ISSN 1:4.

- Najwa, S. 2010. *Etiologi Skizofrenia dari Faktor Biologis dan Psikologis*. RSJ Pusat Dr. Soeharto Heerdjan.
- Nevid, J S., Rathus, S A., Grene, Beverly. (2003). *Psikologi Abnormal Edisi kelima Jilid 2*. Jakarta: Erlangga.
- Olson, J., 1993, *Clinical Pharmacology: Made Ridiculously Simple*, The McGraw-Hill Education.
- Panghiyangani *et al.* 2009. *Gambaran Dermatoglifi Tangan Pasien Skizofrenia di Rumah Sakit Jiwa Sambang Lihum Martapura Kalimantan Selatan*. *Jurnal Kedokteran Indonesia*. JKI 1:2.
- Sadock BJ dan AS Virginia. 2010. *Buku ajar psikiatri klinis*. Jakarta: EGC
- Simanjuntak, J. 2008. *Konseling Gangguan Jiwa dan Okultisme, Membedakan Gangguan Jiwa dan Kerasukan Setan*. Jakarta: PT. Gramedia Hal 141.
- Siregar, C. J. P. & Amalia L. 2003. *Farmasi Rumah Sakit Teori dan Penerapan*. Penerbit Buku Kedokteran EGC. Jakarta.
- Sugiyono, 2009, *Metodologi Penelitian Pendidikan, Pendekatan Kuantitatif, Kualitatif, dan R&D*. Bandung: Alfabeta.
- Sugiyono, 2010, *Metode Penelitian Kualitatif dan Kuantitatif*. Bandung: CV. Alfabeta Bandung.
- Tan T H. & Kirana. R. 2007. *Obat-Obat Penting*. Edisi VI. Departemen Kesehatan RI.
- Tomb, D. A. 2004, *Psikiatri*. Edisi 6. Jakarta: Penerbit Buku Kedokteran EGC.
- Townsend. 1998. *Buku Saku Diagnosa Keperawatan pada Keperawatan Psikiatrik Pedoman untuk Pembuatan Rencana Keperawatan*. Ed 3 , EGC: Jakarta.
- Utami Marisa Dwi. 2012 *Analisis Penggunaan Obat Antipsikotik Menggunakan Metode ATC/DDD Pada pasien Skizofrenia Di Instalasi Rawat Inap Di Rumah Sakit Jiwa Daerah Surakarta Tahun 2010 dan 2011 [Skripsi]*. Surakarta: Fakultas Farmasi, Universitas Setia Budi
- Viedebeck, Sheila L,. 2008. *Definisi Kesehatan Jiwa, Landasan Keperawatan Kesehatan Jiwa*. Jakarta.
- Wiramihardja. (2005). *Pengantar psikologi abnormal*. Bandung: PT. Refika Aditama.

Yulia Maria Jarut *et al.* 2013. *Tinjauan Penggunaan Antipsikotik Pada Pasien Skizofrenia di Rumah Sakit Prof. Dr. V. L. Ratumbuang Manado Periode Januari 2013-Maret 2013.* Jurnal Ilmiah Farmasi-UNSRAT. Pharmacon 2:54-57.

## Lampiran 1. Surat Keterangan Ijin Penelitian



PEMERINTAH PROVINSI JAWA TENGAH  
RUMAH SAKIT JIWA DAERAH SURAKARTA

Jl. Ki Hajar Dewantoro 80 Jebres Kotak Pos 187 Surakarta Telp (0271) 641442 Fax (0271) 64892  
E-mail : [rsjsurakarta@jatengprov.go.id](mailto:rsjsurakarta@jatengprov.go.id) Website : <http://rsjd-surakarta.jatengprov.go.id>

**SURAT KETERANGAN**

NO : 421.5/1722/IV/2014

Yang bertanda tangan dibawah ini Kasubag Pendidikan, Penelitian Dan Pengembangan Rumah Sakit Jiwa Daerah Surakarta menerangkan bahwa :

N a m a : INRIANI CHLORELLA  
N i m : 16102918 A  
Fakultas : FARMASI  
Institusi : UNIVERSITAS SETIA BUDI SURAKARTA

Telah melaksanakan Penelitian pada tanggal, 25 Pebruari 2014 sampai dengan 12 April 2014 guna penyusunan Skripsi dengan judul POLA PENGGUNAAN OBAT ANTIPSIKOTIK PADA PASIEN SKIZOFRENIA DI INSTALASI RAWAT JALAN RUMAH SAKIT JIWA DAERAH SURAKARTA TAHUN 2013

Surat keterangan ini dibuat untuk dipergunakan sebagaimana mestinya

Surakarta, 14 APR 2014

Kasubag. Diklitbang

Rumah Sakit Jiwa Daerah Surakarta



*Dra. Dwi Faridayanti*  
Dra. Dwi Faridayanti

NIP. 19630128 198303 2 002





## Lampiran 3. Formularium Rumah Sakit

FORMULARIUM RUMAH SAKIT JIWA DAERAH SURAKARTA Edisi Tahun 2011									
NO	GOLONGAN	EFEK	NAMA GENERIK	NAMA DAGANG	DOSIS TERAPI / HARI	KEMASAN	CARA PAKAI		
1	<b>OBAT PSIKOTROPIKA</b> <b>Anti Psikotik</b> <i>Anti psikotik Konvensional</i>	a. Sedatif Kuat	1. Klorpromazina	Klorpromazina - OGB	300 - 1200 mg	25,100 mg	Tablet	Oral	
				Promactil - Combiphar	25 - 50 mg	25mg / ml	ampul	im	
				Cepezet - Mersifarma					
				Klorpromazina - OGB					
				Ethibernal - Ethica					
				Cepezet - Mersifarma	25 - 50 mg	25mg / ml	ampul	im	
		b. Sedatif Lemah	1. Pherpenazina	Pherpenazina - OGB	8 - 32 mg	4 mg; 8 mg	Tablet	Oral	
				Avomit - Kimia Farma	2 - 20 mg	4 mg	Tablet		
				Trilafon - Schering		2 mg; 4 mg; 8 mg	Tablet		
			2. Fluphenazina	Anatensol - Squibb	2 - 20 mg	2,5 mg; 5 mg	Tablet	Oral	
				3. Trifluoperazina	Stelazin - Pharos	2 - 20 mg	5 mg	Tablet	Oral
			4. Haloperidol	Trifluoperazina - Daria V.	2 - 20 mg	1 mg; 5 mg	1 mg; 5 mg	Tablet	Oral
				Stelosi - Mersifarma			0,5mg; 1,5mg; 5mg	Tablet	
				Haloperidol - OGB	5 mg	5 mg / cc	5 mg	Tablet	im / iv
Govotil - Guardian	2 mg; 5 mg	Tablet							
Lodomer - Mersifarma	Lodomer amp - Mersifarma	5 mg / cc		Ampul					
Lodomer drop - Mersifarma	10 - 30 tetes/hr	0,1 mg / ml liq	15 ml ( 2 kg/l)	Oral					
2	<b>Antipsikotik Atipikal</b>	c. Khasiat Panjang	1. Fluphenazine Decanoat	Sikzonoate - Mersifarma	12,5-50 mg/4mg	25 mg / ml	Ampul	im	
				2. Haloperidol Decanoat	Haldol Decanoat - Janssen	50 - 100 mg	50 mg / ml	Ampul	im
				3. Risperidon Decanoat	Risperdal Consta - Janssen	25 mg- 50 mg	25mg; 37,5mg; 50mg	Ampul	im
		a. Aktivasi	1. Pimozide	Orap Forte - Janssen	2-6 mg dosis tgl	1 mg, 4 mg	Tablet	Oral	
				2. Sulpiride	Dogmatil - Soho	150 - 600 mg	50 mg	Kapsul	Oral
			3. Risperidon	Risperidon - OGB	3 - 6 ampul/hari	4 - 18 mg	100 mg/2 ml	Ampul	im
							1 mg; 2 mg; 3 mg	Tablet	Oral
				Neripros Drops - Pharos	1 mg/ml	Tetes	Oral		
				Noprenia - Novell		Tablet			
Persidal - Mersifarma		Solut	oral						
Zofredal - Kalbe Farma									

FORMULARIUM RUMAH SAKIT JIWA DAERAH SURABAYA Edisi Tahun 2011

NO	GOLONGAN	EFEK	NAMA GENERIK	NAMA DAGANG	DOSIS TERAPI / HARI	KEMASAN	CARA PAKAI	
			4. Clozapine ✓	Clozaril Clorilex Clopin Luften	- Novartis - Mersifarma - Ikapharmindo - Phapros	max : 600 mg	25 mg, 100 mg Tablet	Oral
			5. Olanzapine	Zyprexa Olandoz Zyprexa Injeksi Lemital	- Eli Lilly - Sandoz - Eli Lilly - Pharos	5 - 20 mg/hr 10 mg / hari	5 mg, 7,5 mg, 10 mg 10 mg berisi serbuk olanzapine 25 mg, 100 mg; 200mg, 300 mg	Tablet Vial im
			6. Quetiapine ✓	Seroquel	- Astra Zeneca	4 hari : 1. 50 mg 2. 100 mg 3. 200 mg 4. 300 mg Selanjutnya 300-800 mg/hr sesuai kebutuhan	25 mg, 100 mg; 200mg, 300 mg	Tablet Oral
			7. Aripiprazole ✓	Abilify Abilify Tetes Abilify Injeksi	- Otsuka - Otsuka - Otsuka	10 mg - 30 mg	10 mg ; 15 mg	Tablet Oral
			8. Zotepin ✓	Lodopin	- Kalbe Farma	75 mg- 300 mg	25 mg; 50 mg	Tablet Oral
			9. Paliperidon	Invega	- Janssen			
			10. Maprotilin ✓	Ludios Sandepril 50 Ludiomil 50	- Solans - Mersifarma - Novartis		50 mg 25 mg	Tablet Oral
<b>B</b>	<b>Anti Depresi</b>	a. Anti kolinergik	1. Imipramine	Tofranil	- Novartis	50 - 200 mg	25 mg	Tablet Oral
		b. Sedatif	2. Amitriptiline	Amitriptiline	- OGB	50 - 150 mg	25 mg	Tablet Oral
			2. Mirtazapin	Remeron	- Organon	15 - 45 mg / hari	30 mg	Tablet Oral

Lampiran 4. Guide line *Texas Medication Algorithm Project Procedural Manual*

**Appendix C: Medication Charts**

Antipsychotics, Second Generation								
Drug	Starting Dose	Titration	Target Dose or Range	Maximum Daily Dose	Schedule	Patient Monitoring Parameters	Side Effects	Selected Drug Interactions
<b>Aripiprazole</b> Abilify <sup>®</sup>	10-15 mg/day	None	10-30 mg/day	30 mg/day	Once daily	1) Pregnancy test – as clinically indicated 2) BMI measurement – when a new antipsychotic is initiated, at every visit (monthly for inpatients) for 6 months after the new antipsychotic is initiated and quarterly when the antipsychotic dose is stable. 3) Fasting plasma glucose level or hemoglobin A1c – before initiating a new antipsychotic, then yearly. If a patient has significant risk factors for diabetes and for those that are gaining weight – before initiating a new antipsychotic, 4 months after starting an antipsychotic, and then yearly. 4) Lipid screening (total cholesterol, low-and high-density lipoprotein (LDL and HDL) cholesterol, and triglycerides) – Every 2 years or more often if lipid levels are in the normal range, every 6 months if the LDL level is > 130 mg/dl 5) EKG – before initiating treatment with ziprasidone (Geodon <sup>®</sup> ) and subsequently if the patient demonstrates symptoms (e.g., syncope) associated with QT interval prolongation. 6) Sexual function inquiry – inquire yearly for evidence of galactorrhea/gynecomastia, menstrual disturbances, libido disturbance or erectile/ejaculatory disturbances in males. If a patient is receiving an antipsychotic known to be associated with prolactin elevation, then at each visit (quarterly for inpatients) for the first 12 months after starting an antipsychotic or until the medication dose is stable and then yearly. 7) Prolactin level – if there is evidence of galactorrhea/gynecomastia, menstrual disturbance, libido disturbance or erectile/ejaculatory disturbances in males. 8) EPS Evaluation (examination for rigidity, tremor, akathisia) – before initiation of any antipsychotic medication, then weekly for the first 2 weeks after initiating treatment with a new antipsychotic or until the dose has been stabilized and weekly for 2 weeks after a dose increase 9) Tardive dyskinesia evaluation – every 6 months. For high-risk patients (including the elderly) every 3 months. 10) Vision questionnaire – ask whether the patient has experienced a change in vision and should specifically ask about distance vision and blurry vision – yearly. 11) Ocular evaluations – yearly for patients older than age 40 years, every 2 years for younger patients	<ul style="list-style-type: none"> <li>• Agitation</li> <li>• Constipation</li> <li>• EPS</li> <li>• Insomnia</li> <li>• Nausea</li> <li>• Somnolence</li> </ul>	<ul style="list-style-type: none"> <li>• Carbamazepine</li> <li>• Fluoxetine</li> <li>• Ketoconazole</li> <li>• Paroxetine</li> <li>• Quinidine</li> <li>• St. John's Wort</li> </ul>
<b>Olanzapine</b> Zyprexa <sup>®</sup>	5-10 mg/day	5 mg/wk	10-20 mg/day	30 mg/day <sup>2</sup>	Once daily		<ul style="list-style-type: none"> <li>• Constipation</li> <li>• Dizziness</li> <li>• Dry mouth</li> <li>• Glucose dysregulation</li> <li>• Hyperlipidemia</li> <li>• Increased appetite</li> <li>• Sedation</li> <li>• Weight gain</li> </ul>	<ul style="list-style-type: none"> <li>• Carbamazepine</li> <li>• Fluvoxamine</li> <li>• Rifampin</li> <li>• Smoking</li> <li>• St. John's Wort</li> </ul>
<b>Quetiapine</b> Seroquel <sup>®</sup>	50 mg/day	300 mg every 3-7 days	300-800 mg/day	800 mg/day	Twice daily		<ul style="list-style-type: none"> <li>• Cataract formation</li> <li>• Dry mouth</li> <li>• Glucose dysregulation</li> <li>• Headache</li> <li>• Hyperlipidemia</li> <li>• Increased appetite</li> <li>• Orthostatic hypotension</li> <li>• Sedation</li> <li>• Weight gain</li> </ul>	<ul style="list-style-type: none"> <li>• Erythromycin</li> <li>• Fluconazole</li> <li>• Ketoconazole</li> <li>• Phenytoin</li> <li>• St. John's Wort</li> <li>• Thioridazine</li> <li>• Valproate</li> </ul>
<b>Risperidone</b> Risperdal <sup>®</sup>	1-2 mg/day	1 mg every 2-3 days	2-6 mg/day	16 mg/day <sup>3</sup>	Once daily		<ul style="list-style-type: none"> <li>• EPS</li> <li>• Glucose dysregulation</li> <li>• Galactorrhea</li> <li>• Hyperlipidemia</li> <li>• Menstrual irregularity</li> <li>• Orthostatic hypotension</li> <li>• Prolactin elevation</li> <li>• Sedation</li> <li>• Sexual dysfunction</li> <li>• Tardive dyskinesia</li> <li>• Weight gain</li> </ul>	<ul style="list-style-type: none"> <li>• Carbamazepine</li> <li>• Cimetidine</li> <li>• Fluoxetine</li> <li>• Paroxetine</li> <li>• Phenytoin</li> <li>• Rifampin</li> <li>• Tricyclic antidepressants</li> </ul>

<sup>2</sup> The CATIE trial utilized olanzapine doses up to 30 mg/day.  
<sup>3</sup> Use of risperidone > 6mg/day is associated with an increased risk of EPS.  
 Schizophrenia Clinician's Manual

Appendix C: Medication Charts

Antipsychotics, Second Generation								
Drug	Starting Dose	Titration	Target Dose or Range	Maximum Daily Dose	Schedule	Patient Monitoring Parameters	Side Effects	Selected Drug Interactions
Ziprasidone Geodon®	40-80 mg/day	20-40 mg every 2-3 days	80 -160 mg/day	160 mg/day	Once or twice daily <sup>4</sup>	See Previous Page	<ul style="list-style-type: none"> <li>Dizziness</li> <li>ECG changes</li> <li>EPS</li> <li>Rash</li> <li>Sedation</li> <li>Vomiting</li> </ul>	<ul style="list-style-type: none"> <li>Carbamazepine</li> <li>Diuretics</li> <li>Moxifloxacin</li> <li>Quinidine</li> <li>Sotalol</li> <li>Thioridazine</li> <li>Tricyclic antidepressants</li> </ul>
Clozapine Generic available Clozaril® Fazaclo®	12.5 mg/day (half of a 25 mg tab)	<p>Day 2: 25 mg daily</p> <p>Day 3: 25 mg twice daily</p> <p>Day 6: 25 mg at morning, 50 mg at evening</p> <p>Day 9: 50 mg twice daily</p> <p>Day 12: 75 mg twice daily</p> <p>Day 16: 100 mg twice daily</p> <p>Day 18: 125 mg twice daily</p> <p>Day 21: 150 mg twice daily</p> <p>Day 24: 100 mg at morning, 200 mg at evening</p>	300-900 mg/day (serum level for doses>600 mg/day)	900 mg/day	Twice daily <sup>5</sup>	<p>1) CBC as indicated by guidelines approved by the FDA in the product labeling.</p> <p>2) Pregnancy test – as clinically indicated</p> <p>3) BMI measurement – when a new antipsychotic is initiated, at every visit (monthly for inpatients) for 6 months after the new antipsychotic is initiated, and quarterly when the antipsychotic does is stable.</p> <p>4) Fasting plasma glucose level or hemoglobin A1c - before initiating a new antipsychotic, then yearly. If a patient has significant risk factors for diabetes and for those that are gaining weight – before initiating a new antipsychotic, 4 months after starting an antipsychotic, and then yearly.</p> <p>5) Lipid screening (total cholesterol, low-and high-density lipoprotein (LDL and HDL) cholesterol, and triglycerides) – Every 2 years or more often if lipid levels are in the normal range, every 6 months if the LDL level is &gt; 130 mg/dl</p> <p>6) Sexual function inquiry – inquire yearly for evidence of galactorrhea/gynecomastia, menstrual disturbances, libido disturbance or erectile/ejaculatory disturbances in males. If a patient is receiving an antipsychotic known to be associated with Prolactin elevation, then at each visit (quarterly for inpatients) for the first 12 months after starting an antipsychotic or until the medication dose is stable and then yearly.</p> <p>7) EPS Evaluation (examination for rigidity, tremor, akathisia) – before initiation of any antipsychotic medication, then weekly for the first 2 weeks after initiating treatment with a new antipsychotic or until the dose has been stabilized and weekly for 2 weeks after a dose increase.</p> <p>8) Tardive Dyskinesia evaluation – every 12 months. For high risk patients (including the elderly), every 6 months.</p> <p>9) Vision questionnaire – ask whether the patient has experienced a change in vision and should specifically ask about distance vision and blurry vision – yearly</p> <p>10) Ocular evaluations – yearly for patients older than age 40 years; every 2 years for younger patients</p>	<ul style="list-style-type: none"> <li>Agranulocytosis</li> <li>Excess salivation</li> <li>Fever</li> <li>Glucose dysregulation</li> <li>Hyperlipidemia</li> <li>Increased appetite</li> <li>Myocarditis</li> <li>Orthostatic hypotension</li> <li>Sedation</li> <li>Seizures</li> <li>Tachycardia</li> <li>Weight gain</li> </ul>	<ul style="list-style-type: none"> <li>Barbiturates</li> <li>Caffeine</li> <li>Carbamazepine</li> <li>Cimetidine</li> <li>Erythromycin</li> <li>Phenytoin</li> <li>Rifampin</li> <li>Ritonavir</li> <li>Smoking</li> <li>SSRIs</li> <li>St John's Wort</li> </ul>

<sup>4</sup> The presence of food can increase ziprasidone's absorption up to two-fold.

<sup>5</sup> Eventual maintenance dose schedule is twice daily dosing. 1/3 dose in morning, 2/3 dose in the evening.



Appendix C: Medication Charts

Antipsychotics, First Generation						
Drug	Starting Dose	Titration	Target Dose or Range	Maximum Daily Dose	Schedule	Patient Monitoring Parameters
<b>Low Potency</b>						
<b>Chlorpromazine</b> Generic available Thorazine®	50-100 mg/day	50-200 mg/day	300-1000 mg/day	1000 mg/day	Three times daily	1) Pregnancy test – as clinically indicated 2) BMI measurement – When a new antipsychotic is initiated, at every visit (monthly for inpatients) for 6 months after the new antipsychotic is initiated, and quarterly when the antipsychotic dose is stable 3) Fasting plasma glucose level or hemoglobin A1c – before initiating a new antipsychotic, then yearly If a patient has significant risk factors for diabetes and for those that are gaining weight – before initiating a new antipsychotic, 4 months after starting an antipsychotic, and then yearly 4) Lipid screening [total cholesterol, low-and high-density lipoprotein (LDL and HDL) cholesterol, and triglycerides] – Every 2 years or more often if lipid levels are in the normal range, every 6 months if the LDL level is > 130 mg/dl 5) Sexual function inquiry – inquire yearly for evidence of galactorrhea/gynecomastia, menstrual disturbance, libido disturbance or erectile/ejaculatory disturbances in males. If a patient is receiving an antipsychotic known to be associated with prolactin elevation, then at each visit (quarterly for inpatients) for the first 12 months after starting an antipsychotic or until the medication dose is stable and then yearly 6) Prolactin level – if there is evidence of galactorrhea/gynecomastia, menstrual disturbance, libido disturbance or erectile/ejaculatory disturbances in males. 7) EPS Evaluation (examination for rigidity, tremor, akathisia) – before initiation of any antipsychotic medication, then weekly for the first 2 weeks after initiating treatment with a new antipsychotic or until the dose has been stabilized and weekly for 2 weeks after a dose increase 8) Tardive dyskinesia evaluation – every 6 months For high risk patients (including the elderly), every 3 months.  Continued on next page
<b>Mild Potency</b>						
<b>Loxapine</b> Generic available Loxiltane®	20 mg/day	10-50 mg every 3-7 days	50-150 mg/day	150 mg/day	Once or twice daily	
<b>Molindone</b> Moban®	50-75 mg/day	25 mg every 3 days	50-150 mg/day	225 mg/day	3-4 times daily	
<b>Perphenazine</b> Generic available Trilafon®	4-8 mg/day	4-8 mg/day	16-64 mg/day	64 mg/day <sup>6</sup>	Three times daily	
<b>High Potency</b>						
<b>Fluphenazine</b> Generic available Prolixin®	5 mg	2.5-5 mg/day	5-20 mg/day	20 mg/day	Three times daily	
<b>Fluphenazine D</b> Generic available Prolixin Decanoate®	12.5-25 mg IM every 1-3 weeks <sup>7</sup>	12.5 mg per injection	6.25-50 mg IM every 2-4 weeks	100mg IM (per 4 weeks)	Every 1-3 weeks	
						<ul style="list-style-type: none"> <li>• Constipation</li> <li>• Dry mouth</li> <li>• EPS</li> <li>• Orthostatic hypotension</li> <li>• Photosensitivity</li> <li>• Sedation</li> <li>• Tachycardia</li> <li>• Tardive dyskinesia</li> </ul>
						<ul style="list-style-type: none"> <li>• Guanethidine</li> <li>• Meperidine</li> <li>• Paroxetine</li> <li>• Pindolol</li> <li>• Quinolones</li> <li>• β-Blockers</li> <li>• Ziprasidone</li> </ul>
						<ul style="list-style-type: none"> <li>• Barbiturates</li> <li>• General anesthetics</li> <li>• Opiate agonists</li> <li>• Radiopaque contrast agents</li> <li>• Tricyclic antidepressants</li> </ul>
						<ul style="list-style-type: none"> <li>• CNS depressants</li> <li>• Anticomvulsants</li> <li>• Tetracycline</li> </ul>
						<ul style="list-style-type: none"> <li>• Paroxetine</li> <li>• Quinolones</li> </ul>
						<ul style="list-style-type: none"> <li>• Guanethidine</li> <li>• Paroxetine</li> <li>• Quinolones</li> </ul>

<sup>6</sup> The CATIE trial used doses up to 32mg/day.  
<sup>7</sup> Starting dose generally 1.2 times the patient's oral dose.  
 Schizophrenia Clinician's Manual

## Appendix C: Medication Charts

Antipsychotics, First Generation								
Drug	Starting Dose	Titration	Target Dose or Range	Maximum Daily Dose	Schedule	Patient Monitoring Parameters	Side Effects	Selected Drug Interactions
<b>Haloperidol</b> Generic available Haldol®	2-5 mg/day	2-5 mg/day	2-20 mg/day	20 mg/day	1 - 3 times daily			<ul style="list-style-type: none"> <li>• Azole antifungals</li> <li>• Carbamazepine</li> <li>• Rifabutin</li> <li>• Rifampin</li> </ul>
<b>Haloperidol D</b> Generic available Haldol Decanoate®	25-50 mg IM every 2-4 weeks <sup>8</sup>	N/A	50-200 mg IM every 2-4 weeks	450 mg (per 4 weeks) <sup>9,10</sup>	Every 3-4 weeks	<p>9) Vision questionnaire—ask whether the patient has experienced a change in vision and should specifically ask about distance vision and blurry vision—yearly</p> <p>10) Ocular evaluations—yearly for patients older than age 40 years; every 2 years for younger patients</p>	See previous page	<ul style="list-style-type: none"> <li>• Guanethidine</li> </ul>
<b>Thiothixene</b> Nevane®	5-10 mg/day	5-10 mg every 3-7 days	15-50 mg/day	50 mg/day	2-3 times daily			<ul style="list-style-type: none"> <li>• Alcohol</li> <li>• Cisapride</li> <li>• Guanethidine</li> <li>• Meizitamide</li> <li>• Paroxetine</li> </ul>
<b>Trifluoperazine</b> Stelazine®	2-5 mg, twice daily	2-5 mg every 3-7 days	5-20 mg/day	40 mg/day	Twice daily			

<sup>8</sup> Starting dose generally 10-20 times the patient's oral dose. Dose of first injection should not exceed 100 mg.

<sup>9</sup> The maximum volume per injection site should not exceed 3 mL.

<sup>10</sup> Multiple injections can be given at 1-7 day intervals to provide total loading dose.

Schizophrenia Clinician's Manual

Lampiran 5. Data Penggunaan Obat Antipsikotika Pada Pasien Skizofrenia PKMS Silver Rawat Jalan RSJD Surakarta Tahun 2013

Januari

No.	Nama / Kode Rekam Medik	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Penelitian			Dosis Formularium		
						Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
1	A.S 047xxx	L	34	F20.8	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Haloperidol	Oral	1 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin	Oral	2 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
2	A.P 050xxx	L	40	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Haloperidol	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
3	A.S 021xxx	L	55	F20.5	Haloperidol	Oral	1 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
4	AR 039xxx	L	35	F20.8	Trifluoperazin	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin	Oral	1 x ½ 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
5	A.W 040xxx	L	21	F20.9	Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
					Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
6	A.W 037xxx	P	20	F20.5	Risperidon	Oral	3 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
7	B.S 037xxx	L	25	F20.5	Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
					Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
8	C.C 024xxx	P	53	F20.3	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
9	DL 047xxx	P	31	F20.0	Risperidon	Oral	3 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Trifluoperazin	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
10	E.S 009xxx	L	43	F20.5	Haloperidol	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
11	F.I 024xxx	L	28	F20.3	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
					Haloperidol	Oral	1 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
12	F.A.F 043xxx	L	20	F20.8	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
					Haloperidol	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet

No.	Nama / Kode Rekam Medik	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Penelitian			Dosis Formularium		
						Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
13	G.Y 042xxx	L	33	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
14	HR 037xxx	P	38	F20.5	Haloperidol Klorpromazin	Oral Oral	3 x 5 mg 2 x 100 mg	Tablet Tablet	Oral Oral	2-20 mg/ hr 300-1200 mg/ hr	Tablet Tablet
15	H.P.L 048xxx	P	32	F20.0	Risperidon Klorpromazin	Oral Oral	2 x 2 mg 1 x 100 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 300-1200 mg/ hr	Tablet Tablet
16	H.W 031xxx	L	36	F20.5	Haloperidol Klorpromazin	Oral Oral	3 x 5 mg 1 x 100 mg	Tablet Tablet	Oral Oral	2-20 mg/ hr 300-1200 mg/ hr	Tablet Tablet
17	H.B 040xxx	L	37	F20.0	Haloperidol	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
18	H.S 038xxx	L	47	F20.0	Trifluperazin	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
19	LP 020xxx	L	56	F20.3	Haloperidol Klorpromazin	Oral Oral	3 x 5 mg 1 x 100 mg	Tablet Tablet	Oral Oral	2-20 mg/ hr 300-1200 mg/ hr	Tablet Tablet
20	LP 045xxx	L	24	F20.5	Risperidon Trifluperazin	Oral Oral	2 x 2 mg 3 x 5 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 2-20 mg/ hr	Tablet Tablet
21	J.S 050xxx	L	41	F20.8	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
22	KC 038xxx	L	39	F20.5	Risperidon Trifluperazin	Oral Oral	2 x 2 mg 3 x 5 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 2-20 mg/ hr	Tablet Tablet
23	D.W 037xxx	P	23	F20.5	Risperidon Haloperidol	Oral Oral	2 x 2 mg 3 x 5 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 2-20 mg/ hr	Tablet Tablet
24	D.P.N 022xxx	P	32	F20.8	Trifluperazin Klorpromazin	Oral Oral	3 x 5 mg 1 x 100 mg	Tablet Tablet	Oral Oral	2-20 mg/ hr 300-1200 mg/ hr	Tablet Tablet
25	R.H 041xxx	P	21	F20.8	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
26	SR 043xxx	L	42	F20.5	Risperidon Haloperidol	Oral Oral	2 x 2 mg 3 x 5 mg	Tablet Tablet Tablet Tablet	Oral Oral Oral Oral	4-18 mg/ hr 2-20 mg/ hr 6-12mg/hr 50-150mg/hr	Tablet Tablet Tablet Tablet



Februari

No.	Nama / Kode Rekam Medik	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Penelitian			Dosis Formularium		
						Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
27	A.S 027xxx	L	35	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Trifluoperazin	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
28	A.M 005xxx	L	35	F20.5	Haloperidol	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
29	A.B 043xxx	L	28	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
30	A.L 000xxx	L	34	F20.5	Haloperidol	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
31	B.R 044xxx	L	52	F20.8	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	2 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
32	D.W 037xxx	P	23	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Haloperidol	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
33	D.P.N 022xxx	P	32	F20.8	Trifluoperazin	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
34	E.B.W 041xxx	L	46	F20.8	Haloperidol	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin	Oral	2 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
35	E.H 038xxx	L	40	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
					Trifluoperazin	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
36	HR 024xxx	L	31	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
37	H.W 031xxx	L	36	F20.5	Haloperidol	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
38	I.S	L	35	F20.3	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet

No.	Nama / Kode Rekam Medik	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Penelitian			Dosis Formularium		
						Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
	035xxx				Haloperidol	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
39	J.P 015xxx	L	36	F20.5	Haloperidol Risperidon Klorpromazin	Oral Oral Oral	2 x 5 mg 2 x 2 mg 1 x 100 mg	Tablet Tablet Tablet	Oral Oral Oral	2-20 mg/ hr 4-18 mg/ hr 300-1200 mg/ hr	Tablet Tablet Tablet
40	L.I.R 008xxx	P	37	F20.8	Trifluoperazin Risperidon	Oral Oral	3 x 5 mg 2 x 2 mg	Tablet Tablet	Oral Oral	2-20 mg/ hr 4-18 mg/ hr	Tablet Tablet
41	M.B 036xxx	L	32	F20.5	Haloperidol Klorpromazin	Oral Oral	3 x 5 mg 1 x 100 mg	Tablet Tablet	Oral Oral	2-20 mg/ hr 300-1200 mg/ hr	Tablet Tablet
42	PR 043xxx	P	40	F20.3	Risperidon Klorpromazin	Oral Oral	2 x 2 mg 1 x 100 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 300-1200 mg/ hr	Tablet Tablet
43	R.H 041xxx	P	21	F20.8	Risperidon	Oral	3 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
44	D.R 036xxx	L	67	F20.8	Risperidon Klorpromazin	Oral Oral	2 x 2 mg 1 x 100 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 300-1200 mg/ hr	Tablet Tablet
45	B.G 046xxx	L	31	F20.8	Risperidon Klozapin	Oral Oral	2 x 2 mg 1 x 25 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr Maks 600 mg/ hr	Tablet Tablet
46	Sri Handayani 047728	P	45	F20.8	Haloperidol Klorpromazin	Oral Oral	3 x 5 mg 1 x 100 mg	Tablet Tablet	Oral Oral	2-20 mg/ hr 300-1200 mg/ hr	Tablet Tablet
47	T.W 037xxx	L	36	F20.8	Risperidon Klorpromazin	Oral Oral	2 x 2 mg 1 x 100 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 300-1200 mg/ hr	Tablet Tablet
48	RN 043xxx	P	48	F20.8	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
49	Y.U 042xxx	L	35	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
50	D.I 044xxx	L	23	F20.5	Risperidon Klorpromazin	Oral Oral	2 x 2mg 1 x 100mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 300-1200 mg/ hr	Tablet Tablet
51	H.N 032xxx	L	38	F20.5	Risperidon Klorpromazin	Oral Oral	2 x 2mg 1 x 100mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 300-1200 mg/ hr	Tablet Tablet
52	SR	L	31	F20.8	Risperidon	Oral	2 x 2mg	Tablet	Oral	4-18 mg/ hr	Tablet

No.	Nama / Kode Rekam Medik	JK / Usia	Diagnosis	Obat yang Digunakan	Dosis Penelitian			Dosis Formularium		
					Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
	032xxx			Klorpromazin	Oral	1 x 100mg	Tablet	Oral	300-1200 mg/ hr	Tablet

### Maret

No.	Nama / Kode Rekam Medik	JK / Usia	Diagnosis	Obat yang Digunakan	Dosis Penelitian			Dosis Formularium		
					Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
53	H.N 048xxx	L 18	F20.5	Haloperidol Klorpromazin	Oral Oral	3 x 5 mg 1 x 100 mg	Tablet Tablet	Oral Oral	2-20 mg/ hr 300-1200 mg/ hr	Tablet Tablet
54	A.S.P 021xxx	L 55	F20.5	Haloperidol Klorpromazin	Oral Oral	2 x 5 mg 1 x 100 mg	Tablet Tablet	Oral Oral	2-20 mg/ hr 300-1200 mg/ hr	Tablet Tablet
55	A.Y.P 043xxx	L 32	F20.8	Risperidon Klorpromazin	Oral Oral	2 x 2 mg 1 x 100 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 300-1200 mg/ hr	Tablet Tablet
56	A.W 037xxx	P 20	F20.5	Risperidon Klorpromazin	Oral Oral	2 x 2 mg 1 x 100 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 300-1200 mg/ hr	Tablet Tablet
57	B.S 032xxx	L 47	F20.8	Risperidon Klorpromazin	Oral Oral	2 x 2 mg 1 x 100 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 300-1200 mg/ hr	Tablet Tablet
58	C.C 024xxx	P 53	F20.3	Risperidon Klorpromazin	Oral Oral	2 x 2 mg 1 x 100 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 300-1200 mg/ hr	Tablet Tablet
59	D.N. A. 023xxx	P 30	F20.8	Haloperidol Klorpromazin	Oral Oral	1 x 5 mg 1 x 100 mg	Tablet Tablet	Oral Oral	2-20 mg/ hr 300-1200 mg/ hr	Tablet Tablet
60	F.A.F 043xxx	L 20	F20.8	Risperidon Klorpromazin Haloperidol	Oral Oral Oral	2 x 2 mg 1 x 100 mg 3 x 5 mg	Tablet Tablet Tablet	Oral Oral Oral	4-18 mg/ hr 300-1200 mg/ hr 2-20 mg/ hr	Tablet Tablet Tablet
61	HR 024xxx	L 31	F20.5	Risperidon Klorpromazin	Oral Oral	2 x 2 mg 1 x 100 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 300-1200 mg/ hr	Tablet Tablet
62	H.W	L 36	F20.5	Haloperidol	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet

No.	Nama / Kode Rekam Medik	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Penelitian			Dosis Formularium		
						Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
	031xxx				Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
63	I.P 045xxx	L	24	F20.5	Risperidon	Oral	3 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Trifluoperazin	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
64	K.W. K. 038xxx	P	27	F20.8	Trifluoperazin	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
65	M.A.R 035xxx	L	32	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
66	M.B 036xxx	L	45	F20.3	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
					Haloperidol	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
67	MY 049xxx	L	34	F20.8	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
68	N.R 039xxx	L	31	F20.0	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
69	PS 037xxx	L	34	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
70	PY 044xxx	L	40	F20.8	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
71	R.R.A 043xxx	L	31	F20.0	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
					Haloperidol	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
72	S.P 037xxx	L	24	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Haloperidol	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
73	SY 024xxx	P	35	F20.8	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
74	SN 032xxx	L	31	F20.8	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
75	T.W 014xxx	L	41	F20.8	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Haloperidol	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet

No.	Nama / Kode Rekam Medik	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Penelitian			Dosis Formularium		
						Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
76	WR 016xxx	L	35	F20.5	Haloperidol	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
77	H.S 038xxx	L	47	F20.0	Trifluoperazin	Oral	3 x 5mg	Tablet	Oral	2-20 mg/ hr	Tablet
78	RY 001xxx	P	38	F20.3	Trifluoperazin	Oral	3 x 5mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin	Oral	2 x 100mg	Tablet	Oral	300-1200mg/hr	

#### April

No.	Nama / Kode Rekam Medik	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Penelitian			Dosis Formularium		
						Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
79	A.M 005xxx	L	35	F20.5	Haloperidol	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
80	A.Y 014xxx	L	42	F20.5	Haloperidol	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
81	A.W 040xxx	L	35	F20.5	Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
					Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
82	A.N 037xxx	P	20	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
83	B.S 037xxx	L	25	F20.5	Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
					Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
84	B.S 025xxx	L	38	F20.5	Trifluoperazin	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
					Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
85	D.I 044xxx	L	23	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
86	E.T	L	34	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet

No.	Nama / Kode Rekam Medik	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Penelitian			Dosis Formularium		
						Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
	038xxx				Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
87	F.I 020xxx	L	28	F20.3	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
					Haloperidol	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
88	HY 048xxx	P	52	F20.3	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	2 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
89	H.P.L 048xxx	P	32	F20.0	Risperidon	Oral	3 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
90	I.P 020xxx	L	56	F20.3	Haloperidol	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
91	M.A.R 035xxx	L	32	F20.5	Risperidon	Oral	1 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
92	M.B.M 028xxx	L	44	F20.5	Risperidon	Oral	3 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
93	N.C 044xxx	P	30	F20.3	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Trifluperazin	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
94	O.S 043xxx	L	32	F20.8	Trifluperazin	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
95	P.S 002xxx	L	45	F20.8	Haloperidol	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
96	R.W 037xxx	P	28	F20.0	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
97	R.R.A 043xxx	L	31	F20.0	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
					Haloperidol	Oral	1 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
98	SR 036xxx	L	38	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Trifluperazin	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
99	SP 037xxx	L	24	F20.5	Risperidon	Oral	3 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Haloperidol	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
100	S.S	P	35	F20.0	Haloperidol	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet

No.	Nama / Kode Rekam Medik	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Penelitian			Dosis Formularium		
						Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
	023xxx				Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
101	SM	L	31	F20.8	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
	032xxx				Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
102	T.M 030xxx	P	63	F20.5	Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet

#### Mei

No.	Nama / Kode Rekam Medik	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Penelitian			Dosis Formularium		
						Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
103	A.S 047xxx	L	34	F20.8	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Haloperidol	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
104	A.P 026xxx	L	45	F20.5	Haloperidol	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
105	A.R 038xxx	L	43	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Trifluperazin	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
106	A.L 000xxx	L	34	F20.5	Haloperidol	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
107	A.W 037xxx	P	20	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
108	B.P 036xxx	L	42	F20.5	Haloperidol	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
109	B.S 025xxx	L	38	F20.5	Trifluperazin	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet

No.	Nama / Kode Rekam Medik	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Penelitian			Dosis Formularium		
						Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
					Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
110	ET 038xxx	L	34	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
111	F.S 046xxx	L	20	F20.3	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
112	F.K 046xxx	L	30	F20.8	Haloperidol	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
113	HR 024xxx	L	31	F20.5	Risperidon	Oral	3 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
114	H.P.L 048xxx	P	32	F20.0	Risperidon	Oral	3 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
115	I.P 045xxx	L	24	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Trifluperazin	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
116	KC 038xxx	L	39	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Trifluperazin	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
117	M.S 049xxx	P	26	F20.3	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
118	PN 043xxx	P	50	F20.8	Haloperidol	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
119	R.N.A 039767	P	40	F20.3	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
120	S.I 036xxx	L	39	F20.1	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
121	S.M 030xxx	P	57	F20.5	Risperidon	Oral	3 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
122	SY 043xxx	L	31	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
123	SR 017xxx	L	45	F20.5	Haloperidol	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
124	T.S	P	53	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet



No.	Nama / Kode Rekam Medik	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Penelitian			Dosis Formularium		
						Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
	022xxx										
125	T.M 030xxx	P	63	F20.5	Klorpromazin	Oral	2 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
126	WT 029xxx	L	39	F20.8	Risperidon Trifluoperazin	Oral Oral	2 x 2 mg 2 x 5 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 2-20 mg/ hr	Tablet Tablet

#### Juni

No.	Nama / Kode Rekam Medik	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Penelitian			Dosis Formularium		
						Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
127	A.M 005xxx	L	35	F20.5	Haloperidol Risperidon Klorpromazin	Oral Oral Oral	3 x 5 mg 2 x 2 mg 1 x 100 mg	Tablet Tablet Tablet	Oral Oral Oral	2-20 mg/ hr 4-18 mg/ hr 300-1200 mg/ hr	Tablet Tablet Tablet
128	A.L 000xxx	L	34	F20.5	Haloperidol Klorpromazin	Oral Oral	2 x 5 mg 1 x 100 mg	Tablet Tablet	Oral Oral	2-20 mg/ hr 300-1200 mg/ hr	Tablet Tablet
129	B.S 041xxx	L	53	F20.0	Klorpromazin Risperidon	Oral Oral	1 x 100 mg 2 x 2 mg	Tablet Tablet	Oral Oral	300-1200 mg/ hr 4-18 mg/ hr	Tablet Tablet
130	B.S 025xxx	L	38	F20.5	Trifluoperazin Klorpromazin Risperidon	Oral Oral Oral	3 x 5 mg 1 x 100 mg 2 x 2 mg	Tablet Tablet Tablet	Oral Oral Oral	2-20 mg/ hr 300-1200 mg/ hr 4-18 mg/ hr	Tablet Tablet Tablet
131	D.P 045xxx	L	30	F20.8	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
132	E.T 038xxx	L	34	F20.5	Risperidon Klorpromazin	Oral Oral	2 x 2 mg 1 x 100 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 300-1200 mg/ hr	Tablet Tablet
133	F.I 024xxx	L	28	F20.3	Risperidon Klorpromazin Haloperidol	Oral Oral Oral	2 x 2 mg 1 x 100 mg 3 x 5 mg	Tablet Tablet Tablet	Oral Oral Oral	4-18 mg/ hr 300-1200 mg/ hr 2-20 mg/ hr	Tablet Tablet Tablet
134	H.S	P	31	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet

No.	Nama / Kode Rekam Medik	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Penelitian			Dosis Formularium		
						Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
	036xxx				Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
135	I.P 045xxx	L	24	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Trifluperazin	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
136	KR 038xxx	L	39	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Trifluperazin	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
137	N.Y 033xxx	P	28	F20.8	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
138	R.B 032xxx	L	28	F20.5	Trifluperazin	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
139	R.N 039xxx	P	40	F20.3	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
140	S.I 036xxx	L	39	F20.1	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
141	S.M 036xxx	P	57	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
142	SR 043xxx	P	55	F20.0	Klorpromazin	Oral	1 x 100mg	Tablet	Oral	300-1200 mg/ hr	Tablet
					Risperidon	Oral	2 x 2mg	Tablet	Oral	4-18 mg/ hr	Tablet
143	T.B 049xxx	L	25	F20.1	Haloperidol	Oral	3 x 5mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin		1 x 100mg	Tablet	Oral	300-1200 mg/ hr	Tablet
144	SM 017xxx	L	45	F20.5	Haloperidol	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
145	WT 029xxx	L	39	F20.8	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Trifluperazin	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
146	WD 015xxx	L	46	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
147	M.B 036xxx	L	32	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
					Haloperidol	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet

Juli

No.	Nama / Kode Rekam Medik	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Penelitian			Dosis Formularium		
						Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
148	A.P 032xxx	L	40	F20.5	Risperidon Haloperidol Klorpromazin	Oral Oral Oral	2 x 2 mg 3 x 5 mg 1 x 100 mg	Tablet Tablet Tablet	Oral Oral Oral	4-18 mg/ hr 2-20 mg/ hr 300-1200 mg/ hr	Tablet Tablet Tablet
149	A.S 041xxx	L	30	F20.5	Risperidon Haloperidol Klorpromazin	Oral Oral Oral	2 x 2 mg 2 x 5 mg 1 x 100 mg	Tablet Tablet Tablet	Oral Oral Oral	4-18 mg/ hr 2-20 mg/ hr 300-1200 mg/ hr	Tablet Tablet Tablet
150	A.B 043xxx	L	28	F20.5	Risperidon	Oral	3 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
151	B.R 044xxx	L	52	F20.8	Risperidon Klorpromazin	Oral Oral	2 x 2 mg 1 x 100 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 300-1200 mg/ hr	Tablet Tablet
152	E.T 038xxx	L	34	F20.5	Risperidon Klorpromazin	Oral Oral	2 x 2 mg 1 x 100 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 300-1200 mg/ hr	Tablet Tablet
153	E.I 008xxx	P	45	F20.5	Risperidon Trifluperazin	Oral Oral	2 x 2 mg 3 x 5 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 2-20 mg/ hr	Tablet Tablet
154	HY 048xxx	P	52	F20.3	Risperidon Klorpromazin	Oral Oral	2 x 2 mg 1 x 100 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 300-1200 mg/ hr	Tablet Tablet
155	H.B 040880	L	37	F20.0	Haloperidol	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
156	I.P 045xxx	L	24	F20.5	Risperidon Trifluperazin	Oral Oral	2 x 2 mg 3 x 5 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 2-20 mg/ hr	Tablet Tablet
157	J.P 013xxx	L	29	F20.8	Risperidon Klorpromazin Trifluperazol	Oral Oral Oral	2 x 2 mg 1 x 100 mg 2 x 5 mg	Tablet Tablet Tablet	Oral Oral Oral	4-18 mg/ hr 300-1200 mg/ hr 2-20 mg/ hr	Tablet Tablet Tablet
158	M.B.M 028xxx	L	44	F20.5	Risperidon Klorpromazin	Oral Oral	2 x 2 mg 1 x 100 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 300-1200 mg/ hr	Tablet Tablet
159	P.J. W. 041xxx	L	43	F20.0	Risperidon Klorpromazin Haloperidol	Oral Oral Oral	2 x 2 mg 1 x 100 mg 2 x 5 mg	Tablet Tablet Tablet	Oral Oral Oral	4-18 mg/ hr 300-1200 mg/ hr 2-20 mg/ hr	Tablet Tablet Tablet
160	P.W	L	30	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet

No.	Nama / Kode Rekam Medik	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Penelitian			Dosis Formularium		
						Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
	037xxx				Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
161	R.N.A 039xxx	P	40	F20.3	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
162	S.L 004xxx	P	29	F20.5	Risperidon	Oral	1 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
163	S.D 043xxx	P	37	F20.8	Risperidon	Oral	2 x 2mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Trifluoperazin	Oral	2 x 5mg	Tablet	Oral	2-20 mg/ hr	Tablet
164	SR 017xxx	L	45	F20.5	Haloperidol	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
165	T.W 041xxx	L	47	F20.8	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
166	T.M 030xxx	P	63	F20.5	Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
167	WY 029xxx	L	39	F20.0	Trifluoperazin	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
168	Y.B 000xxx	L	48	F20.0	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Haloperidol	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
169	Y.U 042xxx	L	35	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet

Agustus

No.	Nama / Kode Rekam Medik	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Penelitian			Dosis Formularium		
						Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
170	A.S 041xxx	L	30	F20.5	Risperidon Haloperidol Klorpromazin	Oral Oral Oral	2 x 2 mg 3 x 5 mg 1 x 100 mg	Tablet Tablet Tablet	Oral Oral Oral	4-18 mg/ hr 2-20 mg/ hr 300-1200 mg/ hr	Tablet Tablet Tablet
171	A.R 038xxx	L	43	F20.5	Risperidon Trifluperazin Klorpromazin	Oral Oral Oral	2 x 2 mg 2 x 5 mg 1 x 100 mg	Tablet Tablet Tablet	Oral Oral Oral	4-18 mg/ hr 2-20 mg/ hr 300-1200 mg/ hr	Tablet Tablet Tablet
172	A.L 000xxx	L	34	F20.5	Haloperidol Klorpromazin	Oral Oral	2 x 5 mg 1 x 100 mg	Tablet Tablet	Oral Oral	2-20 mg/ hr 300-1200 mg/ hr	Tablet Tablet
173	B.P 046xxx	L	49	F20.8	Risperidon Klorpromazin	Oral Oral	2 x 2 mg 1 x 100 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 300-1200 mg/ hr	Tablet Tablet
174	B.S 025373	L	38	F20.5	Trifluperazin Klorpromazin Risperidon	Oral Oral Oral	2 x 5 mg 1 x 100 mg 2 x 2 mg	Tablet Tablet Tablet	Oral Oral Oral	2-20 mg/ hr 300-1200 mg/ hr 4-18 mg/ hr	Tablet Tablet Tablet
175	D.S 032xxx	L	31	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
176	H.A 004xxx	L	48	F20.8	Haloperidol Klorpromazin	Oral Oral	2 x 1,5 mg 1 x ½ (100 mg)	Tablet Tablet	Oral Oral	2-20 mg/ hr 300-1200 mg/ hr	Tablet Tablet
177	H.N 032xxx	L	38	F20.5	Risperidon Klorpromazin	Oral Oral	2 x 2 mg 1 x 100 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 300-1200 mg/ hr	Tablet Tablet
178	H.B 040xxx	L	37	F20.0	Haloperidol	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
179	J.P 013xxx	L	29	F20.8	Risperidon Klorpromazin Trifluperazol	Oral Oral Oral	2 x 2 mg 1 x 100 mg 2 x 5 mg	Tablet Tablet Tablet	Oral Oral Oral	4-18 mg/ hr 300-1200 mg/ hr 2-20 mg/ hr	Tablet Tablet Tablet
180	K.W.K 038xxx	P	27	F20.8	Trifluperazin Risperidon Klorpromazin	Oral Oral Oral	2 x 5 mg 2 x 2 mg 1 x 100 mg	Tablet Tablet Tablet	Oral Oral Oral	2-20 mg/ hr 4-18 mg/ hr 300-1200 mg/ hr	Tablet Tablet Tablet
181	M.B	L	45	F20.3	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet

No.	Nama / Kode Rekam Medik	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Penelitian			Dosis Formularium		
						Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
	036xxx				Klorpromazin Haloperidol	Oral Oral	1 x 100 mg 2 x 5 mg	Tablet Tablet	Oral Oral	300-1200 mg/ hr 2-20 mg/ hr	Tablet Tablet
182	R.B 032xxx	L	28	F20.5	Trifluoperazin Risperidon	Oral Oral	2 x 5 mg 2 x 2 mg	Tablet Tablet	Oral Oral	2-20 mg/ hr 4-18 mg/ hr	Tablet Tablet
183	R.N.A 039xxx	P	40	F20.3	Risperidon Klorpromazin	Oral Oral	2 x 2 mg 1 x 100 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 300-1200 mg/ hr	Tablet Tablet
184	R.B.R 045xxx	P	56	F20.8	Risperidon Klorpromazin	Oral Oral	2 x 2 mg 1 x 100 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 300-1200 mg/ hr	Tablet Tablet
185	S.F 003xxx	P	33	F20.3	Haloperidol Klorpromazin	Oral Oral	3 x 5 mg 1 x 100 mg	Tablet Tablet	Oral Oral	2-20 mg/ hr 300-1200 mg/ hr	Tablet Tablet
186	SY 043xxx	P	55	F20.0	Klorpromazin Risperidon	Oral Oral	1 x 100 mg 2 x 2 mg	Tablet Tablet	Oral Oral	300-1200 mg/ hr 4-18 mg/ hr	Tablet Tablet
187	ST 049xxx	P	49	F20.0	Risperidon Klorpromazin	Oral Oral	2 x 2 mg 1 x 100 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 300-1200 mg/ hr	Tablet Tablet
188	T.W 036xxx	L	38	F20.5	Risperidon Haloperidol	Oral Oral	2 x 2 mg 2 x 5 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 2-20 mg/ hr	Tablet Tablet
189	T.B.S 021xxx	L	34	F20.0	Trifluoperazin Klorpromazin	Oral Oral	3 x 5 mg 1 x 100 mg	Tablet Tablet	Oral Oral	2-20 mg/ hr 300-1200 mg/ hr	Tablet Tablet
190	W.S 046xxx	L	23	F20.5	Risperidon Klorpromazin	Oral Oral	3 x 2 mg 1 x 100 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 300-1200 mg/ hr	Tablet Tablet
191	W.T.S 016xxx	L	36	F20.8	Haloperidol Trifluoperazin Klorpromazin	Oral Oral Oral	2 x 1,5 mg 2 x 5 mg 1 x 100 mg	Tablet Tablet Tablet	Oral Oral Oral	2-20 mg/ hr 2-20 mg/ hr 300-1200 mg/ hr	Tablet Tablet Tablet
192	Y.T.T 047xxx	L	37	F20.3	Haloperidol	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet

September

No.	Nama / Kode Rekam Medik	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Penelitian			Dosis Formularium		
						Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
193	A.S.P 021xxx	L	55	F20.5	Haloperidol Klorpromazin	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
						Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
194	A.B 043xxx	L	28	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
214	B.S 037xxx	P	30	F20.5	Klorpromazin Risperidon Trifluperazin	Oral	1 x ½. 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
						Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
						Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
195	D.P 022xxx	L	25	F20.5	Klorpromazin Risperidon	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
						Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
196	E.H 038xxx	P	32	F20.8	Trifluperazin Klorpromazin	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
						Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
197	H.A 004xxx	L	40	F20.5	Risperidon Klorpromazin Trifluperazin	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
						Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
						Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
198	H.N 032xxx	L	48	F20.8	Haloperidol Klorpromazin	Oral	2 x 1,5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
						Oral	1 x ½.100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
199	H.W 031xxx	L	38	F20.5	Risperidon Klorpromazin	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
						Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
200	J.S 021xxx	L	36	F20.5	Haloperidol Klorpromazin	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
						Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
201	L.I.R 008xxx	L	55	F20.8	Haloperidol Klorpromazin	Oral	2 x 1,5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
						Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
202	M.H 028xxx	P	37	F20.8	Trifluperazin Risperidon	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
						Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
203	M.T 018xxx	L	53	F20.5	Risperidon Klorpromazin	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
						Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
204	PH 023xxx	L	41	F20.5	Risperidon Trifluperazin	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
						Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
205	PY	L	33	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet

No.	Nama / Kode Rekam Medik	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Penelitian			Dosis Formularium		
						Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
	044xxx										
206	R.C 038xxx	L	40	F20.8	Risperidon Klorpromazin	Oral Oral	2 x 2 mg 1 x 100 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 300-1200 mg/ hr	Tablet Tablet
207	S.F 003xxx	P	33	F20.5	Haloperidol	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
208	SY 043xxx	P	33	F20.3	Haloperidol Klorpromazin	Oral Oral	2 x 5 mg 1 x 100 mg	Tablet Tablet	Oral Oral	2-20 mg/ hr 300-1200 mg/ hr	Tablet Tablet
209	T.W 014xxx	P	55	F20.0	Klorpromazin Risperidon	Oral Oral	1 x 100mg 2 x 2mg	Tablet Tablet	Oral Oral	300-1200 mg/ hr 4-18 mg/ hr	Tablet Tablet
210	T.J.M 047xxx	L	41	F20.8	Risperidon Haloperidol	Oral Oral	2 x 2 mg 2 x 5 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 2-20 mg/ hr	Tablet Tablet
211	WD 015xxx	L	47	F20.0	Risperidon Klorpromazin	Oral Oral	2 x 2 mg 1 x 100 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 300-1200 mg/ hr	Tablet Tablet
212	W.T.S 016xxx	L	46	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
213	B.B 000xxx	L	36	F20.8	Haloperidol Trifluperazin Klorpromazin	Oral Oral Oral	2 x 1,5 mg 2 x 5 mg 1 x 100 mg	Tablet Tablet Tablet	Oral Oral Oral	2-20 mg/ hr 2-20 mg/ hr 300-1200 mg/ hr	Tablet Tablet Tablet
214	A.S.P 021xxx	p	30	F20.5	Klorpromazin	Oral	½ x 1000mg	Tablet	Oral	300-1200mg/hr	Tablet

#### Oktober

No.	Nama / Kode Rekam Medik	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Penelitian			Dosis Formularium		
						Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
215	A.S 019xxx	L	40	F20.8	Risperidon Trifluperazin	Oral Oral	2 x 2 mg 2 x 5 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 2-20 mg/ hr	Tablet Tablet



No.	Nama / Kode Rekam Medik	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Penelitian			Dosis Formularium		
						Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
216	AR 039xxx	L	35	F20.8	Trifluperazin	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
217	B.P 046xxx	L	49	F20.8	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
218	B.S 025xxx	L	38	F20.5	Trifluperazin	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
					Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
219	E.I 008xxx	P	45	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Trifluperazin	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
220	HY 048xxx	P	52	F20.3	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
221	H.B 040xxx	L	37	F20.0	Haloperidol	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
222	J.I 002xxx	L	58	F20.8	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 1/2. 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
					Haloperidol	Oral	2 x 1,5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
223	L.I.R 008xxx	P	37	F20.8	Trifluperazin	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
224	MH 016xxx	L	52	F20.8	Haloperidol	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
225	O.W.P 451xxx	L	29	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
226	PY 023xxx	L	33	F20.5	Risperidon	Oral	3 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
227	F.W 043xxx	L	23	F20.8	Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
					Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Trifluperazin	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
228	R.N.A 039xxx	P	40	F20.3	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet

No.	Nama / Kode Rekam Medik	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Penelitian			Dosis Formularium		
						Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
229	RK 000xxx	L	78	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
					Trifluoperazin	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
230	SD 019xxx	P	40	F20.0	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Haloperidol	Oral	2 x 5 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
231	S.I 036xxx	L	39	F20.1	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
232	SR 017xxx	L	45	F20.5	Haloperidol	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
233	T.W 014xxx	L	41	F20.8	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Haloperidol	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
234	WT 029xxx	L	39	F20.8	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Trifluoperazin	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
235	W.T.S 016xxx	L	36	F20.8	Haloperidol	Oral	2 x 1,5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Trifluoperazin	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin	Oral	1 x ½. 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
236	Y.U 042xxx	L	35	F20.5	Risperidon	Oral	3 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
237	Y.T.T 047xxx	L	37	F20.3	Haloperidol	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet

#### November

No.	Nama / Kode Rekam Medik	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Penelitian			Dosis Formularium		
						Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
238	A.S 027xxx	L	35	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Trifluoperazin	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
239	A.R	L	43	F20.5	Trifluoperazin	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet

No.	Nama / Kode Rekam Medik	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Penelitian			Dosis Formularium		
						Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
	038xxx				Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
					Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
240	A.L 000xxx	L	34	F20.5	Haloperidol	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
241	A.W 040xxx	L	35	F20.5	Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
					Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
242	B.S 025xxx	L	38	F20.5	Trifluoperazin	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
					Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
243	D.N.A 023xxx	P	30	F20.8	Haloperidol	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin	Oral	2 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
244	E.I 008xxx	P	45	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Trifluoperazin	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
245	H.P 021xxx	L	47	F20.5	Haloperidol	Oral	2 x 1,5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin	Oral	1 x ½. 5 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
246	HR 037xxx	P	38	F20.5	Haloperidol	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
247	H.P.L 048xxx	P	32	F20.0	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
248	J.I 002xxx	L	58	F20.8	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Haloperidol	Oral	2 x 1,5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin	Oral	1 x ½. 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
249	KC 038xxx	L	39	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Trifluoperazin	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
250	M.S 049xxx	P	26	F20.3	Risperidon	Oral	3 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
251	N.R 039xxx	L	31	F20.0	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
252	PY 044xxx	L	40	F20.8	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet

No.	Nama / Kode Rekam Medik	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Penelitian			Dosis Formularium		
						Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
253	SD 019xxx	P	40	F20.0	Risperidon Haloperidol	Oral Oral	2 x 2 mg 2 x 5 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 2-20 mg/ hr	Tablet Tablet
254	S.A 033xxx	P	53	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
255	S. H 047xxx	P	45	F20.8	Haloperidol Klorpromazin	Oral Oral	2 x 5 mg 1 x 100 mg	Tablet Tablet	Oral Oral	2-20 mg/ hr 300-1200 mg/ hr	Tablet Tablet
256	S.S 023xxx	P	35	F20.0	Haloperidol Klorpromazin	Oral Oral	2 x 5 mg 1 x 100 mg	Tablet Tablet	Oral Oral	2-20 mg/ hr 300-1200 mg/ hr	Tablet Tablet
257	T.W 014xxx	L	41	F20.8	Risperidon Haloperidol	Oral Oral	2 x 2 mg 2 x 5 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 300-1200 mg/ hr	Tablet Tablet
258	T.H 022xxx	P	53	F20.5	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
259	V.S 024xxx	P	49	F20.8	Risperidon Klorpromazin	Oral Oral	2 x 2 mg 1 x 100 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 300-1200 mg/ hr	Tablet Tablet
260	W.S 046xxx	L	23	F20.5	Risperidon Klorpromazin	Oral Oral	2 x 2 mg 1 x 100 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 300-1200 mg/ hr	Tablet Tablet
261	WK 016xxx	L	35	F20.5	Haloperidol	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet

### Desember

No.	Nama / Kode Rekam Medik	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Penelitian			Dosis Formularium		
						Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
262	A.Y 014xxx	L	42	F20.5	Haloperidol	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
264	B.S 033xxx	L	25	F20.5	Klorpromazin Risperidon	Oral Oral	1 x 100 mg 2 x 2 mg	Tablet Tablet	Oral Oral	300-1200 mg/ hr 4-18 mg/ hr	Tablet Tablet
263	B.S	L	38	F20.3	Haloperidol	Oral	2 x 2 mg	Tablet	Oral	2-20 mg/ hr	Tablet

No.	Nama / Kode Rekam Medik	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Penelitian			Dosis Formularium		
						Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
	037xxx				Klorpromazin	Oral	100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
265	D.W 027xxx	L	35	F20.0	Risperidon Haloperidol	Oral Oral	2 x 2 mg 2 x 5 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 2-20 mg/ hr	Tablet Tablet
266	F.S 046xxx	L	20	F20.3	Risperidon Klorpromazin	Oral Oral	2 x 2 mg 1 x 100 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 300-1200 mg/ hr	Tablet Tablet
267	HR 037xxx	L	23	F20.8	Klorpromazin Risperidon Trifluperazin	Oral Oral Oral	1 x 100 mg 1 x 2 mg 2 x 5 mg	Tablet Tablet Tablet	Oral Oral Oral	300-1200 mg/ hr 4-18 mg/ hr 2-20 mg/ hr	Tablet Tablet Tablet
268	H.S 036xxx	P	38	F20.5	Haloperidol Klorpromazin	Oral Oral	2 x 5 mg 1 x 100 mg	Tablet Tablet	Oral Oral	2-20 mg/ hr 300-1200 mg/ hr	Tablet Tablet
269	I.P 020xxx	P	31	F20.5	Risperidon Klorpromazin	Oral Oral	2 x 2 mg 1 x 100 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 300-1200 mg/ hr	Tablet Tablet
270	J.I 002xxx	L	56	F20.3	Haloperidol Klorpromazin	Oral Oral	2 x 5 mg 1 x 100 mg	Tablet Tablet	Oral Oral	2-20 mg/ hr 300-1200 mg/ hr	Tablet Tablet
271	K.K 048xxx	L	58	F20.8	Risperidon Klorpromazin Haloperidol	Oral Oral Oral	2 x 2 mg 1 x ½.100 mg 2 x 1,5 mg	Tablet Tablet Tablet	Oral Oral Oral	4-18 mg/ hr 300-1200 mg/ hr 2-20 mg/ hr	Tablet Tablet Tablet
272	M.H 028xxx	P	66	F20.8	Haloperidol	Oral	2 x 1,5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
273	O.W.P 045xxx	L	53	F20.5	Risperidon Klorpromazin	Oral Oral	2 x 2 mg 1 x 100 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 300-1200 mg/ hr	Tablet Tablet
274	R.B 032xxx	L	29	F20.5	Risperidon Klorpromazin	Oral Oral	2 x 2 mg 1 x 100 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 300-1200 mg/ hr	Tablet Tablet
275	R.B.R 045xxx	L	28	F20.5	Trifluperazin Risperidon	Oral Oral	2 x 5 mg 2 x 2 mg	Tablet Tablet	Oral Oral	2-20 mg/ hr 4-18 mg/ hr	Tablet Tablet
276	SN 035xxx	P	56	F20.8	Risperidon Klorpromazin	Oral Oral	2 x 2 mg 1 x 100 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 300-1200 mg/ hr	Tablet Tablet
277	S.N 032xxx	L	34	F20.5	Risperidon Haloperidol	Oral Oral	2 x 2 mg 2 x 5 mg	Tablet Tablet	Oral Oral	4-18 mg/ hr 2-20 mg/ hr	Tablet Tablet
278	SY	L	39	F20.3	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet

No.	Nama / Kode Rekam Medik	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Penelitian			Dosis Formularium		
						Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
	043xxx				Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
279	T.M 030xxx	P	55	F20.0	Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
					Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
280	W.W 047xxx	P	63	F20.5	Klorpromazin	Oral	1 x100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
281	WY 029xxx	L	32	F20.8	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Haloperidol	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
282	Y.B 000xxx	L	39	F20.0	Trifluperazin	Oral	3 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet
					Klorpromazin	Oral	1 x 100 mg	Tablet	Oral	300-1200 mg/ hr	Tablet
283	F.W 043259	L	48	F20.0	Risperidon	Oral	2 x 2 mg	Tablet	Oral	4-18 mg/ hr	Tablet
					Haloperidol	Oral	2 x 5 mg	Tablet	Oral	2-20 mg/ hr	Tablet

**Lampiran 6. Data Penggunaan Obat Penyerta Perbulan Pada Pasien  
Skizofrenia PKMS Silver Rawat Jalan Selama Tahun 2013**

**Januari**

No.	Nama	JK / Usia		Diag- nosis	Obat yang Digunakan	Dosis Obat		
						Cara Pakai	Dosis	Sediaan
1	A.S 047xxx	L	34	F20.8	Trihexyphenydil Amitriptilin	Oral Oral	2 x 2 mg 1 x 25mg	Tablet Tablet
2	A.P 050xxx	L	40	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
3	A.S 021xxx	L	55	F20.5	Trihexyphenydil	Oral	3 x 2 mg	Tablet
4	AR 039xxx	L	35	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
5	A.W 040xxx	L	35	F20.5	Trihexyphenydil	Oral	2 x2 mg	Tablet
6	A.W 037xxx	P	20	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
7	B.S 037xxx	L	25	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
8	C.C 024xxx	P	53	F20.3	Trihexyphenydil	Oral	1 x 2 mg	Tablet
9	DL 047xxx	P	31	F20.0	Trihexyphenydil	Oral	3 x 2 mg	Tablet
10	E.S 009xxx	L	43	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
11	F.I 024xxx	L	28	F20.3	Trihexyphenydil	Oral	3 x 2 mg	Tablet
12	F.A.F 043xxx	L	20	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
13	G.Y 042xxx	L	33	F20.5	Trihexyphenydil	Oral	1 x 2 mg	Tablet
14	HR 037xxx	P	38	F20.5	Trihexyphenydil	Oral	3 x 2 mg	Tablet
15	H.P.L 048xxx	P	32	F20.0	Trihexyphenydil	Oral	2 x 2 mg	Tablet
16	H.W 031xxx	L	36	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
17	H.B 040xxx	L	37	F20.0	Trihexyphenydil	Oral	2 x 2 mg	Tablet
18	H.S 038xxx	L	47	F20.0	Trihexyphenydil	Oral	2 x 2 mg	Tablet

No.	Nama	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Obat		
						Cara Pakai	Dosis	Sediaan
19	I.P 020xxx	L	56	F20.3	Trihexyphenydil	Oral	2 x 2 mg	Tablet
20	I.P 045xxx	L	24	F20.5	Trihexyphenydil	Oral	3 x 2 mg	Tablet
21	J.S 050xxx	L	41	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
22	KC 038xxx	L	39	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
23	D.W 037xxx	P	23	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
24	D.P.N 022xxx	P	32	F20.8	Trihexyphenydil Amitriptilin	Oral Oral	2 x 2 mg 2 x 25mg	Tablet Tablet
25	R.H 041xxx	P	21	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
26	SR 043xxx	L	42	F20.5	Trihexyphenydil Amitriptilin	Oral Oral	2 x 2 mg 1 x 25mg	Tablet Tablet

### Februari

No.	Nama	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Obat		
						Cara Pakai	Dosis	Sediaan
27	A.S 027xxx	L	35	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
28	A.M 005xxx	L	35	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
29	A.B 043xxx	L	28	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
30	A.L 000xxx	L	34	F20.5	Trihexyphenydil	Oral	1 x 2 mg	Tablet
31	B.R 044xxx	L	52	F20.8	Trihexyphenydil	Oral	1 x 2 mg	Tablet
32	D.W 037xxx	P	23	F20.5	Trihexyphenydil	Oral	3 x 2 mg	Tablet
33	D.P.N 022xxx	P	32	F20.8	Trihexyphenydil Amitriprilin	Oral Oral	2 x 2 mg 1 x 25mg	Tablet Tablet
34	E.B.W 041xxx	L	46	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
35	E.H 038xxx	L	40	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
36	HR 024xxx	L	31	F20.5	Trihexyphenydil	Oral	1 x 2 mg	Tablet



No.	Nama	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Obat		
						Cara Pakai	Dosis	Sediaan
37	H.W 031xxx	L	36	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
38	I.S 035xxx	L	35	F20.3	Trihexyphenydil	Oral	2 x 2 mg	Tablet
39	J.P 015xxx	L	36	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
40	L.I.R 008xxx	P	37	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
41	M.B 036xxx	L	32	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
42	PR 043xxx	P	40	F20.3	Trihexyphenydil	Oral	1 x 2 mg	Tablet
43	R.H 041xxx	P	21	F20.8	Trihexyphenydil	Oral	1 x 2 mg	Tablet
44	D.R 036xxx	L	67	F20.8	Trihexyphenydil Piracetam	Oral Oral	2 x 2 mg 2 x 400mg	Tablet Tablet
45	B.G 046xxx	L	31	F20.8	Trihexyphenydil Amitriptilin	Oral Oral	2 x 2 mg 1 x 25mg	Tablet Tablet
46	Sri Handayani 047728	P	45	F20.8	Trihexyphenydil Vitamin B6	Oral Oral	2 x 2 mg 1 x 200mg	Tablet Tablet
47	T.W 037xxx	L	36	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
48	RN 043xxx	P	48	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
49	Y.U 042xxx	L	35	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
50	D.I 044xxx	L	23	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
51	H.N 032xxx	L	38	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
52	SR 032xxx	L	31	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet

### Maret

No.	Nama	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Obat		
						Cara Pakai	Dosis	Sediaan
53	H.N 048xxx	L	18	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
54	A.S.P	L	55	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet

No.	Nama	JK / Usia		Diag- nosis	Obat yang Digunakan	Dosis Obat		
						Cara Pakai	Dosis	Sediaan
	021xxx							
55	A.Y.P 043xxx	L	32	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
56	A.W 037xxx	P	20	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
57	B.S 032xxx	L	47	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
58	C.C 024xxx	P	53	F20.3	Trihexyphenydil	Oral	1 x 2 mg	Tablet
59	D.N. A. 023xxx	P	30	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
60	F.A.F 043xxx	L	20	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
61	HR 024xxx	L	31	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
62	H.W 031xxx	L	36	F20.5	Trihexyphenydil	Oral	1 x 2 mg	Tablet
63	I.P 045xxx	L	24	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
64	K.W. K. 038xxx	P	27	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
65	M.A.R 035xxx	L	32	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
66	M.B 036xxx	L	45	F20.3	Trihexyphenydil	Oral	1 x 2 mg	Tablet
67	MY 049xxx	L	34	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
68	N.R 039xxx	L	31	F20.0	Trihexyphenydil	Oral	2 x 2 mg	Tablet
69	PS 037xxx	L	34	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
70	PY 044xxx	L	40	F20.8	Trihexyphenydil	Oral	1 x 2 mg	Tablet
71	R.R.A 043xxx	L	31	F20.0	Trihexyphenydil	Oral	2 x 2 mg	Tablet
72	S.P 037xxx	L	24	F20.5	Trihexyphenydil	Oral	1 x 2 mg	Tablet
73	SY 024xxx	P	35	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
74	SN 032xxx	L	31	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
75	T.W	L	41	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet

No.	Nama	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Obat		
						Cara Pakai	Dosis	Sediaan
	014xxx							
76	WR 016xxx	L	35	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
77	H.S 038xxx	L	47	F20.0	Trihexyphenydil	Oral	1 x 2 mg	Tablet
78	RY 001xxx	P	38	F20.3	Trihexyphenydil	Oral	2x 2 mg	Tablet

### April

No.	Nama	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Obat		
						Cara Pakai	Dosis	Sediaan
79	A.M 005xxx	L	35	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
80	A.Y 014xxx	L	42	F20.5	Trihexyphenydil	Oral	1 x 2 mg	Tablet
81	A.W 040xxx	L	35	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
82	A.N 037xxx	P	20	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
83	B.S 037xxx	L	25	F20.5	Trihexyphenydil	Oral	1 x 2 mg	Tablet
84	B.S 025xxx	L	38	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
85	D.I 044xxx	L	23	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
86	E.T 038xxx	L	34	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
87	F.I 020xxx	L	28	F20.3	Trihexyphenydil	Oral	2 x 2 mg	Tablet
88	HY 048xxx	P	52	F20.3	Trihexyphenydil	Oral	2 x 2 mg	Tablet
89	H.P.L 048xxx	P	32	F20.0	Trihexyphenydil	Oral	1 x 2 mg	Tablet
90	I.P 020xxx	L	56	F20.3	Trihexyphenydil	Oral	1 x 2 mg	Tablet
91	M.A.R 035xxx	L	32	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
92	M.B.M 028xxx	L	44	F20.5	Trihexyphenydil	Oral	1 x 2 mg	Tablet
93	N.C	P	30	F20.3	Trihexyphenydil	Oral	2 x 2 mg	Tablet

No.	Nama	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Obat		
						Cara Pakai	Dosis	Sediaan
	044xxx							
94	O.S 043xxx	L	32	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
95	P.S 002xxx	L	45	F20.8	Trihexyphenydil	Oral	1 x 2 mg	Tablet
96	R.W 037xxx	P	28	F20.0	Trihexyphenydil	Oral	2 x 2 mg	Tablet
97	R.R.A 043xxx	L	31	F20.0	Trihexyphenydil	Oral	1 x 2 mg	Tablet
98	SR 036xxx	L	38	F20.5	Trihexyphenydil	Oral	1 x 2 mg	Tablet
99	SP 037xxx	L	24	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
100	S.S 023xxx	P	35	F20.0	Trihexyphenydil	Oral	2 x 2 mg	Tablet
101	SM 032xxx	L	31	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
102	T.M 030xxx	P	63	F20.5	Trihexyphenydil	Oral	1 x 2 mg	Tablet

### Mei

No.	Nama	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Obat		
						Cara Pakai	Dosis	Sediaan
103	A.S 047xxx	L	34	F20.8	Trihexyphenydil Amitriptilin	Oral Oral	2 x 2 mg 1 x 25 mg	Tablet Tablet
104	A.P 026xxx	L	45	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
105	A.R 038xxx	L	43	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
106	A.L 000xxx	L	34	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
107	A.W 037xxx	P	20	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
108	B.P 036xxx	L	42	F20.5	Trihexyphenydil	Oral	1 x 2 mg	Tablet
109	B.S 025xxx	L	38	F20.5	Trihexyphenydil	Oral	1 x 2 mg	Tablet
110	ET 038xxx	L	34	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
111	F.S	L	20	F20.3	-	-	-	-

No.	Nama	JK / Usia		Diag- nosis	Obat yang Digunakan	Dosis Obat		
						Cara Pakai	Dosis	Sediaan
	046xxx							
112	F.K 046xxx	L	30	F20.8	Trihexyphenydil	Oral	1 x 2 mg	Tablet
113	HR 024xxx	L	31	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
114	H.P.L 048xxx	P	32	F20.0	Trihexyphenydil	Oral	2 x 2 mg	Tablet
115	I.P 045xxx	L	24	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
116	KC 038xxx	L	39	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
117	M.S 049xxx	P	26	F20.3	Trihexyphenydil	Oral	2 x 2 mg	Tablet
118	PN 043xxx	P	50	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
119	R.N.A 039767	P	40	F20.3	Trihexyphenydil	Oral	2 x 2 mg	Tablet
120	S.I 036xxx	L	39	F20.1	Trihexyphenydil	Oral	2 x 2 mg	Tablet
121	S.M 030xxx	P	57	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
122	SY 043xxx	L	31	F20.5	Trihexyphenydil	Oral	1 x 2 mg	Tablet
123	SR 017xxx	L	45	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
124	T.S 022xxx	P	53	F20.5	Trihexyphenydil	Oral	1 x 2 mg	Tablet
125	T.M 030xxx	P	63	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
126	WT 029xxx	L	39	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet

### Juni

No.	Nama	JK / Usia		Diag- nosis	Obat yang Digunakan	Dosis Obat		
						Cara Pakai	Dosis	Sediaan
127	A.M 005xxx	L	35	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
128	A.L 000xxx	L	34	F20.5	Trihexyphenydil	Oral	1 x 2 mg	Tablet
129	B.S	L	53	F20.0	Trihexyphenydil	Oral	2 x 2 mg	Tablet

No.	Nama	JK / Usia		Diag- nosis	Obat yang Digunakan	Dosis Obat		
						Cara Pakai	Dosis	Sediaan
	041xxx							
130	B.S 025xxx	L	38	F20.5	Trihexyphenydil	Oral	1 x 2 mg	Tablet
131	D.P 045xxx	L	30	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
132	E.T 038xxx	L	34	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
133	F.I 024xxx	L	28	F20.3	Trihexyphenydil	Oral	2 x 2 mg	Tablet
134	H.S 036xxx	P	31	F20.5	Trihexyphenydil	Oral	1 x 2 mg	Tablet
135	I.P 045xxx	L	24	F20.5	Trihexyphenydil	Oral	1 x 2 mg	Tablet
136	KR 038xxx	L	39	F20.5	Trihexyphenydil Amitriptilin	Oral Oral	2 x 2 mg 1 x 25mg	Tablet Tablet
137	N.Y 033xxx	P	28	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
138	R.B 032xxx	L	28	F20.5	Trihexyphenydil	Oral	1 x 2 mg	Tablet
139	R.N 039xxx	P	40	F20.3	Trihexyphenydil	Oral	2 x 2 mg	Tablet
140	S.I 036xxx	L	39	F20.1	Trihexyphenydil	Oral	1 x 2 mg	Tablet
141	S.M 036xxx	P	57	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
142	SR 043xxx	P	55	F20.0	Trihexyphenydil	Oral	2 x 2 mg	Tablet
143	T.B 049xxx	L	25	F20.1	Trihexyphenydil	Oral	2 x 2 mg	Tablet
144	SM 017xxx	L	45	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
145	WT 029xxx	L	39	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
146	WD 015xxx	L	46	F20.5	Amitriptilin Phenobarbital	Oral Oral	1 x 25 mg 3 x 30mg	Tablet Tablet
147	M.B 036xxx	L	32	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet

## Juli

No.	Nama	JK / Usia		Diag- nosis	Obat yang Digunakan	Dosis Obat		
						Cara Pakai	Dosis	Sediaan
148	A.P 032xxx	L	40	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
149	A.S 041xxx	L	30	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
150	A.B 043xxx	L	28	F20.5	Trihexyphenydil	Oral	1 x 2 mg	Tablet
151	B.R 044xxx	L	52	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
152	E.T 038xxx	L	34	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
153	E.I 008xxx	P	45	F20.5	Trihexyphenydil Amitriptilin	Oral Oral	2 x 2 mg 1 x 25mg	Tablet Tablet
154	HY 048xxx	P	52	F20.3	Trihexyphenydil	Oral	1 x 2 mg	Tablet
155	H.B 040880	L	37	F20.0	Trihexyphenydil	Oral	1 x 2 mg	Tablet
156	I.P 045xxx	L	24	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
157	J.P 013xxx	L	29	F20.8	Trihexyphenydil	Oral	1 x 2 mg	Tablet
158	M.B.M 028xxx	L	44	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
159	P.J. W. 041xxx	L	43	F20.0	Trihexyphenydil	Oral	2 x 2 mg	Tablet
160	P.W 037xxx	L	30	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
161	R.N.A 039xxx	P	40	F20.3	Trihexyphenydil	Oral	2 x 2 mg	Tablet
162	S.L 004xxx	P	29	F20.5	Trihexyphenydil	Oral	1 x 2 mg	Tablet
163	S.D 043xxx	P	37	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
164	SR 017xxx	L	45	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
165	T.W 041xxx	L	47	F20.8	Trihexyphenydil	Oral	1 x 2 mg	Tablet
166	T.M 030xxx	P	63	F20.5	Trihexyphenydil	Oral	1 x 2 mg	Tablet
167	WY 029xxx	L	39	F20.0	Trihexyphenydil	Oral	1 x 2 mg	Tablet

No.	Nama	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Obat		
						Cara Pakai	Dosis	Sediaan
168	Y.B 000xxx	L	48	F20.0	Trihexyphenydil	Oral	2 x 2 mg	Tablet
169	Y.U 042xxx	L	35	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet

### Agustus

No.	Nama	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Obat		
						Cara Pakai	Dosis	Sediaan
170	A.S 041xxx	L	30	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
171	A.R 038xxx	L	43	F20.5	Trihexyphenydil	Oral	1 x 2 mg	Tablet
172	A.L 000xxx	L	34	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
173	B.P 046xxx	L	49	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
174	B.S 025373	L	38	F20.5	Trihexyphenydil	Oral	1 x 2 mg	Tablet
175	D.S 032xxx	L	31	F20.5	Trihexyphenydil	Oral	1 x 2 mg	Tablet
176	H.A 004xxx	L	48	F20.8	Trihexyphenydil	Oral	1 x 2 mg	Tablet
177	H.N 032xxx	L	38	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
178	H.B 040xxx	L	37	F20.0	Trihexyphenydil	Oral	2 x 2 mg	Tablet
179	J.P 013xxx	L	29	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
180	K.W.K 038xxx	P	27	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
181	M.B 036xxx	L	45	F20.3	Trihexyphenydil	Oral	2 x 2 mg	Tablet
182	R.B 032xxx	L	28	F20.5	Trihexyphenydil	Oral	1 x 2 mg	Tablet
183	R.N.A 039xxx	P	40	F20.3	Trihexyphenydil	Oral	1 x 2 mg	Tablet
184	R.B.R 045xxx	P	56	F20.8	Trihexyphenydil	Oral	1 x 2 mg	Tablet
185	S.F 003xxx	P	33	F20.3	Trihexyphenydil Amitriptilin	Oral Oral	1 x 2 mg 1 x 25mg	Tablet Tablet



No.	Nama	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Obat		
						Cara Pakai	Dosis	Sediaan
186	SY 043xxx	P	55	F20.0	Trihexyphenydil	Oral	2 x 2 mg	Tablet
187	ST 049xxx	P	49	F20.0	Trihexyphenydil	Oral	2 x 1 mg	Tablet
188	T.W 036xxx	L	38	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
189	T.B.S 021xxx	L	34	F20.0	Trihexyphenydil	Oral	2 x 2 mg	Tablet
190	W.S 046xxx	L	23	F20.5	Trihexyphenydil	Oral	1 x 2 mg	Tablet
191	W.T.S 016xxx	L	36	F20.8	Trihexyphenydil	Oral	1 x 2 mg	Tablet
192	Yoseph Tatok Tri 047352	L	37	F20.3	Trihexyphenydil	Oral	2 x2 mg	Tablet

### September

No.	Nama	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Obat		
						Cara Pakai	Dosis	Sediaan
193	A.S.P 021xxx	L	55	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
194	A.B 043xxx	L	28	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
195	B.S 037xxx	L	25	F20.5	Trihexyphenydil	Oral	1 x 2 mg	Tablet
196	D.P 022xxx	P	32	F20.8	Trihexyphenydil Amitriptilin	Oral Oral	1 x 2 mg 1 x 25mg	Tablet Tablet
197	E.H 038xxx	L	40	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
198	H.A 004xxx	L	48	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
199	H.N 032xxx	L	38	F20.5	Trihexyphenydil	Oral	1 x 2 mg	Tablet
200	H.W 031xxx	L	36	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
201	J.S 021xxx	L	55	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
202	L.I.R 008xxx	P	37	F20.8	Trihexyphenydil	Oral	1 x 2 mg	Tablet
203	M.H	L	53	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet

No.	Nama	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Obat		
						Cara Pakai	Dosis	Sediaan
	028xxx							
204	M.T 018xxx	L	41	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
205	PH 023xxx	L	33	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
206	PY 044xxx	L	40	F20.8	Trihexyphenydil	Oral	1 x 2 mg	Tablet
207	R.C 038xxx	P	33	F20.5	Trihexyphenydil	Oral	1 x 2 mg	Tablet
208	S.F 003xxx	P	33	F20.3	Trihexyphenydil Amitriptilin	Oral Oral	2 x 2 mg 1 x 25mg	Tablet Tablet
209	SY 043xxx	P	55	F20.0	Trihexyphenydil	Oral	2 x 2 mg	Tablet
210	T.W 014xxx	L	41	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
211	T.J.M 047xxx	L	47	F20.0	Trihexyphenydil	Oral	2 x 2 mg	Tablet
212	WD 015xxx	L	46	F20.5	Trihexyphenydil Phenobarbital	Oral Oral	2 x 2 mg 3 x 30mg	Tablet Tablet
213	W.T.S 016xxx	L	36	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
214	B.B 000xxx	P	30	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet

### Oktober

No.	Nama	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Obat		
						Cara Pakai	Dosis	Sediaan
215	A.S 019xxx	L	40	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
216	AR 039xxx	L	35	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
217	B.P 046xxx	L	49	F20.8	Trihexyphenydil Vitamin	Oral Oral	1 x 2 mg 1 x 100mg	Tablet Tablet
218	B.S 025xxx	L	38	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
219	E.I 008xxx	P	45	F20.5	Trihexyphenydil Amitriptilin	Oral Oral	2 x 2mg 1 x 25mg	Tablet Tablet
220	HY 048xxx	P	52	F20.3	Trihexyphenydil	Oral	2 x 2 mg	Tablet
221	H.B	L	37	F20.0	Trihexyphenydil	Oral	1 x 2 mg	Tablet

No.	Nama	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Obat		
						Cara Pakai	Dosis	Sediaan
	040xxx							
222	J.I 002xxx	L	58	F20.8	Trihexyphenydil Amitriptilin	Oral Oral	1 x 2 mg 1 x 25mg	Tablet Tablet
223	L.I.R 008xxx	P	37	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
224	MH 016xxx	L	52	F20.8	Trihexyphenydil	Oral	2 x 2mg	Tablet
225	O.W.P 451xxx	L	29	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
226	PY 023xxx	L	33	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
227	F.W 043xxx	L	23	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
228	R.N.A 039xxx	P	40	F20.3	Trihexyphenydil	Oral	2 x 2 mg	Tablet
229	RK 000xxx	L	78	F20.5	Trihexyphenydil	Oral	1 x 2 mg	Tablet
230	SD 019xxx	P	40	F20.0	Trihexyphenydil	Oral	2 x 2 mg	Tablet
231	S.I 036xxx	L	39	F20.1	Trihexyphenydil	Oral	2 x 2 mg	Tablet
232	SR 017xxx	L	45	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
233	T.W 014xxx	L	41	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
234	WT 029xxx	L	39	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
235	W.T.S 016xxx	L	36	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
236	Y.U 042xxx	L	35	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
237	Y.T.T 047xxx	L	37	F20.3	Trihexyphenydil	Oral	2 x 2 mg	Tablet

### November

No.	Nama	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Obat		
						Cara Pakai	Dosis	Sediaan
238	A.S 027xxx	L	35	F20.5	Trihexyphenydil	Oral	2 mg	Tablet
239	A.R	L	43	F20.5	Trihexyphenydil	Oral	2 mg	Tablet

No.	Nama	JK / Usia		Diag- nosis	Obat yang Digunakan	Dosis Obat		
						Cara Pakai	Dosis	Sediaan
	038xxx							
240	A.L 000xxx	L	34	F20.5	Trihexyphenydil	Oral	2 mg	Tablet
241	A.W 040xxx	L	35	F20.5	Trihexyphenydil	Oral	2 mg	Tablet
242	B.S 025xxx	L	38	F20.5	Trihexyphenydil	Oral	2 mg	Tablet
243	D.N.A 023xxx	P	30	F20.8	Trihexyphenydil	Oral	2 mg	Tablet
244	E.I 008xxx	P	45	F20.5	Trihexyphenydil Amitriptilin	Oral Oral	2 x 2 mg 1 x 25mg	Tablet Tablet
245	H.P 021xxx	L	47	F20.5	Trihexyphenydil Amitriptilin	Oral Oral	2 x 2 mg 1 x 25mg	Tablet Tablet
246	HR 037xxx	P	38	F20.5	Trihexyphenydil	Oral	1 x 2 mg	Tablet
247	H.P.L 048xxx	P	32	F20.0	Trihexyphenydil	Oral	2 x 2 mg	Tablet
248	J.I 002xxx	L	58	F20.8	Trihexyphenydil Amitriptilin	Oral Oral	2 x 2 mg 1 x 25mg	Tablet Tablet
249	KC 038xxx	L	39	F20.5	Trihexyphenydil Amitriptilin	Oral Oral	2 x 2 mg 1 x 25mg	Tablet Tablet
250	M.S 049xxx	P	26	F20.3	Trihexyphenydil Phenobarbital Phenitoin	Oral Oral Oral	2 x 2 mg 3 x30mg 3 x100mg	Tablet Tablet Tablet
251	N.R 039xxx	L	31	F20.0	Trihexyphenydil	Oral	2 x 2 mg	Tablet
252	PY 044xxx	L	40	F20.8	Trihexyphenydil	Oral	2 mg	Tablet
253	SD 019xxx	P	40	F20.0	Trihexyphenydil	Oral	2 mg	Tablet
254	S.A 033xxx	P	53	F20.5	Trihexyphenydil	Oral	2 mg	Tablet
255	S. H 047xxx	P	45	F20.8	Trihexyphenydil	Oral	2 mg	Tablet
256	S.S 023xxx	P	35	F20.0	Trihexyphenydil	Oral	2 x 2 mg	Tablet
257	T.W 014xxx	L	41	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
258	T.H 022xxx	P	53	F20.5	Trihexyphenydil	Oral	1 x 2 mg	Tablet
259	V.S 024xxx	P	49	F20.8	Trihexyphenydil	Oral	3 x 2 mg	Tablet

No.	Nama	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Obat		
						Cara Pakai	Dosis	Sediaan
260	W.S 046xxx	L	23	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
261	WK 016xxx	L	35	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet

### Desember

No.	Nama	JK / Usia		Diagnosis	Obat yang Digunakan	Dosis Obat		
						Cara Pakai	Dosis	Sediaan
262	A.Y 014xxx	L	42	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
263	B.S 033xxx	L	38	F20.3	Trihexyphenydil	Oral	2 x 2 mg	Tablet
264	B.S 037xxx	L	25	F20.5	Trihexyphenydil	Oral	1 x 2 mg	Tablet
265	D.W 027xxx	L	35	F20.0	Trihexyphenydil	Oral	2 x 2 mg	Tablet
266	F.S 046xxx	L	20	F20.3	-	-	-	-
267	HR 037xxx	P	38	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
268	H.S 036xxx	P	31	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
269	I.P 020xxx	L	56	F20.3	Trihexyphenydil	Oral	1 x 2 mg	Tablet
270	J.I 002xxx	L	58	F20.8	Trihexyphenydil Amitriptilin	Oral Oral	2 x 2 mg 1 x 25mg	Tablet Tablet
271	K.K 048xxx	P	66	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
272	M.H 028xxx	L	53	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
273	O.W.P 045xxx	L	29	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
274	R.B 032xxx	L	28	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
275	R.B.R 045xxx	P	56	F20.8	Trihexyphenydil	Oral	1 x 2 mg	Tablet
276	SN 035xxx	L	34	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
277	S.N 032xxx	L	39	F20.3	Trihexyphenydil	Oral	2 x 2 mg	Tablet

No.	Nama	JK / Usia		Diag- nosis	Obat yang Digunakan	Dosis Obat		
						Cara Pakai	Dosis	Sediaan
278	SY 043xxx	P	55	F20.0	Trihexyphenydil	Oral	2 x 2 mg	Tablet
279	T.M 030xxx	P	63	F20.5	Trihexyphenydil	Oral	2 x 2 mg	Tablet
280	W.W 047xxx	L	32	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet
281	WY 029xxx	L	39	F20.0	Trihexyphenydil	Oral	2 x 2 mg	Tablet
282	Y.B 000xxx	L	48	F20.0	Trihexyphenydil	Oral	2 x 2 mg	Tablet
283	F.W 043259	L	23	F20.8	Trihexyphenydil	Oral	2 x 2 mg	Tablet