

INTISARI

Aolinda Jessica Anidio. 2017. Pengaruh Motivasi Dan Pelatihan K3 Terhadap Kepatuhan Penggunaan Alat Pelindung Diri Pada Pranata Laboratorium Patologi Klinik di RSUD Dr. Moewardi. Program Studi D-IV Analis Kesehatan, Fakultas Ilmu Kesehatan, Universitas Setia Budi.

Penggunaan Alat Pelindung Diri (APD) pada dasarnya mudah, namun pada penerapannya tidak semua petugas laboratorium yang mempunyai risiko cukup besar, selalu menggunakannya. Ada banyak faktor yang menjadi penyebab tenaga kerja tidak patuh menggunakan Alat Pelindung Diri (APD), meskipun perusahaan telah menyediakan dan menerapkan peraturan yang mewajibkan tenaga kerja menggunakan Alat Pelindung Diri (APD). Penelitian ini bertujuan untuk mengetahui pengaruh Motivasi dan Pelatihan K3 terhadap Kepatuhan Penggunaan Alat Pelindung Diri (APD) pada Pranata Laboratorium Patologi Klinik RSUD Dr. Moewardi.

Responden dalam penelitian ini adalah pranata laboratorium patologi klinik RSUD Dr. Moewardi dengan populasi dan sampel sebanyak 40 orang. Penelitian ini menggunakan metode pengambilan sampel total sampling. Analisis data dengan Analisis Regresi Berganda, Uji t, Uji F dan Uji Koefisien Determinasi R^2 dengan program SPSS *versi 17 for windows*.

Hasil penelitian menunjukkan bahwa Motivasi berpengaruh positif terhadap kepatuhan penggunaan alat pelindung diri (APD) dengan nilai sig 0,000 lebih kecil dari 0,05. Pelatihan tidak berpengaruh positif terhadap kepatuhan penggunaan alat pelindung diri (APD) dengan nilai sig 0.133 lebih besar dari 0,05.

Kata kunci : Alat Pelindung Diri, Kepatuhan, Motivasi dan Pelatihan.

ABSTRACT

Aolinda Jessica Anidio. 2017. *The Effect of Motivation and Training K3 Against Compliance the use of a Self-Protective apparatus on Pranata the Pathology Laboratory Clinic at Dr. Moewardi Regional Public Hospital. The study program of Four-Year Diploma (D-IV) in Medical Laboratory Technology. The faculty of health Sciences. Setia Budi University.*

The use of a self-protective apparatus (SPA) basically easy , but at the applications not all laboratory technician have significant risk, used it all the time. There are many factors that causes laboratory not in use the self-protective (APD), Although companies have prepared and applying a rule for labor used a self - protective (SPA). This research aims to understand *The Effect of Motivation and Training K3 Against Compliance the use of a Self-Protective apparatus on Pranata the Pathology Laboratory Clinic at Dr. Moewardi Regional Public Hospital.*

Respondents in this research was pranata the pathology laboratory clinic Dr. Moewardi Regional Public Hospital with a population and samples as many 40 poeple. This research using method collection of samples a total sampling. Data analysis from the analysis of multiple regression, test t, test F and the coefficient determination R^2 with the program spss *version 17 for windows* .

Research results Indicate that the motivation influential positive on compliance tool use self-protective apparatus (SPA) with sig value of 0.000 less than 0,05. Training not affect positive on compliance tool use self-protection (SPA) worth sig 0.133 larger than 0,05

Keywords : Self-Protective Apparatus, Compliance, Motivation, Training