

Lampiran 1 Kuesioner Penelitian**KUESIONER PENELITIAN**

Kepada Yth
Bp/Ibu/Sdr. Responden
di Surakarta

Saat ini saya sedang melakukan penelitian untuk tugas akhir skripsi dengan judul “Peran Mediasi Rencana Berobat dan Moderasi Kontrol Keperilakuan Aktual dan Konteks Situasional dalam Hubungan Antara Niat Berobat dan Keputusan Berobat”. Saya mohon kesediaan Bapak/Ibu/ Saudara/ Saudari berkenan mengisi kuesioner dengan sejujurnya. Jawaban serta segala informasi tentang responden akan dirahasiakan. Atas perhatian dan kerjasamanya, saya ucapkan terimakasih.

Hormat saya,

Andika Anang Winarso
14160375L

PETUNJUK PENGISIAN

Berikan tanggapan atas pertanyaan dengan cara memberikan tanda \surd sesuai dengan pilihan anda. SS = Sangat Setuju, S = Setuju, CS = Cukup Setuju, TS = Tidak Setuju, STS = Sangat Tidak Setuju.

KUESIONER PENELITIAN

No	Pernyataan	SS	S	CS	TS	STS
NB1	Saya berencana berobat di Rumah Sakit pilihan saya.					
NB2	Saya ingin berobat di rumah sakit yang saya pilih.					
NB3	Saya berharap berobat di rumah sakit yang saya pilih					
RB1	Saya telah menentukan waktu berobat.					
RB2	Saya telah menentukan rumah sakit tempat berobat.					
RB3	Saya telah menyusun rencana pelaksanaan berobat ke rumah sakit yang dipilih.					
KS1	Saya mengetahui lokasi rumah sakit yang saya pilih.					
KS2	Rumah sakit yang saya pilih layak					
KS3	Biaya berobat di rumah sakit wajar.					
KS4	Di rumah sakit, pasien dapat berinteraksi dengan orang lain.					
KS5	Rumah sakit tempat berobat adalah pilihan saya.					
KS6	Saya cemas dengan penyakit saya					
KKA	Saya mampu melaksanakan pengobatan di rumah sakit yang saya pilih					

Diisi oleh peneliti :

* Berobat / Tidak Berobat

Lampiran 2 Hasil Uji Validitas

Rotated Component Matrix^a

	Component		
	1	2	3
NB1		.840	
NB2		.866	
NB3		.849	
RB1			.872
RB2			.909
RB3			.891
KS1	.890		
KS2	.895		
KS3	.876		
KS4	.890		
KS5	.907		
KS6	.881		

Extraction Method: Principal Component Analysis.

Rotation Method: Varimax with Kaiser

Normalization.

a. Rotation converged in 5 iterations.

Lampiran 3 Hasil Uji Reliabilitas

Variabel Niat Berobat

Case Processing Summary

		N	%
Cases	Valid	200	100.0
	Excluded ^a	0	.0
	Total	200	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.931	3

Variabel Rencana Pelaksanaan Berobat

Case Processing Summary

		N	%
Cases	Valid	200	100.0
	Excluded ^a	0	.0
	Total	200	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.918	3

Variabel Konteks Situasional

Case Processing Summary

		N	%
Cases	Valid	200	100.0
	Excluded ^a	0	.0
	Total	200	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.971	6

Lampiran 4 Hasil Uji Mediasi Rencana Pelaksanaan Berobat

Persamaan 1.

Case Processing Summary

Unweighted Cases ^a		N	Percent
Selected Cases	Included in Analysis	200	100.0
	Missing Cases	0	.0
	Total	200	100.0
Unselected Cases		0	.0
Total		200	100.0

a. If weight is in effect, see classification table for the total number of cases.

Dependent Variable Encoding

Original Value	Internal Value
.00	0
1.00	1

Block 0: Beginning Block

Classification Table^{a,b}

	Observed	Predicted			
		Keputusan Berobat		Percentage Correct	
		.00	1.00		
Step 0	Keputusan Berobat	.00	0	42	.0
		1.00	0	158	100.0
	Overall Percentage				79.0

a. Constant is included in the model.

b. The cut value is .500

Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)
Step 0 Constant	1.325	.174	58.245	1	.000	3.762

Variables not in the Equation

	Score	df	Sig.
Step 0 Variables NB	19.652	1	.000
Overall Statistics	19.652	1	.000

Block 1: Method = Enter

Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	17.973	1	.000
	Block	17.973	1	.000
	Model	17.973	1	.000

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	187.610 ^a	.486	.534

a. Estimation terminated at iteration number 5 because parameter estimates changed by less than .001.

Hosmer and Lemeshow Test

Step	Chi-square	df	Sig.
1	10.091	3	.178

Contingency Table for Hosmer and Lemeshow Test

		Keputusan Berobat = .00		Keputusan Berobat = 1.00		Total
		Observed	Expected	Observed	Expected	
Step 1	1	12	10.883	8	9.117	20
	2	3	8.002	27	21.998	30
	3	18	15.117	60	62.883	78
	4	1	3.440	23	20.560	24
	5	8	4.557	40	43.443	48

Classification Table^a

		Observed	Predicted		
			Keputusan Berobat		Percentage Correct
			.00	1.00	
Step 1	Keputusan Berobat	.00	11	31	26.2
		1.00	2	156	98.7
	Overall Percentage				83.5

a. The cut value is .500

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)	95% C.I. for EXP(B)	
								Lower	Upper
Step 1 ^a	NB	.829	.205	16.333	1	.000	2.292	1.533	3.426
	Constant	-1.891	.797	5.636	1	.018	.151		

a. Variable(s) entered on step 1: NB.

Persamaan 2

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Niat Berobat ^b	.	Enter

a. Dependent Variable: Rencana Berobat

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.485 ^a	.235	.231	.88248

a. Predictors: (Constant), Niat Berobat

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	47.395	1	47.395	60.859	.000 ^b
	Residual	154.196	198	.779		
	Total	201.591	199			

a. Dependent Variable: Rencana Berobat

b. Predictors: (Constant), Niat Berobat

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	1.269	.302		4.205	.000
	Niat Berobat	.572	.073	.485	7.801	.000

a. Dependent Variable: Rencana Berobat

Persamaan 3 Logistic Regression

Case Processing Summary

Unweighted Cases ^a		N	Percent
Selected Cases	Included in Analysis	200	100.0
	Missing Cases	0	.0
	Total	200	100.0
Unselected Cases		0	.0
Total		200	100.0

a. If weight is in effect, see classification table for the total number of cases.

Dependent Variable Encoding

Original Value	Internal Value
.00	0
1.00	1

Block 0: Beginning Block

Classification Table^{a,b}

		Observed	Predicted		
			Keputusan Berobat		Percentage Correct
			.00	1.00	
Step 0	Keputusan Berobat .00	0	42	.0	
	1.00	0	158	100.0	
Overall Percentage				79.0	

a. Constant is included in the model.

b. The cut value is .500

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 0	Constant	1.325	.174	58.245	1	.000	3.762

Variables not in the Equation

			Score	df	Sig.
Step 0	Variables	NB	19.652	1	.000
		RB	57.223	1	.000
Overall Statistics			57.989	2	.000

Block 1: Method = Enter**Omnibus Tests of Model Coefficients**

		Chi-square	df	Sig.
Step 1	Step	55.915	2	.000
	Block	55.915	2	.000
	Model	55.915	2	.000

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	149.667 ^a	.244	.380

a. Estimation terminated at iteration number 5 because parameter estimates changed by less than .001.

Hosmer and Lemeshow Test

Step	Chi-square	df	Sig.
1	9.631	7	.210

Contingency Table for Hosmer and Lemeshow Test

		Keputusan Berobat = .00		Keputusan Berobat = 1.00		Total
		Observed	Expected	Observed	Expected	
Step 1	1	14	13.953	5	5.047	19
	2	11	10.816	10	10.184	21
	3	3	5.143	14	11.857	17
	4	4	3.874	19	19.126	23
	5	1	1.244	11	10.756	12
	6	8	3.545	31	35.455	39
	7	1	1.649	22	21.351	23
	8	0	.806	17	16.194	17
	9	0	.971	29	28.029	29

Classification Table^a

		Predicted		
		Keputusan Berobat		Percentage Correct
Observed		.00	1.00	
Step 1	Keputusan Berobat .00	18	24	42.9
	Keputusan Berobat 1.00	12	146	92.4
Overall Percentage				82.0

a. The cut value is .500

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)	95% C.I. for EXP(B)	
								Lower	Upper
Step 1 ^a	NB	.224	.246	.829	1	.363	1.251	.773	2.024
	RB	1.270	.229	30.631	1	.000	3.560	2.271	5.582
	Constant	-3.671	.952	14.875	1	.000	.025		

a. Variable(s) entered on step 1: NB, RB.

Lampiran 5 Hasil Uji Moderasi Kontrol Keperilakuan Aktual

Logistic Regression

Case Processing Summary

Unweighted Cases ^a		N	Percent
Selected Cases	Included in Analysis	200	100.0
	Missing Cases	0	.0
	Total	200	100.0
Unselected Cases		0	.0
Total		200	100.0

a. If weight is in effect, see classification table for the total number of cases.

Dependent Variable Encoding

Original Value	Internal Value
.00	0
1.00	1

Block 0: Beginning Block

Classification Table^{a,b}

		Predicted		
		Keputusan Berobat		Percentage Correct
Observed		.00	1.00	
Step 0	Keputusan Berobat .00	0	42	.0
	1.00	0	158	100.0
Overall Percentage				79.0

a. Constant is included in the model.

b. The cut value is .500

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 0	Constant	1.325	.174	58.245	1	.000	3.762

Variables not in the Equation

		Score	df	Sig.
Step 0	Variables RB	57.223	1	.000
Overall Statistics		57.223	1	.000

Block 1: Method = Enter**Omnibus Tests of Model Coefficients**

		Chi-square	df	Sig.
Step 1	Step	55.086	1	.000
	Block	55.086	1	.000
	Model	55.086	1	.000

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	150.496 ^a	.241	.375

a. Estimation terminated at iteration number 5 because parameter estimates changed by less than .001.

Hosmer and Lemeshow Test

Step	Chi-square	df	Sig.
1	9.084	5	.106

Contingency Table for Hosmer and Lemeshow Test

		Keputusan Berobat = .00		Keputusan Berobat = 1.00		Total
		Observed	Expected	Observed	Expected	
Step 1	1	17	19.482	12	9.518	29
	2	11	9.501	14	15.499	25
	3	4	4.619	20	19.381	24
	4	0	.526	4	3.474	4
	5	10	5.362	51	55.638	61
	6	0	1.213	21	19.787	21
	7	0	1.297	36	34.703	36

Classification Table^a

		Predicted		
		Keputusan Berobat		Percentage Correct
Observed		.00	1.00	
Step 1	Keputusan Berobat .00	17	25	40.5
	1.00	12	146	92.4
	Overall Percentage			81.5

a. The cut value is .500

Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)	95% C.I. for EXP(B)	
							Lower	Upper
Step 1 ^a RB	1.358	.214	40.404	1	.000	3.889	2.558	5.912
Constant	-3.093	.680	20.684	1	.000	.045		

a. Variable(s) entered on step 1: RB.

Logistic Regression

Case Processing Summary

Unweighted Cases ^a		N	Percent
Selected Cases	Included in Analysis	200	100.0
	Missing Cases	0	.0
	Total	200	100.0
Unselected Cases		0	.0
Total		200	100.0

a. If weight is in effect, see classification table for the total number of cases.

Dependent Variable Encoding

Original Value	Internal Value
.00	0
1.00	1

Block 0: Beginning Block

Classification Table^{a,b}

	Observed	Predicted			
		Keputusan Berobat		Percentage Correct	
		.00	1.00		
Step 0	Keputusan Berobat	.00	0	42	.0
		1.00	0	158	100.0
	Overall Percentage				79.0

a. Constant is included in the model.

b. The cut value is .500

Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)
Step 0 Constant	1.325	.174	58.245	1	.000	3.762

Variables not in the Equation

			Score	df	Sig.
Step 0	Variables	KKA	14.097	1	.000
	Overall Statistics		14.097	1	.000

Block 1: Method = Enter

Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	13.067	1	.000
	Block	13.067	1	.000
	Model	13.067	1	.000

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	192.516 ^a	.063	.098

a. Estimation terminated at iteration number 5 because parameter estimates changed by less than .001.

Hosmer and Lemeshow Test

Step	Chi-square	df	Sig.
1	3.037	1	.081

Contingency Table for Hosmer and Lemeshow Test

		Keputusan Berobat = .00		Keputusan Berobat = 1.00		Total
		Observed	Expected	Observed	Expected	
Step 1	1	12	12.344	16	15.656	28
	2	25	27.177	118	115.823	143
	3	5	2.479	24	26.521	29

Classification Table^a

		Predicted		
		Keputusan Berobat		Percentage Correct
Observed	.00	1.00		
Step 1	Keputusan Berobat .00	7	35	16.7
	1.00	0	158	100.0
	Overall Percentage			82.5

a. The cut value is .500

Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)	95% C.I. for EXP(B)	
							Lower	Upper
Step 1 ^a KKA	.921	.269	11.694	1	.001	2.511	1.481	4.255
Constant	-2.233	1.040	4.612	1	.032	.107		

a. Variable(s) entered on step 1: KKA.

Logistic Regression

Case Processing Summary

Unweighted Cases ^a		N	Percent
Selected Cases	Included in Analysis	200	100.0
	Missing Cases	0	.0
	Total	200	100.0
Unselected Cases		0	.0
Total		200	100.0

a. If weight is in effect, see classification table for the total number of cases.

Dependent Variable Encoding

Original Value	Internal Value
.00	0
1.00	1

Block 0: Beginning Block

Classification Table^{a,b}

	Observed		Predicted		
			Keputusan Berobat		Percentage Correct
			.00	1.00	
Step 0	Keputusan Berobat	.00	0	42	.0
		1.00	0	158	100.0
Overall Percentage					79.0

a. Constant is included in the model.

b. The cut value is .500

Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)
Step 0 Constant	1.325	.174	58.245	1	.000	3.762

Variables not in the Equation

			Score	df	Sig.
Step 0	Variables	RB	57.223	1	.000
		KKA	14.097	1	.000
		KKA by RB	51.026	1	.000
	Overall Statistics	59.860	3	.000	

Block 1: Method = Enter

Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	57.222	3	.000
	Block	57.222	3	.000
	Model	57.222	3	.000

Model Summary

Step	-2 Log likelihood	Cox & Snell R	Nagelkerke R
		Square	Square
1	148.361 ^a	.249	.387

a. Estimation terminated at iteration number 6 because parameter estimates changed by less than .001.

Hosmer and Lemeshow Test

Step	Chi-square	df	Sig.
1	19.594	8	.012

Contingency Table for Hosmer and Lemeshow Test

		Keputusan Berobat = .00		Keputusan Berobat = 1.00		Total
		Observed	Expected	Observed	Expected	
Step 1	1	15	11.954	0	3.046	15
	2	7	11.571	15	10.429	22
	3	6	6.026	13	12.974	19
	4	4	4.053	18	17.947	22
	5	0	1.247	10	8.753	10
	6	10	4.428	41	46.572	51
	7	0	.981	16	15.019	16
	8	0	.446	9	8.554	9
	9	0	.924	24	23.076	24
	10	0	.373	12	11.627	12

Classification Table^a

	Observed	Predicted			
		Keputusan Berobat		Percentage Correct	
		.00	1.00		
Step 1	Keputusan Berobat	.00	18	24	42.9
		1.00	12	146	92.4
	Overall Percentage				82.0

a. The cut value is .500

Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)	95% C.I. for EXP(B)	
							Lower	Upper
Step 1 ^a RB	1.906	1.345	2.010	1	.156	6.729	.482	93.860
KKA	.829	.919	.813	1	.367	2.291	.378	13.880
KKA by RB	-.152	.328	.215	1	.643	.859	.451	1.635
Constant	-6.153	3.732	2.718	1	.099	.002		

a. Variable(s) entered on step 1: RB, KKA, KKA * RB .

Lampiran 6 Hasil Uji Moderasi Variabel Konteks Situasional

Logistic Regression

Case Processing Summary

Unweighted Cases ^a		N	Percent
Selected Cases	Included in Analysis	200	100.0
	Missing Cases	0	.0
	Total	200	100.0
Unselected Cases		0	.0
Total		200	100.0

a. If weight is in effect, see classification table for the total number of cases.

Dependent Variable Encoding

Original Value	Internal Value
.00	0
1.00	1

Block 0: Beginning Block

Classification Table^{a,b}

			Predicted		
			Keputusan Berobat		Percentage Correct
Observed			.00	1.00	
Step 0	Keputusan Berobat	.00	0	42	.0
		1.00	0	158	100.0
Overall Percentage					79.0

a. Constant is included in the model.

b. The cut value is .500

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 0	Constant	1.325	.174	58.245	1	.000	3.762

Variables not in the Equation

		Score	df	Sig.
Step 0	Variables RB	57.223	1	.000
Overall Statistics		57.223	1	.000

Block 1: Method = Enter**Omnibus Tests of Model Coefficients**

		Chi-square	df	Sig.
Step 1	Step	55.086	1	.000
	Block	55.086	1	.000
	Model	55.086	1	.000

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	150.496 ^a	.241	.375

a. Estimation terminated at iteration number 5 because parameter estimates changed by less than .001.

Hosmer and Lemeshow Test

Step	Chi-square	df	Sig.
1	9.084	5	.106

Contingency Table for Hosmer and Lemeshow Test

		Keputusan Berobat = .00		Keputusan Berobat = 1.00		Total
		Observed	Expected	Observed	Expected	
Step 1	1	17	19.482	12	9.518	29
	2	11	9.501	14	15.499	25
	3	4	4.619	20	19.381	24
	4	0	.526	4	3.474	4
	5	10	5.362	51	55.638	61
	6	0	1.213	21	19.787	21
	7	0	1.297	36	34.703	36

Classification Table^a

		Observed	Predicted		
			Keputusan Berobat		Percentage Correct
			.00	1.00	
Step 1	Keputusan Berobat	.00	17	25	40.5
		1.00	12	146	92.4
	Overall Percentage				81.5

a. The cut value is .500

Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)	95% C.I. for EXP(B)	
							Lower	Upper
Step 1 ^a RB	1.358	.214	40.404	1	.000	3.889	2.558	5.912
Constant	-3.093	.680	20.684	1	.000	.045		

a. Variable(s) entered on step 1: RB.

Logistic Regression

Case Processing Summary

Unweighted Cases ^a		N	Percent
Selected Cases	Included in Analysis	200	100.0
	Missing Cases	0	.0
	Total	200	100.0
Unselected Cases		0	.0
Total		200	100.0

a. If weight is in effect, see classification table for the total number of cases.

Dependent Variable Encoding

Original Value	Internal Value
.00	0
1.00	1

Block 0: Beginning Block

Classification Table^{a,b}

	Observed	Predicted			
		Keputusan Berobat		Percentage Correct	
		.00	1.00		
Step 0	Keputusan Berobat	.00	0	42	.0
		1.00	0	158	100.0
Overall Percentage					79.0

a. Constant is included in the model.

b. The cut value is .500

Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)
Step 0 Constant	1.325	.174	58.245	1	.000	3.762

Variables not in the Equation

			Score	df	Sig.
Step 0	Variables	KS	13.849	1	.000
	Overall Statistics		13.849	1	.000

Block 1: Method = Enter

Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	12.337	1	.000
	Block	12.337	1	.000
	Model	12.337	1	.000

Model Summary

Step	-2 Log likelihood	Cox & Snell R	Nagelkerke R
		Square	Square
1	193.246 ^a	.060	.093

a. Estimation terminated at iteration number 4 because parameter estimates changed by less than .001.

Hosmer and Lemeshow Test

Step	Chi-square	df	Sig.
1	2.943	5	.709

Contingency Table for Hosmer and Lemeshow Test

		Keputusan Berobat = .00		Keputusan Berobat = 1.00		Total
		Observed	Expected	Observed	Expected	
Step 1	1	8	9.546	13	11.454	21
	2	0	1.410	5	3.590	5
	3	14	12.771	41	42.229	55
	4	6	5.032	18	18.968	24
	5	4	3.942	18	18.058	22
	6	3	3.117	19	18.883	22
	7	7	6.181	44	44.819	51

Classification Table^a

	Observed	Predicted			
		Keputusan Berobat		Percentage Correct	
		.00	1.00		
Step 1	Keputusan Berobat	.00	6	36	14.3
		1.00	1	157	99.4
	Overall Percentage				81.5

a. The cut value is .500

Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)	95% C.I. for EXP(B)	
							Lower	Upper
Step 1 ^a KS	.785	.235	11.156	1	.001	2.193	1.383	3.477
Constant	-1.945	.982	3.925	1	.048	.143		

a. Variable(s) entered on step 1: KS.

Logistic Regression

Case Processing Summary

Unweighted Cases ^a		N	Percent
Selected Cases	Included in Analysis	200	100.0
	Missing Cases	0	.0
	Total	200	100.0
Unselected Cases		0	.0
Total		200	100.0

a. If weight is in effect, see classification table for the total number of cases.

Dependent Variable Encoding

Original Value	Internal Value
.00	0
1.00	1

Block 0: Beginning Block

Classification Table^{a,b}

	Observed	Predicted			
		Keputusan Berobat		Percentage Correct	
		.00	1.00		
Step 0	Keputusan Berobat	.00	0	42	.0
		1.00	0	158	100.0
	Overall Percentage				79.0

a. Constant is included in the model.

b. The cut value is .500

Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)
Step 0 Constant	1.325	.174	58.245	1	.000	3.762

Variables not in the Equation

	Score	df	Sig.
Step 0 Variables RB	57.223	1	.000
KS	13.849	1	.000
KS by RB	50.954	1	.000
Overall Statistics	59.199	3	.000

Block 1: Method = Enter

Omnibus Tests of Model Coefficients

	Chi-square	df	Sig.
Step 1 Step	56.009	3	.000
Block	56.009	3	.000
Model	56.009	3	.000

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	149.573 ^a	.244	.380

a. Estimation terminated at iteration number 5 because parameter estimates changed by less than .001.

Hosmer and Lemeshow Test

Step	Chi-square	df	Sig.
1	9.954	8	.268

Contingency Table for Hosmer and Lemeshow Test

		Keputusan Berobat = .00		Keputusan Berobat = 1.00		Total
		Observed	Expected	Observed	Expected	
Step 1	1	15	17.073	9	6.927	24
	2	10	9.212	10	10.788	20
	3	4	4.643	16	15.357	20
	4	3	3.141	17	16.859	20
	5	5	2.007	17	19.993	22
	6	3	1.701	16	17.299	19
	7	2	1.620	17	17.380	19
	8	0	1.203	20	18.797	20
	9	0	.896	22	21.104	22
	10	0	.505	14	13.495	14

Classification Table^a

	Observed	Keputusan Berobat	Predicted		Percentage Correct
			Keputusan Berobat		
			.00	1.00	
Step 1	Keputusan Berobat	.00	17	25	40.5
		1.00	12	146	92.4
Overall Percentage					81.5

a. The cut value is .500

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)	95% C.I. for EXP(B)	
								Lower	Upper
Step 1 ^a	RB	1.835	1.226	2.240	1	.134	6.265	.567	69.262
	KS	.575	.793	.525	1	.469	1.777	.375	8.413
	KS by RB	-.129	.284	.207	1	.649	.879	.504	1.533
	Constant	-5.272	3.309	2.537	1	.111	.005		

a. Variable(s) entered on step 1: RB, KS, KS * RB .

Lampiran 7 Tabulasi Data

NO	NB1	NB2	NB3	RB1	RB2	RB3	KS1	KS2	KS3	KS4	KS5	KS6	KKA	KB
1	4	5	4	4	5	5	5	5	4	4	5	5	4	1
2	4	4	3	5	4	4	5	5	5	5	5	4	4	1
3	4	3	4	2	3	3	5	5	5	5	5	4	4	1
4	4	4	3	4	4	4	5	4	4	4	5	4	4	1
5	5	5	5	4	5	5	5	5	4	4	5	5	4	1
6	5	4	4	4	4	4	5	4	4	4	5	4	4	1
7	4	4	3	4	4	4	5	5	5	5	5	5	4	1
8	4	4	4	4	4	4	4	4	4	4	4	4	4	1
9	5	5	5	2	4	4	5	5	5	5	5	5	4	1
10	5	4	5	4	4	4	4	4	5	5	4	4	4	1
11	5	5	5	4	5	5	4	4	3	3	4	4	4	1
12	4	4	4	4	4	4	4	4	4	4	4	4	4	1
13	4	4	4	4	4	4	5	5	5	5	5	5	4	1
14	4	5	4	4	5	5	4	4	3	3	4	4	5	1
15	4	4	4	3	2	2	4	4	4	4	4	4	4	1
16	4	5	4	4	5	5	3	4	3	3	4	4	4	1
17	4	4	4	3	2	2	4	4	4	4	4	4	5	0
18	5	5	5	1	1	1	5	5	5	5	5	5	4	0
19	4	4	4	5	4	4	5	5	5	5	5	5	4	1
20	4	4	4	4	4	4	4	4	4	4	4	4	4	1
21	5	5	5	2	4	4	5	5	5	5	5	5	4	1
22	4	3	4	4	3	3	4	4	5	5	5	4	4	1
23	4	2	2	2	2	2	4	4	4	4	4	4	4	1
24	5	5	5	5	4	4	5	4	4	5	5	4	5	1
25	5	5	5	4	5	5	5	5	5	5	5	5	4	1
26	4	4	4	4	4	4	3	4	3	3	3	4	3	1
27	4	4	2	2	2	2	3	4	3	3	3	4	4	1
28	5	4	5	5	4	4	4	5	5	4	4	5	5	1
29	4	4	4	4	4	4	5	5	4	5	5	5	4	1
30	4	4	4	4	3	3	3	4	4	3	3	4	4	1
31	4	4	4	4	4	4	4	4	4	5	4	4	4	1
32	5	5	5	2	4	4	5	5	5	5	5	5	4	1
33	5	5	5	4	4	4	5	5	5	4	5	5	5	1
34	5	5	5	4	5	5	3	4	3	4	3	4	4	1
35	4	4	4	4	4	4	4	4	4	4	4	4	4	1
36	4	4	4	4	4	4	5	5	5	5	5	5	5	1
37	4	4	4	4	5	5	5	5	5	5	5	5	4	1
38	4	4	4	3	2	2	4	4	4	4	4	4	4	1
39	4	4	4	4	5	5	5	5	5	5	5	5	4	1
40	4	4	4	3	2	2	4	4	4	4	5	4	4	0
41	5	5	5	1	1	1	4	5	4	5	4	4	5	0
42	4	4	4	5	4	4	4	4	5	4	4	5	4	1
43	4	4	4	4	4	4	3	4	3	3	4	4	3	1

NO	NB1	NB2	NB3	RB1	RB2	RB3	KS1	KS2	KS3	KS4	KS5	KS6	KKA	KB
44	5	5	5	2	4	4	5	5	4	5	4	5	4	1
45	4	4	4	4	3	3	4	4	5	4	4	5	3	1
46	4	2	2	2	2	2	4	4	3	3	4	4	4	1
47	5	5	5	5	4	4	4	5	4	5	5	5	5	1
48	5	5	5	4	5	5	5	4	5	5	4	4	5	1
49	4	4	4	4	4	4	5	5	5	4	5	5	4	0
50	4	4	2	2	2	2	4	4	4	4	4	4	4	1
51	5	5	5	5	4	4	4	4	5	4	4	4	4	1
52	4	4	4	4	4	4	4	4	5	4	4	4	4	0
53	4	4	4	4	3	3	4	4	4	5	4	4	4	0
54	5	5	5	2	4	4	5	5	5	4	5	5	4	1
55	3	3	4	2	3	3	4	4	3	4	4	3	3	1
56	4	4	4	3	4	4	5	5	5	5	5	5	4	1
57	2	2	2	2	2	2	4	4	3	4	4	3	4	1
58	4	4	4	4	4	4	4	4	4	4	4	4	4	1
59	4	4	4	4	4	4	4	4	4	4	4	4	4	1
60	4	4	4	4	4	4	4	4	4	5	4	4	4	1
61	4	4	4	4	4	4	5	5	5	4	5	5	4	0
62	2	2	2	2	2	2	2	2	1	2	2	2	2	0
63	4	4	4	4	4	4	4	5	5	4	4	5	4	1
64	4	4	4	3	4	4	5	4	4	4	5	4	3	1
65	4	4	4	4	4	4	4	5	4	5	5	5	4	0
66	4	3	4	4	4	4	4	4	5	4	4	5	4	1
67	4	4	4	4	4	4	4	4	4	5	4	5	4	0
68	4	4	5	4	4	4	5	5	5	5	5	5	4	1
69	2	2	2	2	2	2	3	3	3	2	3	3	3	0
70	3	3	3	3	3	3	5	5	4	5	4	5	3	1
71	4	4	4	4	4	4	4	4	4	4	4	4	4	0
72	4	4	5	3	5	5	5	5	5	5	5	5	5	1
73	2	2	2	2	2	2	2	2	2	2	3	3	2	0
74	4	4	4	2	2	2	4	5	4	4	4	4	4	1
75	4	4	4	2	4	4	4	4	5	4	4	4	4	1
76	3	3	4	4	4	4	3	3	3	3	3	3	3	1
77	4	3	2	2	2	2	5	4	4	4	4	4	2	0
78	5	5	5	3	5	5	5	5	5	5	5	5	5	1
79	4	4	3	4	4	4	4	4	4	4	4	4	4	0
80	5	5	5	4	5	5	5	5	5	5	5	5	4	1
81	5	4	4	4	4	4	4	4	4	4	4	4	4	0
82	4	4	3	4	4	4	5	5	5	5	5	5	4	1
83	4	4	4	4	4	4	4	4	4	4	4	4	4	1
84	5	5	5	2	4	4	5	5	5	5	5	5	4	0
85	5	4	5	4	4	4	4	4	5	4	4	4	4	1
86	5	5	5	4	5	5	4	4	5	4	4	4	4	1
87	4	4	4	4	4	4	4	4	4	4	4	5	4	1

