

DAFTAR PUSTAKA

- Agnihotri, S.A., Mallikarjuna, N.N., dan Aminabhavi, T.M. 2004. Recent Advances on Chitosan - Based Micro - and Nanoparticles in Drug Delivery. *Journal of Controlled Release* 100: pp. 5–28. DOI: 10.1016/j.jconrel.2004.08.010.
- Ahmet, U.L.U. 2020. Preparation of Allantoin Loaded Chitosan Nanoparticles and Influence of Molecular Weight of Chitosan on Drug Release. *İnönü Üniversitesi Sağlık Hizmetleri Meslek Yüksek Okulu Dergisi*, 8(3), pp.725-740. DOI: 10.33715/inonusaglik.759872
- Akema Fine Chemicals. 2006. *Allantoin and Derivatives*. Diakses di <https://www.akema.it/products/allantoin-and-derivatives/>. Diakses pada 28 Oktober 2020.
- Akema Fine Chemicals. 2019. *Allantoin*. Diakses di <https://www.akema.it/pdf/ALLANTOIN>. Diakses pada 23 November 2020.
- Alberts, B., Johnson A., Lewis J., Raff M., Roberts K., Walter, P. 2008. *Molecular Biology of The Cell fifth edition*. 4th ed. Garland Science. New York.
- Anatolievich, N.V., Nikolaevich, C.Y., Vitalievna, B.A., Ivanovich, S.A. and Ilinichna, P.S., 2017. Preclinical study of the efficacy and safety of wound healing gel containing chitosan, taurine and allantoin. *Research Results in Pharmacology*, 3(2). DOI: 10.18413/2313-8971-2017-3-2-14-28
- Allen, L. V., Jr. 1997. *The art and Technology of Pharmaceutical Compounding*. American Pharmaceutical Association. Washington.
- Angela, L. 2012. Aktivitas Antioksidan dan Stabilitas Fisik Gel Anti-Aging yang Mengandung Ekstrak Air Kentang Kuning (*Solanum tuberosum* L.). Skripsi Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Indonesia, Depok.
- Anief, M. 1997. *Ilmu Meracik Obat*. Gadjah Mada University Press. Yogyakarta.
- Ansel, H.C. 1989. *Pengantar Bentuk Sediaan Farmasi Edisi Keempat*. Jakarta: UI Press.
- Barry, W. 1983. *Dermatological Formulations, Percutaneous Absorbtion*. Marcel Dekker Inc. New York
- Becker, L.C., Bergfeld, W.F., Belsito, D.V., Klaassen, C. D., Marks, J. G., Shank, R. C., Andersen, F. A. 2010. Final Report of the Safety Assessment of Allantoin and Its Related Complexes. *International Journal of Toxicology*. DOI: 10.1177/1091581810362805.
- Bhattacharjee, S. 2016. DLS and zeta potential – What they are and what they are not? *Journal of Controlled Release* 235 337–351. DOI: 10.1016/j.jconrel.2016.06.017
- Bhumkar, D.R. dan Pokharkar, V.B. 2006. *Studies on effect of pH on Cross-linking of Chitosan with Sodium Tripolyphosphate: A Technical Note*. AAPS PharmSciTech. 7(2): E1-E6
- Buzea, C., Blandino, I. I. P., dan Robbie, K. 2007. *Nanomaterial and nanoparticles: sources and toxicity, Biointerphases*, 2: MR170–MR172
- Chan, C.C., Herman, L., Lee, Y.C., Zhang, X.M. 2004. *Analitical Method Validation and Instrument Performance Verification*. Inc Publication. New Jersey.

- Chen, M.F., Tsai, J.T., Chen, L.J., Wu, T.P., Yang, J.J., Yin, L.T., Yang, Y.L., Chiang, T.A., Lu, H.L. and Wu, M.C. 2014. Antihypertensive action of allantoin in animals. *BioMed research international*, 2014. DOI: 10.1155/2014/690135.
- Departemen Kesehatan Republik Indonesia. 1995. *Farmakope Indonesia. Edisi IV*. Departemen Kesehatan Republik Indonesia. Jakarta.
- DrugBank. 2015. Allantoin. <https://go.drugbank.com/drugs/DB11100>. 11 Oktober 2020 (19:30).
- DrugBank. 2016. Sodium tripolyphosphate. <https://go.drugbank.com/drugs/DB11493>. 31 Oktober 2020 (19:40).
- Durmus, A.S., Yaman, M. and Can, H.N., 2012. Effects of extractum cepae, heparin, allantoin gel and silver sulfadiazine on burn wound healing: an experimental study in a rat model. *Veterinari Medicina*, 57(6), pp.287-292. DOI: 10.17221/6015-VETMED.
- Erawati, T., Rosita, N., Hendroprasetyo, W. and Juwita, D.R., 2005. Pengaruh Jenis Basis Gel dan Penambahan NaCl (0, 5%-b/b) Terhadap intensitas Echo Gelombang Ultrasonik Sediaan Gel untuk Pemeriksaan USG (Acoustic Coupling Agent). *Airlangga Journal of Pharmacy*, 5(2), pp.1-5.
- Ermer, J. dan Miller, H.M. 2005. *Method Validation in Pharmaceutical Analysis A Guide to Best Practice*. 1st edition. WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim. pp 101-119.
- Fan, W., Yan, W., Xu, Z., dan Ni, H. 2012. Formation mechanism of monodisperse, low molecular weight chitosan nanoparticles by ionic gelation technique. *Colloid Surf B-Biointerfaces* 3(90):21-27. DOI: 10.1016/j.colsurfb.2011.09.042.
- Gandjar, I.G., dan Rohman, A. 2007. *Kimia Farmasi Analisis*. Pustaka Pelajar. Yogyakarta. Hal. 419, 425.
- Garg, A., Aggarwal, D., Garg, S., Sigla, A.K. 2002. Spreading of Semisolid Formulation: *An Update. Pharmaceutical Technology* 4(78):84-102.
- Haley, S. 2009. Metil Paraben *Handbook of Pharmaceutical Excipients*. Pharmaceutical Press. London, Chicago, Washington DC.
- Harding, H.P., Zhang, Y., Bertolotti, A., Zeng, H., Ron D. 2000. Perk is essential for translational regulation and cell survival during the unfolded protein response. *Moleccular Cell*. 5(5):897-904. DOI: 10.1016/s1097-2765(00)80330-5.
- Harmita. 2004. Petunjuk Pelaksanaan Validasi Metode dan Cara Perhitungannya. *Majalah Ilmu Kefarmasian* 1(3):23-34. . DOI: 10.7454/psr.v1i3.3375
- Helal, D.A., Dalia, A.E., Sally, A.A., Mohamed, A.E. 2012. Formulation and Evaluation of Fluconazole Topical Gel. *International Journal of Pharmacy and Pharmaceutical Sciences*. 4(5):176-183. DOI: 10.22270/ajprd.v6i2.362
- Honary, S. dan Zahir, F. 2013. Effect of Zeta Potential on the Properties of Nano Drug Delivery Systems - A Review (Part 1). *Tropical Journal of Pharmaceutical Research*, 12(2):255-264. DOI: 10.4314/tjpr.v12i2.19
- Ikasari, D. 2018. Pengaruh Konsentrasi Tripolifosfat (TPP) terhadap Pembentukan Ukuran Partikel pada Formulasi Nanopartikel Ekstrak Seledri (*Apium graveolens* L.) menggunakan Teknik Gelasi Ionik. *Bionatura*, 17(1).

- Iswandana, R., Anwar, E. dan Jufri, M. 2012. Nanoparticles formulation from chitosan and sodium tripolyphosphate by ionic gelation method using verapamil hydrochloride as drug model. In *24th FAPA Congress, Bali-Indonesia*. DOI:10.13140/RG.2.2.24209.07525
- Jin, M., Zheng, Y. dan Hu, Q. 2009. Preparation and characterization of bovine serum albumin alginate/chitosan microspheres for oral administration. *Asian Journal of Pharmaceutical Sciences*, 4(4), pp.215-220.
- Jonassen, H. 2014. Polysaccharide Based Nanoparticles for Drug Delivery Applications Thesis School of Pharmacy. *Thesis*. Faculty of Mathematics and Natural Sciences Oslo: University of Oslo.
- Hasanzadeh, K.M., Khorram, M., Khodadoost, M. and Khavari, S., 2011. Reinforcement of chitosan nanoparticles obtained by an ionic cross-linking process. DOI: 20(5), 2011, 445-456
- Kaur., Simar, Preet., Rekha, Rao., Afzal, Hussain., Sarita, Khatkar. 2011. Preparation and Characterization of Rivastigmine Loaded Chitosan Nanoparticles. *Journal of Pharmaceutical Science and Research* 3(5):1227-1232.
- Kawashima, Y., Yamamoto, H., Takeuchi, H. dan Kuno, Y. 2000. Mucoadhesive DL-lactide/glycolide copolymer nanospheres coated with chitosan to improve oral delivery of elcatonin, *Pharmaceutical Development and Technology*, 5(1): 77-85. DOI: 10.1081/pdt-100100522.
- Khotimah, A. C. 2018. Pengaruh Konsentrasi Kitosan-Tripolifosfat Terhadap Karakteristik Fisik Nanogel Asiklovir Yang Dibuat Dengan Metode Gelasi Ionik. *Skripsi*. Fakultas Farmasi: Universitas Setia Budi Surakarta. Surakarta.
- Kuncahyo, I. 2011. Optimasi Campuran Carbopol 941 Dan Hpmc Dalam Formulasi Sediaan Gel Ekstrak Daun Jambu Mete Secara Simplex Lattice Design. *Jurnal Farmasi Indonesia*, 8.
- Kurniawan, E. 2012. Preparasi dan Karakterisasi Nanopartikel Sambung Silang Kitosan-Natrium Tripolifosfat dalam Gel Verapamil Hidroklorida. *Skripsi*. Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Indonesia. Depok.
- Lachman, L, Lieberman A, Kanig JL. 1986. *The Theory and Practice of Industrial Pharmacy*. 2nd edition. Lea and Febiger KZ. Philadelphia.
- Lieberman, H.A., Ringer, M.M., Banker, G.S. 1996. *Pharmaceutical Dosage Form*. 2nd edition. Marcel Decker Inc. New York.
- Lin, Y. H., Kiran, S., Kurt, M. L., Jyuhn, H.J., Long, F., Han, Y., & Hsing, W.S. 2008. Multi-ion-crosslinked Nanoparticles with pH-responsive Characteristics for Oral Delivery of Protein Drugs. *Journal of Controlled Release*, 132(2), pp.141-149. DOI: 10.1016/j.jconrel.2008.08.020.
- Loden, M., Andersson, A.C., dan Lindberg, M. 1999. Improvement in Skin Barrier Function in Patients with Atopic Dermatitis after Treatment with a Moisturizing Cream (Canoderm). *British Journal of Dermatology* Vol. 140, No. 2, 1999, pp. 264-267. DOI: 10.1046/j.1365-2133.1999.02660.x.
- Madan, J., & Singh, R. (2010). Formulation and evaluation of aloe vera topical gels. *International Journal of Pharmaceutical Sciences*, 2(2), 551-555. DOI: 10.23917/pharmacon.v15i2.7658

- Mardiyati, E., Muttaqien, S.E., Setyawati D.R. 2012. Sintesis Nanopartikel Kitosan-Trypolyphosphate dengan Metode Gelasi Ionik: Pengaruh Konsentrasi Dan Rasio Volume terhadap Karakteristik Partikel. *Prosiding Pertemuan Ilmiah Ilmu Pengetahuan dan Teknologi Bahan*, 90, 93.
- Martien, R., Adhyatmika, Irianto, Iramie D. K., Farida, V., Sari, Dian Purwita. 2012. *Perkembangan Teknologi Nanopartikel Sebagai Sistem Penghantaran Obat*. Majalah Farmasetik, Vol. 8 No. 1 Tahun 2012.
- Martin, A., Swarbick, J.A., Cammarata. 1993. *Farmasi Fisik 2*. Edisi III. UI Press. Jakarta.
- Maya, S., Sarmiento, B., Nair, A., Rejinold, N.S., Nair, S.V., dan Jayakumar, R. 2013. Smart stimuli sensitive nanogels in cancer drug delivery and imaging: a review. *Current pharmaceutical design*, 19(41), pp.7203-7218. DOI: 10.2174/138161281941131219124142.
- Mescher, A L. 2010. *Junqueira's Basic Histology Text & Atlas*. New York: McGraw Hill Medical; 2010.
- Mohanraj, U. J., dan Chen, Y. 2006. Nanoparticles-A Review. *Tropical Journal of Pharmaceutical Research*. 5(1):127-149. DOI: 10.4314/tjpr.v5i1.14634
- Mora-huertas, C. E., Fessi, H., dan Elaissari, A. 2010. Polymer-based nanocapsules for drug delivery. *International Journal of Pharmaceutics*. 385: 113–142. DOI: 10.1016/j.ijpharm.2009.10.018.
- Mohammadpour Dounighi, N., Eskandari, R., Avadi, M.R., Zolfagharian, H., Mir Mohammad Sadeghi, A. and Rezayat, M., 2012. Preparation and in vitro characterization of chitosan nanoparticles containing Mesobuthus eupeus scorpion venom as an antigen delivery system. *Journal of Venomous Animals and Toxins Including Tropical Diseases*, 18(1), pp.44-52. DOI: 10.1590/S1678-91992012000100006.
- Mura, S., Nicolas, J., Couvreur, P. 2013. Stimuli-responsive nanocarriers for drug delivery. *Nat Mater* 12:991–1003. DOI: 10.1038/nmat3776.
- Murdock, R.C., Braydich-Stolle, L., Schrand, A.M., Schlager, J.J. and Hussain, S.M. 2008. Characterization of nanomaterial dispersion in solution prior to in vitro exposure using dynamic light scattering technique. *Toxicological sciences*, 101(2), pp.239-253. DOI: 10.1093/toxsci/kfm240.
- Nakorn, P.N. 2008. Chitin nanowhisker and chitosan nanoparticles in protein immobilization for biosensor applications. *Journal of Metals, Materials and Minerals* 18(2): 73–77. DOI: 10.17576/jsm-2018-4706-28.
- Niyaz, B, Kalyani P, Divakar G. 2011. Formulation and Evaluation of Gel Containing Fluconazole-Antifungal Agent. *International Journal Of Drug Development & Research Vol 3 (4):109-128*. DOI: 10.22159/ijcpr.2018v10i4.28470
- Noval., Rosyifa., dan Annisa. 2020. Effect of HPMC Concentration Variation as Gelling Agent on Physical Stability of Formulation Gel Ethanol Extract Bundung Plants (*Actinuscirpus grossus*). DOI: 10.4108/eai.23-11-2019.2298326.
- Nurahmanto, D., Mahrifah, I. R. N., dan Rosyidi, V. A. 2017. Formulasi Sediaan Gel Dispersi Padat Ibuprofen: Studi Geling Agent dan Senyawa Peningka. *Ilmiah Manuntung*; 3; 96-105. DOI: 10.51352/jim.v3i1.97.

- Pangestuty, A., 2016. Uji aktivitas antioksidan dan penetapan kadar fenolik total fraksi etil asetat ekstrak etanol buah buni [*Antidesma bunius* L.(Spreng)] dengan metode 2, 2-difenil-1 pikrilhidrazil (DPPH) dan metode folin-ciocalteu. *Yogyakarta: Fakultas Farmasi Universitas Sanata Dharma*.
- Park, K., Yeo, Y., Swarbrick, J. 2007. *Microencapsulation Technology in: Encyclopedia of Pharmaceutical Technology*. 3rd Edition. Informa Healthcare USA, Inc. New York. DOI: 10.5937/leksir1838062M.
- Praptiwi, P., Iskandarsyah, I. dan Kuncari, E.S. 2014. Evaluasi, Uji Stabilitas Fisik, dan Sineresis Sediaan Gel yang Mengandung Minoksidil, Apigenin, dan Perasan Herba Seledri (*Apium Graveolens* L.). *Indonesian Bulletin of Health Research*. 42(4):213-222.
- Rahmawanty, D., Effionora, A., dan Bahtiar, A. 2014. Formulasi gel menggunakan serbuk daging ikan haruan (*Channa striatus*) sebagai penyembuh luka. *Media Farmasi: Jurnal Ilmu Farmasi*, 11(1). DOI: 10.12928/mf.v11i1.1395.
- Rawat, M., Singh, D., Saraf, S. 2006. Nanocarriers: Promising Vehicle for Bioactive drugs. *Biol Pharm Bull*. 29(9):1790-1798. DOI: 10.1248/bpb.29.1790.
- Riyanto. 2014. *Validasi & Verifikasi Metode Uji*. Edisi 1. Deepublish. Yogyakarta.
- Rowe, R.C., Sheskey, P. dan Quinn, M., 2009. *Handbook of pharmaceutical excipients*. Libros Digitales-Pharmaceutical Press.
- Sativa, O., Yuliet, Y. dan Sulastri, E. 2014. Uji Aktivitas Antiinflamasi Gel Ekstrak Buah Kaktus (*Opuntia elatior* Mill.) Pada Tikus (*Rattus norvegicus* L.) Yang Diinduksi Lamda Karagenan. *Natural Science: Journal of Science and Technology*, 3(2).
- Shah, B.R., Zhang, C., Li, Y., dan Li, B. 2016. Bioaccessibility and antioxidant activity of curcumin after encapsulated by nano and Pickering emulsion based on chitosan-tripolyphosphate nanoparticles, *Food Research International*. DOI: 10.1016/j.foodres.2016.08.022.
- Shi, Z., Neoh, K.G., Kang, E.T. dan Wang, W. 2006. Antibacterial and mechanical properties of bone cement impregnated with chitosan nanoparticles. *Biomaterials*, 27(11), pp.2440-2449. DOI: 10.1016/j.biomaterials.2005.11.036
- Smolinske, S.C. 1992. *Handbook of Food, Drug, and Cosmetic Excipients*. CRC Press. USA.
- Staden, J.V. and Drewes, S.E., 1975. Identification of zeatin and zeatinriboside in coconut milk. *Physiologia Plantarum*, 34(2), pp.106-109.
- Sulaiman TNS, Kuswahyuning R. 2008. *Teknologi Formulasi Sediaan Semi padat*. Fakultas Farmasi Universitas Gadjah Mada. Yogyakarta.
- Suryani, S., Wahyuni, W., Ariastika, D. dan Rahmanpiu, R., 2016. Formulasi Nanopartikel Kurkumin dengan Teknik Gelasi Ionik Menggunakan Kitosan, Tripolifosfat dan Natrium Alginat serta Uji Stabilitasnya Secara In Vitro. *Pharmauho: Jurnal Farmasi, Sains, dan Kesehatan*, 2(1).
- Santoso, J. 2011. *Pengaruh Jumlah Natrium Alginat Terhadap Karakteristik Fisik Dan Pelepasan Mikropartikel Ketoprofen-Alginat (menggunakan metode orifice-ionic gelation dengan modifikasi peristaltic pump)* (Doctoral dissertation, Universitas Airlangga).

- Tahara, Y., Akiyoshi, K. 2015. Current advances in self-assembled nanogeldelivery systems for immunotherapy. *Adv Drug Deliv Rev* 95:65–76. DOI: 10.1016/j.addr.2015.10.004.
- Taurina, W., Sari, R., Hafinur, U.C., Wahdaningsih, S., Isnindar. 2017. Optimasi Kecepatan Dan Lama Pengadukan Terhadap Ukuran Nanopartikel Kitosan-Ekstrak Etanol 70% Kulit Jeruk Siam (*Citrus Nobilis L. Var Microcarpa*). *Traditional Medicine Journal*, 22(1), pp.16-20.
- Temiz, C., Temiz, P., Sayin, M., Ucar, K. 2009. Effect of cepea extract-heparin and allantoin mixture on epi-dural fibrosis in a rat hemilaminectomy model. *Turk-ish Neurosurg* 19, 387–392
- Thornfeldt, C. 2005. Cosmeceuticals containing herbs: fact, fiction, and future. *Dermatologic Surgery*, 31, pp.873-881. DOI: 10.1111/j.1524-4725.2005.31734.
- Tranggono, R. I. dan F, Latifah. 2007. *Buku Pegangangan Ilmu Pengetahuan Kosmetik*. PT. Gramedia Pustaka Utama. Jakarta.
- Vaughn, J.M. dan Williams, R.O. 2007. *Nanoparticle Engineering In Swarbrick James Encyclopedia of Pharmaceutical Technology Volume 1*. 3rd Edition. Nova Science Publisher. New York.
- Voigt. 1984. *Buku Ajar Teknologi Farmasi*. Diterjemahkan oleh Soendani Noeroto. S. UGM Press. Yogyakarta.
- Wade, A. dan Weller, P.J. 1994. Handbook of pharmaceutical excipients. *Washington: American Pharmaceutical Association*, pp.84-87.
- Wahyono, D. 2010. Ciri nanopartikel kitosan dan pengaruhnya pada ukuran partikel dan efisiensi penyalutan ketoprofen. Tesis. Bogor: Institut Pertanian Bogor.
- Wu, Y., Yang, W., Wang, C., Hu, J. dan Fu, S. 2005. Chitosan nanoparticles as a novel delivery system for ammonium glycyrrhizinate. *International journal of pharmaceutics*, 295(1-2), pp.235-245. DOI: 10.1016/j.ijpharm.2005.01.042.
- Yang, H. C., Hon, M. H. 2009. The effect of the molecular weight of chitosan nanoparticles and its application on drug delivery. *Microchemical Journal*, 92(1), 87–91.
- Yudhianto, I.Y., Rejeki, E.S. dan Ekowati, D. 2013. Optimasi Formula Gel Ekstrak Buah Apel (*Pyrus malus L.*) sebagai Antioksidan dengan Kombinasi Basis Metil Selulosa dan Gliserin secara Simplex Lattice Design. *Jurnal Biomedika*, 6(2), pp.7-13.
- Yusuf, A.L., Nurawaliah, E., dan Harun, N. 2017. Uji Efektivitas Gel Ekstrak Etanol Daun Kelor (*Moringa oleifera L.*) sebagai Antijamur *Malassezia furfur*. *Kartika: Jurnal Ilmiah Farmasi*, 5 (2):62-67. DOI: 10.26874/kjif.v5i2.119.