

DAFTAR PUSTAKA

- Al-Asmari AK, Al-Elaiwi AM, Athar MT, Tariq M, Al Eid A, Al-Asmary SM.2014. A Review of Hepatoprotective Plants Used in Saudi Traditional Medicine.*Journal Hindawi*. Vol 2014:890842.
- Adewole SO, Caxton-Martins EA, Ojewole JA.2006. *Protective effect of quercetin on the morphology of pancreatic beta-cells of streptozotocin-treated diabetic rats*. Afr J Tradit Complement Altern Med.4(1): 64–74.
- Adisakwattana S, Charoenlertkul P, Yibchock Anun S.2009. alpha Glucosidase Inhibitory Activityof Cyanidin-3-galactoside and synergistic effect with acarbose. J Enzyme Inhib Med Chem.24(1):65-9.
- Alldredge BK, Corelli RL, Ernst ME, Guglielmo BJ, Jacobson PA, Kradjan WA, Williams BR. 2013. *Koda-Kimble & Young's Applied Therapeutics the Clinical Use of Drugs*. 10th ed. United States of America: Lippincott Williams & Wilkins, Pennsylvania.
- Al-Zubairi A.S. dan Eid E.E.M. 2010. Moleculer targets in development of antidiabetic drugs. *International Journal of Pharmacology*. 6(6):784-795.
- American Diabetes Association (ADA).2018. *American Diabetes Association Standard of Medical Care in Diabetes 2018*. <https://diabetesed.net>. Diunduh pada 28 September 2020 jam 16.20 WIB.
- Aminah, S., Ramdhan, T., & Yanis, M. (2015). *Kandungan Nutrisi dan Sifat Fungsional Tanaman Kelor (Moringa Oleifera)*. Buletin Pertanian Perkotaan, vol 5(2):38
- Anitha K, Gopi G, Girish, Kumar PS. 2015. Molecular docking study on dipeptidyl peptidase-4 inhibitor. *IJRDPL*. 2(5):602-610.
- Anwar F, Latif S, Ashraf M, Gilani Ah. 2007. *Moringa oleifera: A food plant with multiple medicinal uses*. Phytother Res 21: 17-25.
- Badenes-Perez F, et al. Plant glucosinolate content increases susceptibility to diamondback moth (Lepidoptera: Plutellidae) regardless of its diet. *Journal of Pest Science* <https://doi.org/10.1007/s10340-019-01139-z> [18 September 2020]
- Bahmani, M., Zargaran, A., Rafieian-Kopaei, M., Saki, K. 2014. Ethnobotanical study of medicinal plants used in the management of diabetes mellitus in the Urmia, Northwest Iran. *Asian Pac J Top Med*. 7(1): S348-S354.

- Bibi Z, Zainab A, Mona S. Alwahibi, Sajid K, Humaira R, Dina WS, Al Waad A, Arshad MA. 2020. In-silico elucidation of *Moringa oleifera* phytochemicals against diabetes mellitus. *Saudi Journal of Biological Sciences.*27:2299-2307.
- Bustan, M. N. 2007. *Epidemiologi: Penyakit Tidak Menular.* Cetakan 2. Jakarta: Rineka Cipta
- Csizmadia, P. (1999). MarvinSketch and MarvinView: molecule applets for the World Wide Web.
- Daina, A. & Zoete, V. 2016. A BOILED-Egg To Predict Gastrointestinal Absorption and Brain Penetration of Small Molecules. *ChemMedChem* 11, 1117–1121
- Daina, A., Michielin, O., & Zoete, V. 2017. SwissADME: a free web tool to evaluate pharmacokinetics, drug-likeness and medicinal chemistry friendliness of small molecules. *Scientific reports*, 7, 42717.
- Decroli E. 2019. *Diabetes Melitus Tipe 2.* Padang: Pusat Penerbitan Bagian Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Andalas.
- Deferme, S., & Augustijns, P. (2003). The effect of food components on the absorption of P-gp substrates: a review. *Journal of pharmacy and pharmacology*, 55(2), 153-162.
- Didziapetris, R., Japertas, P., Avdeef, A., & Petrauskas, A. (2003). Classification analysis of P-glycoprotein substrate specificity. *Journal of drug targeting*, 11(7), 391-406.
- Dipiro JT, Wells BG, Dipiro CV, Schwinghammer TL. 2015. *Pharmacotherapy Handbook.* Ninth Edition. USA: Mc Graw-Hill Education.
- Dixit, V. A. (2019). A simple model to solve a complex drug toxicity problem. *Toxicology research*, 8(2), 157-171.
- Dominijanni S, Cipriani S, Malaguti M, Triolo L, Ansali F, Floccari F. 2017. Antidiabetic medication in patients with chronic kidney disease: what's new. *Nephrol @ Point Care* 3:17-e22.
- Dong, J., Wang, N. N., Yao, Z. J., Zhang, L., Cheng, Y., Ouyang, D., & Cao, D.S. (2018). ADMETlab: a platform for systematic ADMET evaluationbased on a comprehensively collected ADMET database. *Journal of Cheminformatics*, 10(1). doi:10.1186/s13321-018-0283-x
- Dubey KD, Jyotsna D, Kumar A, Gulsan RK. 2013: A Multipurpose Tree- *Moringa oleifera*. *International Journal of Pharmaceutical and Chemical Sciences.* Issn: 2277-5005. Vol. 2 (1).

- Ekayanti M., Sauriasari R., and Elya B. 2018. Dipeptidyl peptidase IV inhibitory activity of traction from white tea ethanolic extract (*Camelia sinensis* (L.) Kuntze) ex vivo. *Pharmacogn. J* 10(1):190-193.
- Farooq F. Meenu R, Avinash T, Khan AA, Farooq S. 2012. Medicinal properties of *Moringa oleifera*: An overview of promising healers. *Journal of Medicinal Plants Research* Vol. 6 (27), pp. 4368-4374.
- Forli, S., Huey, R., Pique, M. E., Sanner, M. F., Goodsell, D. S., & Olson, A. J. 2016. Computational protein–ligand docking and virtual drug screening with the AutoDock suite. *Nature Protocols*. 11(5), 905–919.
- Grewal AS, Sharma N, Singh S, dan Arora S. 2018. Molecular docking studies of phenolic compounds from *Syzygium cumini* with multiple targets of type 2 diabetes. *Journal of Pharmaceutical Technology, Research and Management* Vol. 6 No. 2
- Gupta, R., Sharma, A. K., Dobhal, M. P., Sharma, M. C., & Gupta, R. S. 2013. Antidiabetic and antioxidant potential of β-sitosterol in streptozotocin-induced experimental hyperglycemia. *Journal of diabetes*. 2011; 3(1):29-37
- Henzen Christoph. 2012. Monogenic diabetes mellitus due to defects in insulin secretion. *The European Journal of Medical Science*. Vol 142:13690.
- Hevener KE, Zhao W, Ball DM, Babaoglu K, Qi J, White SW, et al. 2009. Validation of molecular docking programs for virtual screening against dihydropteroate synthase. *J Chem Inf Model*. (2): 444-60.
- Hinklin JR et al. 2014. Discovery of 2-pyridylureas as glucokinase activators. *Journal of Medicinal Chemistry*.57(19):8180-8186.
- Iffi-Soltesz Z et al. 2010. Chronic benzylamine administration in the drinking water improves glucose tolerance, reduces body weight gain and circulating cholesterol in high-fat diet-fed mice. *Pharmacological Research* 6: 355–363
- Inbathamil IE, Padmini. 2013. Quinic Acid As A Potent Drug Candidate For Prostate Cancer – A Comparative Pharmacokinetic Approach. *Asian J Pharm Clin Res*, Vol 6 Issue 4, 2013, 106-112.
- Johnson BC. Clinical perspective on the health effects of moringa oleifera a promising adjunct for balanced nutrition and better health. *KOS Health Publications*. 2005;1:1–5
- Karplus. M., & Kuriyan, J. 2005. Molecular dinamics and protein function. *PNAS*. 102(19).6679-6685.

- Kaushik, M. (2014). A review of innovative chemical drawing and spectra prediction computer software. *Mediterranean Journal of Chemistry*, 3(1), 759-766.
- Kirchmair, J. et al. Predicting drug metabolism: experiment and/or computation *Nature Rev. Drug Discov.* 14, 387–404 (2015).
- Kitchen, D. B., Decornez, H., Furr, J. R., & Bajorath, J. 2004. Docking and scoring in virtual screening for drug discovery: methods and applications. *Nature reviews Drug discovery*, 3(11), 935-949.
- Krisnadi AD. 2013. *Kelor Super Nutrasi*. Yogyakarta: Lembaga Swadaya Masyarakat – Media Peduli Lingkungan (LSM-MEPELING).
- Kumar PS, Mishra D, Ghosh G, Panda CS. 2010. Medicinal uses and pharmacological properties of *Moringa oleifera*. *Int J Phytomedicine*. (2):210–6.
- Maldini M et al. 2014. *Moringa oleifera*: study of phenolics and glucosinolates by mass spectrometry. *J. Mass Spectrom.* 49, 900–910
- Morris GM, Godsell DS, Halliday RS, Geuy R, Hart WE, Belew RK, Olson AJ. 1998. Automated docking using Lamarckian genetic algorithm and naïve empirical binding free energy function. *J Comp Chem.* 19(14): 1639-1662.
- Patil P., Mandal S., Tomar SK., Anand S. 2015. Food protein-derived bioactive peptides in management of type 2 diabetes *European Journal of Nutrition*.54(6):863-880.
- Pedretti, A., Mazzolari, A., & Vistoli, G. 2004. VEGA ZZ: a versatile toolkit for drug design and protein modelling. *J Comput Chem*, 25(13), 1605-1612. Kaushik, M. (2014). A review of innovative chemical drawing and spectra prediction computer software. *Mediterranean Journal of Chemistry*, 3(1), 759-766.
- Pedretti, A., Mazzolari, A., & Vistoli, G. 2004. VegaZZ: a versatile toolkit for drug design and protein modeling. *J Comput Chem* 25(13):1605-1612.
- Perkeni.2015. *Pengelolahan dan pencegahan diabetes melitus tipe 2 di Indonesia perkumpulan endokrinologi Indonesia*.Hal 6-7, 39-46
- Rais, I.R., A.G. Samudra, S. Widyarini dan A.E. Nugroho.2013 Penentuan Aktivitas Isolat Andrografolid Terhadap a-Amilase dan a-Glukosidase Menggunakan Metode Apostolik dan Mayur. *Jurnal Tradisional Medis*, 18(3):162-166.
- Rizqi NA, Rachmat K, Syarifah K .2018. Efek Hipoglikemik Ekstrak Etanol Daun Kelor (*Moringa oleifera* L.) pada Tikus Putih (*Rattus norvegicus*) Jantan. *Ad-Dawaa J.Pharm.Sci.* Vol. 1 (2), Desember 2018

- Roig-Zamboni V *et al.* 2017. Structure of human lysosomal acid α -glucosidase-a guide for the treatment of pompe disease. *Nature Communications* 8: 1111.
- Sandeep et al. 2011. AUDocker LE: A GUI for virtual screening with Autodock Vina. *BMC research Notes* 4(445).
- Saputri KE, Fakhmi N, Kusumaningtyas E, Priyatama D, dan Santoso B. 2016. Docking molekuler potensi anti diabetes melitus tipe 2 turunan zerumbon sebagai inhibitor aldose reduktase dengan autodock-vina. *Chimica et Natura Acta* 4:16-20.
- Sun H., Wang D., Song X., Zhang Y., Ding W., Peng X., Zhang X., Li Y., Ma Y., Wang R., Yu P. 2017. Natural prenychalconaringenins and prenylnaringenin as antidiabetic agents: α -glucosidase and α -amylase inhibition and in vitro antihyperglycemic and antihyperlipidemic effects. *J. Agric. Food Chem* 65:1574-1581..
- Sun J, Qu C, Wang Y, Huang H, Zhang M, Li H, Zhang Y, Wang Y, Zou W. 2016. PTP1B, A Potential Target of Type 2 Diabetes Mellitus. *Molecular Biology* 5:1-6.
- Syihabuddin M *et al.* 2011. Penetapan parameter farmakokinetika gendarusin A dalam urin subyek pria setelah pemberian sediaan ekstrak etanol daun *Justicia gendarussa* Burm. F. *Jurnal Medika Planta* 4:59-68.
- Tamrakar, Akhliesh K, Chandab K Maurya, dan Amit K Rai. 2014. PTP1B inhibitors for type 2 diabetes treatment: a patient. *Informa Healthcare* 24(10):1-15.
- Tandi J, Asad S, Natzir R, Bukhari A. 2016. Ethanol Extract Red Gedi Leaves (*Abelmoschus Manihot* (L) In White Rat (*Rattus Novergicus*) Type 2 Diabetes Mellitus International. *Journal of Sciences: GSSRR, Basic and Applied Research* 30:84-94
- Tende JA, Ezekiel I, Dikko AAU, Goji ADT. Effect of ethanolic leaves extract of moringa oleifera on blood glucose levels of streptozotocin- induced diabetics and normoglycemic wistar rats. *Br J Pharm Toxicol.* 2011;2(1):1-4.
- Tesemma M, Adane M, Tariku Y, Muleta D, Demise S. 2013. Isolation of Compounds from Acetone Extract of Root Wood of *Moringa stenopetala* and Evaluation of their Antibacterial Activities. *Research Journal of Medicinal Plants.* Volume 7 (1): 32-47
- Trisnawati SK, Setyorogo S. 2013. Faktor risiko kejadian diabetes mellitus tipe II di puskesmas Kecamatan Cengkareng Jakarta Barat. *Jurnal Ilmiah Kesehatan* 5:6-11

United State Department of Agriculture. 2020. *USDA National Nutrient Database for Standard Reference*. www.nal.usda.gov/fnic/foodcomp/search/ [21 September 2020].

Utami P, Puspaningtyas DE. 2013. *The Miracle of Herbs*. Jakarta: AgroMedia.

Vo Nguyen TH, Tran N, Nguyen D, dan Le L. 2016. An in silico study on antidiabetic activity of bioactive compounds in *Euphorbia thymifolia* Linn. *SpringerPlus* 5: 1359.

Wang, Y., Gao, Y., Ding, H., Liu, S., Han, X., Gui, J., & Liu, D. (2016). Subcritical ethanol extraction of flavonoids from *Moringa oleifera* leaf and evaluation of antioxidant activity. *Journal Food Chemistry*, 152-158.

Yasa D, Tohamy Adel. 2014. Extract of Moringa oleifera leaves ameliorates streptozotocin-induced Diabetes Melitus in Adul Rats. *Journal Acta Histochemica*. Vol (116) : 844-854

YB Guo, W Li, IS Jawahir. 2009. Surface Integrity Characterization and Prediction in Machining of Hardened and Difficult to Machine Alloys. *Machining Science and Technology*. 13(4), 437-470.