

INTISARI

PRATAMA, P., 2021, KAJIAN PENGGUNAAN OBAT ANTI PSIKOTIK PADA PASIEN GANGGUAN BIPOLAR DI RUMAH SAKIT JIWA DAERAH SURAKARTA PRIODE 2020, SKRIPSI, FAKULTAS FARMASI, UNIVERSITAS SETIA BUDI SURAKARTA.

Gangguan afektif bipolar adalah suatu gangguan yang ditandai dengan perubahan mood antara rasa senang yang ekstrim dan depresi yang parah, serta dapat berlangsung seumur hidup. Penelitian ini dilakukan untuk mengetahui gambaran penggunaan obat antipsikotik pada pasien gangguan afektif bipolar di Instalasi Rawat Inap RSJD Surakarta tahun 2020 agar penggunaan obat dapat terpantau dengan baik sehingga meningkatkan kualitas hidup pasien.

Metode penelitian yang digunakan adalah metode non eksperimental dengan disai deskriptif observasional. Penelitian dilakukam di RSJD Surakarta pada tahun 2020 secara retrospektif menggunakan data sekunder dari rekam medik pasien yang sesuai dengan kriteria inklusi. Cara pengambilan sampel menggunakan teknik *nonprobability sampling* yaitu teknik pengambilan sampel yang tidak memberi kesempatan atau peluang yang sama bagi setiap anggota populasi untuk dipilih menjadi sampel, jumlah sampel yang digunakan sebanyak 40 data rekam medik pasien.

Hasil penelitian menunjukkan bahwa dari 40 pasien, Jenis antipsikotik yang banyak digunakan risperidon 57,50%. Olanzapine paling sedikit digunakan yaitu 5%. Penggunaan antipsikotik untuk pasien gangguan bipolar di instalasi rawat inap RSJD Surakarta tahun 2020 dapat dikatakan sesuai dengan pedoman terapi dan panduan praktek klinis kesehatan jiwa. Hasil penelitian untuk tepat dosis sebesar 95% dan tepat indikasi 100%.

Kata kunci : kajian penggunaan obat, gangguan afektif bipolar, antipsikotik

ABSTRACT

PRATAMA, P., 2021, STUDY ON DRUG USED OF ANTI PSYCHOTIC IN BIPOLAR DISORDER PATIENTS IN INSTALLATION OF PSYCHIATRIC HOSPITALS REGIONS SURAKARTA PERIOD 2020, THESIS, FACULTY OF PHARMACY, SETIA BUDI UNIVERSITY.

Bipolar affective is a disorder characterized by mood changes between extreme pleasure and severe depression. This study was to find out the used of antipsychotic drugs in patients with bipolar affective disorder in the Inpatient of RSJD Surakarta in 2020, used of the drug can be monitored properly to improve the quality life of patients.

The research of method is a non-experimental design descriptive observational. The data collected retrospectively by using secondary data from medical records of patients with inclusion criteria. Sampling techniques uses nonprobability sampling. It is a technique that does not give the opportunity or the same opportunities for every member of the population to be selected into the sample, the number of samples used 40 medical records of the patients.

The results showed of 40 patients, the Type of antipsychotics are widely used Risperidon 57,50%. Olanzapine the least used 5%. The used of antipsichotics for bipolar disorder patients at RSJD Surakarta 2020 accordance with therapeutic guidelines and guide clinical practice of mental health. The results of research for right dose is 95% and right indication is 100%.

Keywords : drug use study, bipolar affective disorder, antipsychotics.