

DAFTAR PUSTAKA

- Ali, M. C., Nur, A. J., Khatun, M. S., Dash, R., Rahman, M. M., & Karim, M. M. 2020. Identification of potential SARS-CoV-2 main protease inhibitors from *Ficus Carica* Latex: An in-silico approach.
- Arwansyah, A., Ambarsari, L., & Sumaryada, T. I. 2017. Simulasi docking senyawa kurkumin dan analognya sebagai inhibitor reseptor androgen pada kanker prostat. *Current Biochemistry*, 1(1):11-19.
- Badgujar SB, Patel VV, Bandivdekar AH, Mahajan RT. Traditional uses, phytochemistry and pharmacology of *Ficus carica*: a review. *Pharm Biol*. 2017;52(11):1787-1503.
- Beigel J H *et al.* 2020. Remdesivir for the Treatment of Covid-19 — Final Report. *New England Journal of Medicine*, 383(19), 1813–1826. <https://doi.org/10.1056/nejmoa2007764>.
- Berman *et al.* 2000. The Protein Data Bank. *Nucleic Acids Research* 28(1):235-242.
- Biovia. (2020). *BIOVIA DISCOVERY STUDIO® 4.5 COMPREHENSIVE MODELING AND SIMULATIONS FOR LIFE SCIENCES* (pp. 1–3).
- Chu, C. K., Gadthula, S., Chen, X., Choo, H., Olgen, S., Barnard, D. L., & Sidwell, R. W. 2006. Antivirus activity of nucleoside analogues against SARS-coronavirus (SARS-CoV). *Antivirus Chemistry and Chemotherapy*, 17(5):285-289.
- Cosconati S *et al.* 2010. Virtual Screening with Autodock: Theory and Practice. *Expert Opin Drug Discov* 5:597-607.
- Csizmadia P. 1999. MarvinSketch and MarvinView: molecule applets for the World Wide Web.
- Daina, A., Michielin, O., & Zoete, V. 2017. SwissADME: a free web tool to evaluate pharmacokinetics, drug-likeness and medicinal chemistry friendliness of small molecules. *Scientific reports*, 7(1):1-13.
- Dong J *et al.* 2018. ADMETlab: a platform for systematic ADMET evaluation based on a comprehensively collected ADMET database. *Journal of cheminformatics* 10(1) : 29.
- Dwi Agistia, D., Purnomo, H., Tegar, M., & Endro Nugroho, A. (2015). INTERACTION BETWEEN ACTIVE COMPOUNDS FROM *Aegle marmelos* CORREA AS ANTI INFLAMMATION AGENT WITH COX-1 AND COX-2 RECEPTOR. *Majalah Obat Tradisional*, 18(2), 80–87. <https://doi.org/10.22176/tradmedj.7983>
- Foloppe, N., & Chen, I. J. (2009). Conformational sampling and energetics of

- drug-like molecules. *Current medicinal chemistry*, 16(26), 3381-3413.
- Forli, S., Huey, R., Pique, M. E., Sanner, M. F., Goodsell, D. S., & Olson, A. J. (2016). Computational protein–ligand docking and virtual drug screening with the AutoDock suite. *Nature protocols*, 11(5), 905-919.
- Gao, Y., Yan, L., Huang, Y., Liu, F., Zhao, Y., Cao, L., ... & Rao, Z. (2020). Structure of the RNA-dependent RNA polymerase from COVID-19 virus. *Science*, 368(6492), 779-782.
- Goodsell, D. S., Zardecki, C., Di Costanzo, L., Duarte, J. M., Hudson, B. P., Persikova, I., ... & Burley, S. K. 2020. RCSB Protein Data Bank: Enabling biomedical research and drug discovery. *Protein Science*, 29(1):52-65.
- Gossen, J., Albani, S., Hanke, A., Joseph, B. P., Bergh, C., Kuzikov, M., ... & Rossetti, G. (2021). A blueprint for high affinity SARS-CoV-2 Mpro inhibitors from activity-based compound library screening guided by analysis of protein dynamics. *ACS pharmacology & translational science*, 4(3), 1079-1095.
- Goswami, D. (2021). Comparative assessment of RNA-dependent RNA polymerase (RdRp) inhibitors under clinical trials to control SARS-CoV2 using rigorous computational workflow. *RSC Advances*, 11(46), 29015-29028.
- Harcourt, B. H., Jukneliene, D., Kanjanahaluethai, A., Bechill, J., Severson, K. M., Smith, C. M., ... & Baker, S. C. 2004. Identification of severe acute respiratory syndrome coronavirus replicase products and characterization of papain-like protease activity. *Journal of virology*, 78(24):13600-13612.
- Holshue *et al.* 2020. First case of 2019 novel coronavirus in the United States. *N Engl J Med* 2020; 382: 929-3.
- Huang *et al.* 2020. Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China. *Lancet* 395, 497-506. [https://doi.org/10.1016/S0170-6736\(20\)30183-5](https://doi.org/10.1016/S0170-6736(20)30183-5).
- Jiang, Y., Yin, W., & Xu, H. E. 2021. RNA-dependent RNA polymerase: Structure, mechanism, and drug discovery for COVID-19. *Biochemical and Biophysical Research Communications*, 538:47-53.
- Kaushik, M. (2017). A review of innovative chemical drawing and spectra prediction computer software. *Mediterranean Journal of Chemistry* 3(1) : 759-766.
- Kouranov, A., Xie, L., de la Cruz, J., Chen, L., Westbrook, J., Bourne, P. E., & Berman, H. M. (2006). The RCSB PDB information portal for structural genomics. *Nucleic Acids Research*, 34(Database issue), 302–305. <https://doi.org/10.1093/nar/gkj120>.
- Latif, M. S., Rusdiana, T., & Gozali, D. (2018). Pengaruh P-Glycoprotein (P-GP) Terhadap Bioavailabilitas Atorvastatin. *Farmaka*, 15(3), 1–6.

- Lazreg Aref, H., Gaaliche, B., Fekih, A., Mars, M., Aouni, M., Pierre Chaumon, J., & Said, K. (2011). In vitro cytotoxic and antiviral activities of *Ficus carica* latex extracts. *Natural product research*, 25(3), 310-319.
- Li G, Fan Y, Lai Y, Han T, Li Z, Zhou P, *et al.* 2020. Coronavirus infections and immune responses. *J Med Virol.* 92(4):424-32.
- Lindner, H. A., Fotouhi-Ardakani, N., Lytvyn, V., Lachance, P., Sulea, T., & Ménard, R. (2005). The papain-like protease from the severe acute respiratory syndrome coronavirus is a deubiquitinating enzyme. *Journal of virology*, 79(24), 15199-15208.
- Lipinski, C. A., Lombardo, F., Dominy, B. W., & Feeney, P. J. (1997). Experimental and computational approaches to estimate solubility and permeability in drug discovery and development settings. *Advanced Drug Delivery Reviews*, 23(Advanced drug delivery), 3–25. <https://doi.org/10.1016/j.addr.2012.09.019>
- Liu Y, Gayle AA, Wilder-Smith A, Rocklöv J. 2020. The reproductive number of COVID-19 is higher compared to SARS coronavirus. *J Travel Med.* 27(2).
- Loizzo MR, Bonesi M, Pugliese A, Menichini F, Tundis R. Chemical composition and bioactivity of dried fruits and honey of *Ficus carica* cultivars Dottato, San Francesco and Citrullara. *J Sci Food Agric.* 2017;94(11):2179-2186.
- Luan J, Lu Y, Jin X, Zhang L. Spike protein pengenalan mamalia ACE2 pramenentukan kisaran inang dan ACE2 yang dioptimalkan untuk infeksi SARS-CoV-2. *Biochem Biophys Res Comm* 2020; 526 (1): 165–9.
- Lukito, J. I. 2020. Tinjauan Antivirus untuk Terapi COVID-19. *Cermin Dunia Kedokteran*, 47(7):340-345.
- Marelli M, Menichini F, Statti GA, Bonesi M, Duez P, Conforti F. Changes in the phenolic and lipophilic composition, in the enzyme inhibition and antiproliferative activity of *Ficus carica* L. cultivar Dottato fruits during maturation. *Food Chem Toxicol.* 2012;50(3-4):726-733.
- Markosian, C., Di Costanzo, L., Sekharan, M., Shao, C., Burley, S. K., & Zardecki, C. 2018. Analysis of impact metrics for the Protein Data Bank. *Scientific data*, 5(1):1-10.
- Meng ZY, Zhang HX, Meizai M, Cui M. 2011. Molecular Docking: A powerful approach for structure-based drug discovery. *Curr Comput Aided Drug Des* 7:176-157.
- Pedretti, A., Mazzolari, A., & Vistoli, G. 2004. VEGA ZZ: a versatile toolkit for drug design and protein modelling. *J Comput Chem*, 25(13), 1605-1612.
- Kaushik, M. (2017). A review of innovative chemical drawing and spectra prediction computer software. *Mediterranean Journal of Chemistry*, 3(1), 759-766.
- Perlman, S. 2020. Satu dekade virus korona lain. *Soc. Kedokteran Massal.*

- Pillaiyar, T., Manickam, M., Namasivayam, V., Hayashi, Y., & Jung, S. H. 2016. An overview of severe acute respiratory syndrome–coronavirus (SARS-CoV) 3CL protease inhibitors: peptidomimetics and small molecule chemotherapy. *Journal of medicinal chemistry*, 59(17):6595-6628.
- Purnomo H. 2013. *KIMIA KOMPUTASI UNTUK FARMASI DAN ILMU TERKAIT : Uji in Siliko Senyawa Antikanker*. Yogyakarta : Pustaka Pelajar.
- Pratama, M. R. F., Poerwono, H., & Siswodihardjo, S. (2020). Molecular docking of novel 5-O-benzoylpinostrobin derivatives as SARS-CoV-2 main protease inhibitors. *Pharmaceutical Sciences*, 26(Suppl 1), S63–S77. <https://doi.org/10.34172/PS.2020.57>
- Rothan, H. A., & Byraredy, S. N. (2020). The epidemiology and pathogenesis of coronavirus disease (COVID-19) outbreak. *Journal of Autoimmunity*, 109(February), 102433. <https://doi.org/10.1016/j.jaut.2020.102433>.
- Ruswanto, Wulandari, W. T., Rahayu, S. S., Mardaningrum, R., & Hidayati, N. D. (2019). Studi In Silico dan Bioaktivitas Turunan N'-Benzoylisonicotinohydrazide (4-methyl, 4-chloro dan 3,5-dinitro) pada Mycobacterium Tuberculosis (H37RV) Bakteri Gram Positif Serta bakteri Gram Negatif. *Pharmacoscrypt*, 2(1), 37–48.
- Salentin, S., Schreiber, S., Haupt, V. J., Adasme, M. F., & Schroeder, M. 2015. PLIP: fully automated protein–ligand interaction profiler. *Nucleic acids research*, 43(W1):W443-W447.
- Saputri, K. E., Fakhmi, N., Kusumaningtyas, E., Priyatama, D., & Santoso, B. 2016. Docking molekular potensi anti diabetes melitus tipe 2 turunan zerumbon sebagai inhibitor aldosa reduktase dengan autodock-vina. *Chimica et Natura Acta*, 4(1):16-20.
- Sari, I. W., Junaidin, J., & Pratiwi, D. 2020. STUDI MOLECULAR DOCKING SENYAWA FLAVONOID HERBA KUMIS KUCING (*Orthosiphon stamineus* B.) PADA RESEPTOR α -GLUKOSIDASE SEBAGAI ANTIDIABETES TIPE 2. *Jurnal Farmagazine*, 7(2):54-60.
- Sawicki, S. G., & Sawicki, D. L. 2005. Coronavirus transcription: a perspective. *Coronavirus replication and reverse genetics*, 31-55.
- Schneider, G., & Baringhaus, K. H. (2008). *Molecular design: concepts and applications*. John Wiley & Sons.
- Septiana, E. 2020. Prospek Senyawa Bahan Alam Sebagai Antivirus Dalam Menghambat SARS-CoV-2. *Biotrends*, 11(1):30-38.
- Shereen, M. A., Khan, S., Kazmi, A., Bashir, N., & Siddique, R. (2020). COVID-19 infection: Origin, transmission, and characteristics of human coronaviruses.
- Stasiulewicz, A., Maksymiuk, A. W., Nguyen, M. L., Belza, B., & Sulkowska, J. I. (2021). SARS-CoV-2 Papain-Like Protease Potential Inhibitors—In Silico

- Quantitative Assessment. *International journal of molecular sciences*, 22(8), 3957.
- Subissi, L., Posthuma, C. C., Collet, A., Zevenhoven-Dobbe, J. C., Gorbalenya, A. E., Decroly, E., ... & Imbert, I. (2017). One severe acute respiratory syndrome coronavirus protein complex integrates processive RNA polymerase and exonuclease activities. *Proceedings of the National Academy of Sciences*, 111(37), E3900-E3909.
- Suhadi, A., Rizarullah, R., & Feriyani, F. (2019). Simulasi Docking Senyawa Aktif Daun Binahong Sebagai Inhibitor Enzyme Aldose Reductase. *Sel Jurnal Penelitian Kesehatan*, 6(2), 55–65. <https://doi.org/10.22435/sel.v6i2.1651>
- Tapiory A A *et al.* 2020. In-Silico Analysis of Methoxyl Pectin Compounds from Banana Peels as HMG-CoA Reductase Inhibitor Complexes. *Journal of Smart Bioprospecting and Technology*.
- Tiara Ajeng, L., Rina, H., & Asmiyenti, D. D. 2020. Analisis Docking Molekuler Senyawa Derivat Phthalimide sebagai Inhibitor Non-Nukleosida HIV-1 Reverse Transcriptase. *ARTIKEL JURNAL*.
- United States Department of Agriculture. 2021. Natural Resources Conservation Service, Website, <https://plants.usda.gov/home/plantProfile?symbol=FICA> tanggal 28 Mei 2021.
- United States Department of Agriculture. 2021. Phytochemical and Ethnobotanical Databases, Website, <https://phytochem.nal.usda.gov/phytochem/search>, tanggal 27 Mei 2021.
- W. Wang *et al.* 2020. Pemahaman terkini tentang wabah novel coronavirus 2019. (2019-nCoV) di Wuhan, Tiongkok, *J. Med. Virol.* 92 (4) (2020) 441 - 447.
- Wang D *et al.* 2020. Clinical Characteristics of 138 ospitalized Patients With 2019 Novel Coronavirus-Infected Pneumonia in Wuhan, China. <https://jamanetwork.com/>, diakses pada tanggal 4 maret 2021.
- World Health Organization. 2021. WHO Coronavirus Disease (COVID-19) Dashboard, Website <https://covid19.who.int/region/searo/country/id>, diakses pada tanggal 16 Juni 2021.
- Wu, C., Liu, Y., Yang, Y., Zhang, P., Zhong, W., Wang, Y., & Li, H. 2020. Analysis of therapeutic targets for SARS-CoV-2 and discovery of potential drugs by computational methods. *Acta Pharmaceutica Sinica B*, 10(5):766-788.
- Xie, Z. Q. 2010. Exploiting Pubchem For Virtual Screening NIH Public Access.
- Xiong, G., Wu, Z., Yi, J., Fu, L., Yang, Z., Hsieh, C., Yin, M., Zeng, X., Wu, C., Lu, A., Chen, X., Hou, T., & Cao, D. (2021). ADMETlab 2.0: An integrated online platform for accurate and comprehensive predictions of ADMET

properties. *Nucleic Acids Research*, 49(W1), W5–W14. <https://doi.org/10.1093/nar/gkab255>.

YASARA. 2021. Yet Another Scientific Artificial Reality Application, Website <http://www.yasara.org/>, diakses pada tanggal 17 Juni 2021.

Young DW *et al.* 2007. Integrating High-Content Screening And Ligand-Target Prediction To Identify Mechanism Of Action. *Nat Chem Bio* 4: 59-68.

Yu R *et al.* (2020). Computational screening of antagonists against the SARS-CoV-2 (COVID-19) coronavirus by molecular docking. *International Journal of Antimicrobial Agents*, 56(2), 106012. <https://doi.org/10.1016/j.ijantimicag.2020.106012>.

Zhivkova, Z., & Doytchinova, I. (2012). Quantitative Structure—Plasma Protein Binding Relationships of Acidic Drugs. *Journal of Pharmaceutical Sciences*, 101(12), 4627–4641. <https://doi.org/10.1002/jps>.

Zhu N *et al.* 2020. A novel Coronavirus from patients with pneumonia in China, 2019. *New England Journal of Medicine*.