

## DAFTAR PUSTAKA

- Aditia, A. (2021). Covid-19: Epidemiologi, Virologi, Penularan, Gejala Klinis, Diagnosa, Tatalaksana, Faktor Risiko Dan Pencegahan. *Jurnal Penelitian Perawat Profesional*, 3(November), 653–660.
- Altintas, D. D., & Senol, A. (2021). *Hubungan Antara Temuan Parenkim Tomografi Paru-Paru dan Protein C Reaktif pada Pasien COVID-19 yang Dirawat di Rumah Sakit*. 10(2), 160–166.
- Aristantrisna, A. S., Yasa, K. P., & Widiana, I. G. R. (2020). *dan Neutrofil Lymphocyte Ratio ( NLR ) dengan amputasi pasca intervensi endovaskular pada pasien Peripheral Artery Disease ( PAD ) Rutherford 2 – 4 di RSUP Sanglah , Bali , Indonesia*. 11(3), 1427–1431.
- Ayu, G., Laksmi, P., & Sari, P. (2020). Coronavirus Disease 2019 (COVID-19). *Journal of Midwifery and Women's Health*, 65(6), 833–834. 6
- Cui, J., Li, F., & Shi, Z. L. (2019). Origin and evolution of pathogenic coronaviruses. *Nature Reviews Microbiology*, 17(3), 181–192.
- Elviani, R., Anwar, C., & Januar Sitorus, R. (2021). Gambaran Usia Pada Kejadian Covid-19. *JAMBI MEDICAL JOURNAL “Jurnal Kedokteran Dan Kesehatan,”* 9(1), 204–209.
- Fitriani, N. I. (2020). COVID-19: Virologi, Patogenensis, dan Manifestasi Klinis. *Jurnal Medika Malahayati*, 4(2017), 54–67.
- Frater, J. L., Zini, G., D Onofrio, G., & Rogers, H. J. (2020). COVID-19 and the clinical hematology laboratory. *International Journal of Laboratory Hematology*, 42(S1), 11–18.
- Gasparyan, A. Y., Ayvazyan, L., Mukanova, U., Yessirkepov, M., & Kitas, G. D. (2019). The platelet-to-lymphocyte ratio as an inflammatory marker in rheumatic diseases. In *Annals of Laboratory Medicine* (Vol. 39, Issue 4, pp. 345–357).
- Handayani, D. (2020). Corona Virus Disease 2019. *Jurnal Respirologi Indonesia*, 40(2), 9–12.

- Irawaty, N. (2021). *Perbedaan Nilai Rasio Trombosit/Limfosit Berdasarkan Derajat Keparahan Penyakit Pada Pasien Covid-19 Di Rsup H. Adam Malik Medan. 2021*, 6.
- Izcovich, A., Ragusa, M. A., Tortosa, F., Marzio, M. A. L., Agnoletti, C., Bengolea, A., Ceirano, A., Espinosa, F., Saavedra, E., Sanguine, V., Tassara, A., Cid, C., Catalano, H. N., Agarwal, A., Foroutan, F., & Rada, G. (2020). Prognostic factors for severity and mortality in patients infected with COVID-19: A systematic review. *PLoS ONE*, 15(11 November), 1–30.
- Kalma, K. (2018). Studi Kadar C-Reactive Protein (Crp) Pada Penderita Diabetes Melitus Tipe 2. *Jurnal Media Analisis Kesehatan*, 1(1).
- Lestari, N. A., & Retnoningrum, D. (2021). Correlation Between Platelet to Lymphocyte Ratio with C-Reactive Protein in COVID-19 Patients. In *Indonesian Journal of Clinical Pathology and Medical Laboratory* (Vol. 28, Issue 1, pp. 17–21).
- Levani, Prastya, & Mawaddatunnadila. (2021). Coronavirus Disease 2019 (COVID-19): Patogenesis, Manifestasi Klinis dan Pilihan Terapi. *Jurnal Kedokteran Dan Kesehatan*, 17(1), 44–57.
- Mariadi, I., & Wibawa, I. (2008). Hubungan Antara Interleukin- 6 Dan C-Reactive Protein Pada Sirosis Hati Dengan Perdarahan Saluran Makanan Bagian Atas. *Journal of Internal Medicine*, 9(3), 194–202.
- Marpaung, M. G., Syoufana, R. S., Aulia, R., & Dewantiningrum, J. (2022). Neutrophil-Lymphocyte Ratio ( NLR ) , Platelet-Lymphocyte Ratio ( PLR ) and D-dimer to length of Stay in ICU of Pregnancy with C OVID- 19 Complicating Severe Coagulopathy Neutrophyl-Lymphocyte Ratio ( NLR ) , Platelet-Lymphocyte Ratio ( PLR ) dan D-dimer. In *Jurnal Ilmu Obstetri & Ginekologi Indonesia* (Vol. 5, pp. 70–76).
- Mus, R., Abbas, M., Sunaidi, Y., Studi, P., Teknologi, D., Medis, L., Kesehatan, F. T., & Megarezky, U. (2020). *Studi Literatur : Tinjauan Pemeriksaan Laboratorium pada Pasien COVID 19*. 5(4).
- Nursofwa, R. F., Sukur, M. H., Kurniadi, B. K., & . H. (2020). Penanganan Pelayanan Kesehatan Di Masa Pandemi Covid-19

Dalam Perspektif Hukum Kesehatan. *Inicio Legis*, 1(1), 1–17.

- Padoan, A., Lopic, I., Bozzato, D., & Plebani, M. (2020). Erythrocyte sedimentation rate and c-reactive protein in acute inflammation: Meta-analysis of diagnostic accuracy studies. *American Journal of Clinical Pathology*, 153(1), 14–29.
- Pascarella, G., Strumia, A., Piliago, C., Bruno, F., Del Buono, R., Costa, F., Scarlata, S., & Agrò, F. E. (2020). COVID-19 diagnosis and management: a comprehensive review. *Journal of Internal Medicine*, 288(2), 192–206.
- Peckham, H., de Gruijter, N. M., Raine, C., Radziszewska, A., Ciurtin, C., Wedderburn, L. R., Rosser, E. C., Webb, K., & Deakin, C. T. (2020). Male sex identified by global COVID-19 meta-analysis as a risk factor for death and ITU admission. *Nature Communications*, 11(1), 1–10.
- Pramonodjati, F., Prabandari, A. S., Angelo, F., & Sudjono, E. (2019). Pengaruh Perokok Terhadap Adanya C – Reaktif Protein (CRP). *Jurnal Ilmiah Rekam Medis Dan Informatika Kesehatan*, 9(2), 1–6.
- Rotty, L., Kurube, J., Harijanto, P. N., Wantania, F., Haroen, H., Hendratta, C., Lasut, P., Kawengian, C., & Adiwinata, R. (2022). The Correlation between Neutrophil-to-Lymphocyte Ratio with C-reactive Protein and D-dimer Level among Indonesian COVID-19 Cases. *Open Access Macedonian Journal of Medical Sciences*, 10, 335–338.
- Sarkar, S., Kannan, S., Khanna, P., & Singh, A. K. (2022). Role of platelet-to-lymphocyte count ratio (PLR), as a prognostic indicator in COVID-19: A systematic review and meta-analysis. *Journal of Medical Virology*, 94(1), 211–221.
- Setyowatie, L., Sukanto, H., & Murtiastutik, D. (2016). C-Reactive Protein pada Berbagai Derajat Keparahan Psoriasis Vulgaris. *Berkala Ilmu Kesehatan Kulit Dan Kelamin – Periodical of Dermatology and Venereology*, 28(2), 1–9.
- Shen, Y., Huang, X., & Zhang, W. (2019). Platelet-to-lymphocyte ratio as a prognostic predictor of mortality for sepsis: Interaction effect with disease severity - A retrospective study. *BMJ Open*, 9(1), 1–7.
- Simadibrata, D. M., Pandhita, B. A. W., Ananta, M. E., & Tango, T.

- (2022). Platelet-to-lymphocyte ratio, a novel biomarker to predict the severity of COVID-19 patients: A systematic review and meta-analysis. *Journal of the Intensive Care Society*, 23(1), 20–26.
- Sproston, N. R., & Ashworth, J. J. (2018). Role of C-reactive protein at sites of inflammation and infection. *Frontiers in Immunology*, 9(APR), 1–11.
- Stringer, D., Braude, P., Myint, P. K., Evans, L., Collins, J. T., Verduri, A., Quinn, T. J., Vilches-Moraga, A., Stechman, M. J., Pearce, L., Moug, S., McCarthy, K., Hewitt, J., & Carter, B. (2021). The role of C-reactive protein as a prognostic marker in COVID-19. *International Journal of Epidemiology*, 50(2), 420–429.
- Susilo, A., Rumende, C. M., Pitoyo, C. W., Santoso, W. D., Yulianti, M., Herikurniawan, H., Sinto, R., Singh, G., Nainggolan, L., Nelwan, E. J., Chen, L. K., Widhani, A., Wijaya, E., Wicaksana, B., Maksum, M., Annisa, F., Jasirwan, C. O. M., & Yuniastuti, E. (2020). Coronavirus Disease 2019: Tinjauan Literatur Terkini. *Jurnal Penyakit Dalam Indonesia*, 7(1), 45.
- Wang, L. (2020). C-reactive protein levels in the early stage of COVID-19. *Medecine et Maladies Infectieuses*, 50(4), 332–334.
- WHO. (2022). COVID-19 Weekly Epidemiological Update. *World Health Organization, Edition 73*(January), 1–23.
- Yuce, M., Filiztekin, E., & Ozkaya, K. G. (2021). COVID-19 diagnosis —A review of current methods. *Biosensors and Bioelectronics*, 172(June 2020).