

## DAFTAR PUSTAKA

- Abbas, A.A., Rasool, A.A., and Rajab, N.A., 2014, Preparation and Comparative Evaluation of Liquisolid Compact and Solid Dispersion of Candesarta Cilexetil, *International Journal of Pharmacy and Pharmaceutical Sciences*, Vol. 6, 1-2.
- Al-Sarraf, M.A., Hussein, A.A., and Jabbar, A.S., 2014, Dissolution Enhancement of Telmisartan by Liquisolid Compacts, *International Journal of Pharmacy and Pharmaceutical Sciences*, Vol. 6, 4-6.
- Arulkumaran ,S., Arum,W., Amol,P., and Harinith, M., 2010, Development and Charaterisation of Oral Dissolving of Nifedipine Using Champor as a Subliming Material, *Research Journal of Pharmaceutical Biological and Chemical Sciences*, Vol. 1, 46-49.
- Bilal,A.,Rehman,K.,Akash,M.A.H.,Hussain,K.,Ibrahim,M.,and Hussan,S.S.,2013, Development and Validation of Analytical Method for Qualitative and Quantitative Determination of Glibenclamide in Different Brands of Tablet Dosage Form Using UV-Visible Spektroskopi,*Journal Molecular and Genetic Medicine*, Vol.7, 3-7.
- Depkes RI. 1995. Farmakope Indonesia. Edisi keempat. Jakarta : Departemen Kesehatan RI.
- Desion , S., 2016. Formulasi Sediaan Tablet Liquisolid Glibenklamid Dengan Pelarut Propilen Glikol dan Amprotab Sebagai *Carrier Material*, *Skripsi*.
- Dewi, K.S., 2010, Formulasi Sediaan Tablet Fast Disintegrating Antasida dengan Starch 1500 sebagai Bahan Penghancur dan Laktosa sebagai Bahan Pengisi,*Skripsi*, 2, 13- 20.
- Direktorat Jenderal Pengawasan Obat dan Makanan RI, 2014, *Farmakope Indonesia*, jilid V, Departemen Kesehatan Republik Indonesia, Jakartapp.753, 1523- 1526.
- Edge, S., Steele, D.F., Stainforth., J.N., Chen A., and Woodcock, P.M., 2002, Powder Compaction Properties of Sodium Starch Glycolat Disintegrant, *Drug Development and Industrial Pharmacy*, 28.

- Fudholi, A., 2013, *Disolusi & Pelepasan in vitro*, Pustaka Pelajar, Yogyakarta, pp. 254 – 256.
- Gubbi, S., and Jarag, R., 2009, Liquefied Technique for Enhancement of Dissolution Properties of Bromhexine Hydrochloride, *J.Pharm and Tech*, Vol.2 , 382-386.DOI 10.5958/0974-360X.
- Hadisoewignyo, L., 2012, Liquefied: Teknik Pembuatan Tablet untuk Bahan Obat Tidak Larut Air, *Medicinus* , Vol.25,32-37.
- Kibbe, A.H., 2000, *Handbook Of Pharmaceutical Excipients*, 3<sup>rd</sup> ed., Pharmaceutical Press, London, pp. 120, 143, 305, 501, 555.
- Kulkarni, A.S., Alookar, N.H., Mane, M.S., and Gaja, J.B., 2010, Liquefied System: A Review, *International Journal of Pharmaceutical Sciences and Nanotechnology*, Vol. 3,795-802.
- Mohiuddin, M. Z., Puligilla, S., Chukka, S., Devadasu, V., and Penta, J., Formulation and Evaluation of Glyburide Liquefied Compacts, *International Journal of Pharma Research & Review*, **3**, 36-46.
- Oktara, L., 2012, Formulasi Tablet Liquefied Ibuprofen Menggunakan Polimer Hidrofilik PVP K-30 Dan Polietilen Glikol 400 Sebagai Pelarut *Non-volatil*, *Skripsi*, 35-38.
- Pharmaceutical GGMPs, 2003, *Guidance for Industry : Powder Blends and Finished Dosage Units-Stratified Units Stratified In-Processes Dosage Unit Sampling and Assessment*, U.S Departement Of Healt and Human Services ,p.6.
- Rowe, R. C., Sheskey, P.,J. dan Quinn, M,E. 2009. *Handbook of Pharmaceutical Excipients Sixth Edition*. Pharmaceutical Press : London.
- Shivajinager, Gangapur, 2000, Sistem Klarifikasi Biofarmasi : Ilmiah Dasar Mengenai Biowaiver, *Jurnal Internasional Farmasi dan Ilmu Farmasi*, 10.
- Siregar, Charles, J.P., dan Wikarsa, S., 2008, *Teknologi Farmasi Sediaan Tablet Dasar-Dasar Praktis*, Penerbit Buku Kedokteran EGC, Jakarta, pp. 1,54-56, 149,185,193,223,235.
- Sirisha, V.N.L., Sruthi, B., and Eswaraiyah, M.C., 2012, Preparation and In-Vitro Evaluation of Liquid Solid Compacts of

Glibenclamide, *International Journal Research Journal of Pharmacy*, Vol.3, 1-4.

Spireas, S., 2002, Liquisolid System and Methods of Preparation Same, *Pharmaceutical Research*, Vol. 9, 1-6.

Srinarong, P ., Kouwen, S., Visser, M.R., Hinrichs, W.L.L.J. dan Frijlink, H.W. 2009, Effect of Drug-Carrier Interaction on The Dissolution Behavior of Solid Dispersion Tablets, *Pharmaceutical Development and Technology*, 1: 1-9.

Sulaiman, T.N.S.,2007 ,*Teknologi Formulasi Sediaan Tablet*, Universitas Gadjah Mada, Yogyakarta, pp.80,96,103,108-110,151.

Syeed, I.A., and Pavani, E., 2012, The Liquisolid Technique: Based Drug Delivery System, *International Journal of Pharmaceutical Sciences and Drug Research*, 91.

UNC, E.S.P.,1996, The Pharmaceutics and Compounding Laboratory, <http://pharmlabs.unc.edu/labs/solubility/structure.htm>, diakses tanggal 24 April 2016.

Vranikova, B., and Gajdziok, J., 2013, Liquid System and Aspects Influencing Their Research and Development,*Acta Pharm.*,447-465.

Williams, A.C. dan Barry, B.W. 2004. *Penetration Enhancers. Advanced Drug Delivery Reviews*. 5 (6): 603-618.

Yadav, V.B., and Yadav, A.V., 2009,Liquisolid Granulation Technique for Tablet Manufacturing: an Overview, *Journal of Pharmacy Research*,670-674.

Yudha, A. P., 2016. Formulasi Sediaan Tablet Liquisolid Glibenklamid Dengan Pelarut PEG 400 dan Amprotab Sebagai *Carrier Material*,*Skripsi*.

Zalfa Hibatullah .R.A., Puspita Eka .O., and Shalas Febrian .A., 2021, Optimasi Formula Nanoemulsi Nifedipin Dengan Metode Self-Nanoemulsifying Drug Delivery System (SNEDDS), *Pharmaceutical Journal Of Indonesia*,85-95.