DAFTAR PUSTAKA

Ahmad, I. (2006). *Quantitatif Structure-Activity Relationship Analysis Of A Carbazole Analog Compounds As Antibacterial Using Electronical Descriptors*. 318–322.

Ananto, A. D., Ayu, G., Sri, P., & Muliasari, H. (2018). *Desain Turunan Fluorouinolon Baru sebagai Zat Antibakteri terhadap S . typhimurium melalui Komputasi Kimia*. *7*(2), 1–5.

Ashri, N. hikmah. (2016). *Uji Aktivitas Dan Identifikasi Senyawa Kimia Antibakteri Ekstrak Etanol Daun Bidara (Ziziphus Spina-Christi L) Terhadap Beberapa Bakteri Patogen*. 2016.

Azizah, R. N., Alam, G., Rifai, Y., & Lethe, C. (2013). *Aplikasi Komputasi Kimia Dalam Analisis Hubungan Kuantitatif Struktur-Aktivitas (Hksa) Dari SenyawaAktif Antibakteri Analog N-Alkil Imidazol Pada Bakteri (Staphilococcus Aureus) Dengan Parameter Elektronikmetode Austin Model (AM 1)*. *05*(01).

De Oliveira, D. B., & Gaudio, A. C. (2001). BuildQSAR: A new computer program for QSAR analysis. *Quantitative Structure-Activity Relationships*, *19*(6),599–601. https://doi.org/10.1002/1521-3838(200012)19:6<599::AID-QSAR599>3.0.CO;2-B

Dinges, M. M., Orwin, P. M., & Schlievert, P. M. (2000). Exotoxins of Staphylococcus aureus. *Clinical Microbiology Reviews*, *13*(1), 16–34.https://doi.org/10.1128/CMR.13.1.16-34.2000

Goodarzi, M. B. D. Y. V. H. (2012). *Feature Selection Methods in QSAR Studies*. *95*, 636–651. https://doi.org/10.5740/jaoacint.SGE

Gutowska, I., Machoy, Z., & Machaliński, B. (2005). The role of bivalent metals in hydroxyapatite structures as revealed by molecular modeling with the HyperChem software. *Journal of Biomedical Materials Research - Part A*, *75*(4), 788–793. https://doi.org/10.1002/jbm.a.30511

Ibrahim, S. R. M., Abdallah, H. M., El-Halawany, A. M., & Mohamed, G. A. (2016). Naturally Occurring Thiophenes: Isolation, Purification, Structural Elucidation, And Evaluation Of Bioactivities. *Phytochemistry Reviews*, *15*(2), 197–220. https://doi.org/10.1007/s11101-015-9403-7

Jincan, C., Li, Q., Yong, S., Lanmei, C., & Kangcheng, Z. (2008). *A QSAR Study AndMolecular Design Of Benzothiazole Derivatives As Potent Anticancer Agents*. *51*(20673148), 111–119. https://doi.org/10.1007/s11426-007-0107-8

Karelson, M., Lobanov, V. S., & Katritzky, A. R. (1996). *Quantum-Chemical Descriptors In QSAR / QSPR Studies*.

Kunal, R., Kar, S., & Das, R. N. (2015). *A Primer On QSAR/QSPR Modeling Fundamental Concepts*.

Mabkhot, Y. N., Kaal, N. A., Alterary, S., & Showiman, S. S. Al. (2017). AntimicrobialActivity Of Thiophene Derivatives Derived From Ethyl (E)– 5 – (3 – (Dimethylamino) Thiophene – 3 – Carboxylate. *Chemistry Central Journal*, 1– 11. https://doi.org/10.1186/s13065-017-0307-z

MARUF, L. O. S. (2017). *Hubungan Kuantitatif Struktur-Aktivitas (Hksa) Antikanker Senyawa Turunan 17-((1,6-Heksanadiamina)Aroilamido)-17- Demethoksigeldaminisin Sebagai Inhibitor Hsp90*.

Miladiyah, I., Jumina, J., Haryana, S. M., & Mustofa, M. (2018). Biological Activity, Quantitative Structure–Activity Relationship Analysis, And Molecular Docking Of Xanthone Derivatives As Anticancer Drugs. *Drug Design, Development And Therapy*, *12*,149–158.https://doi.org/10.2147/DDDT.S149973

Ngajow, M., Abidjulu, J., & Kamu, V. S. (2013). Pengaruh Antibakteri Ekstrak Kulit Batang Matoa (Pometia pinnata) terhadap Bakteri Staphylococcus aureus secara In vitro. *Jurnal MIPA*, *2*(2), 128. https://doi.org/10.35799/jm.2.2.2013.3121

Permatasari, I. S. (2021). *Dok No. 09.005.000/PN/S1FF-SPMI*. 09.

Puspaningtyas, A. R. (1999). *Sintesis Dan Uji Aktivitas Antibakteri Senyawa TurunanKalkon Pada Strain Bakteri*.

PUTRA, B. S. (2010). *Telaah Hubungan Kuantitatif Struktur-*.

Razak, A., Djamal, A., & Revilla, G. (2013). *Artikel Penelitian Uji Daya Hambat Air Perasan Buah Jeruk Nipis (Citrus aurantifolia s .) Terhadap Pertumbuhan Bakteri Staphylococcus Aureus Secara In Vitro*. *2*(1), 5–8.

Rijayanti, R. P. (2014). *Program Studi Pendidikan Dokter Fakultas KedokteranUniversitas Tanjungpura 2014*.

Scior, T., Do, Q., Rojas, J. A. Y., & Bernard, P. (2009). *How to Recognize and Workaround Pitfalls in QSAR Studies : A Critical Review*. 4297–4313.

Scotti, L., Lima, E. D. O., Sobral, M., Ishiki, H., Lima, I. D. O., Pereira, F. D. O., Jaime,F., Mendonça, B., & Scotti, M. T. (2014). *Docking and PLS Studies on a Set ofThiophenes RNA Polymerase Inhibitors Against Staphylococcus aureus*. 64– 80.

Shah, R., & Verma, P. K. (2019). Synthesis Of Thiophene Derivatives And Their Anti

- Microbial , Antioxidant , Anticorrosion And Anticancer Activity. *BMC Chemistry*, 1–13. https://doi.org/10.1186/s13065-019-0569-8

Taha, I., Keshk, E. M., Khalil, A. G. M., & Fekri, A. (2021). Synthesis, Characterization, Antibacterial Evaluation, 2D-QSAR Modeling And Molecular Docking Studies For Benzocaine Derivatives. *Molecular Diversity*, *25*(1), 435–459. https://doi.org/10.1007/s11030-020-10138-7

Verma, J., Khedkar, V. M., & Coutinho, E. C. (2010). *3D-QSAR in Drug Design - A Review*. 95–115.

Wahyudi, E. (2015). *Studi Hubungan Kuantitatif Struktur Aktivitas Dari Amidasi Senyawa Etil-P-Metoksisinamat Sebagai Antiinflamasi Dengan Pendekatan Hansch Dan Komputasi*.

Wijianto, B., . R., Purnomo, H., & Nurrochmad, A. (2019). In Silico And In Vitro Assay Of Hgv Analogue As Antibacterial. *International Journal Of PharmacyAnd Pharmaceutical Sciences*, *11*(3), 78– 85.https://doi.org/10.22159/ijpps.2019v11i3.30581