

## DAFTAR PUSTAKA

- Cindy Juwita Dessyana. (2012). No Title עלון הנוטע, בצמ תנומת :יוריקה הניעה, 66(3), 37–39.
- DePiroksikames RI. (2020). Farmakope Indonesia edisi VI. In *Departemen Kesehatan Republik Indonesia*.
- Design, M. D. (2015). *Optimasi Sediaan Floating Tablet Kaptopril Sistem Effervescent*. 8(2).
- Dra.Murtini Gloria dan Yetri Elisa. (2018). *Teknologi sediaan solid*.
- Fudholi, A. (2013). *Disolusi dan Pelepasan obat in vitro*.
- Harningsih, N., Sulaiman, T. N. S., & Iksari, E. D. (2014). Optimasi Natrium Bikarbonat Dan Asam Sitrat Sebagai Komponen Effervescent Pada Tablet Floating Nifedipin. *Majalah Farmasetik*, 10(1), 186–191.
- He, W., Li, Y., Zhang, R., Wu, Z., & Yin, L. (2014). Gastro-floating bilayer tablets for the sustained release of metformin and immediate release of pioglitazone: Preparation and in vitro/in vivo evaluation. *International Journal of Pharmaceutics*, 476(1), 223–231. <https://doi.org/10.1016/j.ijpharm.2014.09.056>
- Hidayat, I. R., Zuhrotun, A., & Sopyan, I. (2020). Design-Expert Software sebagai Alat Optimasi Formulasi Sediaan Farmasi. *Majalah Farmasetika*, 6(1). <https://doi.org/10.24198/mfarmasetika.v6i1.27842>
- Hirun, N., & Kraisit, P. (2022). Drug-Polymers Composite Matrix Tablets: Effect of Hydroxypropyl Methylcellulose (HPMC) K-Series on Porosity, Compatibility, and Release Behavior of the Tablet Containing a BCS Class I Drug. *Polymers*, 14(16). <https://doi.org/10.3390/polym14163406>
- Indartantri, K. B., Noval, & Oktaviannor, H. (2021). Formulation and Evaluation of Floating System Tablet Diphenhydramine HCl Using A Combination of Matrix HPMC K4M and Na. CMC. *Jurnal Surya Medika*, 7(1), 107–114. <http://journal.umpalangkaraya.ac.id/index.php/jsm>
- Islami, A., Sopyan, I., Gozali, D., Farmasetika, D., Padjadjaran, U., Km, J. R. B., & Jatinangor, K. (2020). Jurnal Ilmiah Farmako Bahari SOLUBILITY MODIFICATION OF PIROXICAM : A REVIEW. *Ilmiah Farmako Bahari*, 11(1), 89–102.

- Jagdale, S. C., Bari, N. A., Kuchekar, B. S., & Chabukswar, A. R. (2013). Optimization Studies on Compression Coated Floating-Pulsatile Drug Delivery of Bisoprolol. *BioMed Research International*, 2013, 1–11. <https://doi.org/10.1155/2013/801769>
- Jagdale, S. C., Sali, M. S., Barhate, A. L., Kuchekar, B. S., & Chabukswar, A. R. (2013). Formulation, development, and evaluation of floating pulsatile drug delivery system of atenolol. *PDA Journal of Pharmaceutical Science and Technology*, 67(3), 214–228. <https://doi.org/10.5731/pdajpst.2013.00916>
- Jagdale, S. C., Suryawanshi, V. M., Pandya, S. V., Kuchekar, B. S., & Chabukswar, A. R. (2014a). Development of press-coated, floating-pulsatile drug delivery of lisinopril. *Scientia Pharmaceutica*. <https://doi.org/10.3797/scipharm.1301-27>
- Jagdale, S. C., Suryawanshi, V. M., Pandya, S. V., Kuchekar, B. S., & Chabukswar, A. R. (2014b). Development of press-coated, floating-pulsatile drug delivery of lisinopril. *Scientia Pharmaceutica*, 82(2), 423–440. <https://doi.org/10.3797/scipharm.1301-27>
- Kajal D. Chaudhari, Minakshee G. Nimbawar, Nikita S. Singhal, Wrushali A. Panchale, Jagdish V. Manwar, & Ravindra L. Bakal. (2021). Comprehensive review on characterizations and application of gastro-retentive floating drug delivery system. *GSC Advanced Research and Reviews*, 7(1), 035–044. <https://doi.org/10.30574/gscarr.2021.7.1.0070>
- Kamble, D., Singhavi, D., Tapadia, S., & Khan, S. (2020). Investigation of pectin-hydroxypropyl methylcellulose-coated floating beads for pulsatile release of piroxicam. *Turkish Journal of Pharmaceutical Sciences*, 17(5), 542–548. <https://doi.org/10.4274/tjps.galenos.2019.99896>
- Karataş, A., Yüksel, N., & Baykara, T. (2005). Improved solubility and dissolution rate of piroxicam using gelucire 44/14 and labrasol. *Il Farmaco*, 60(9), 777–782. <https://doi.org/10.1016/j.farmac.2005.04.014>
- Kemenkes, R. (2014). Farmakope Indonesia (5Th Ed). In *Jakarta*.
- Kusuma, I. Y., & Prabandari, R. (2020a). Optimasi Formula Tablet Piroksikam Menggunakan Eksipien Laktosa, Avicel pH-101, dan Amprotab dengan Metode Simplex Lattice Design. *Pharmacon: Jurnal Farmasi Indonesia*, 17(1), 31–44. <https://doi.org/10.23917/pharmacon.v17i1.9176>

- Kusuma, I. Y., & Prabandari, R. (2020b). Optimasi Formula Tablet Piroksikam Menggunakan Eksipien Laktosa, Avicel pH-101, dan Amprotab dengan Metode Simplex Lattice Design Optimization of Formula of Piroxicam Tablets Using Excipients Lactose, Avicel pH 101, and Amprotab with Simplex Lattice Desig. *Jurnal Farmasi Indonesia*, 17(1), 31–44. <http://journals.ums.ac.id/index.php/pharmacon>
- Lachman dkk, 1994;, Voigt, 1995, Ningsih, W., Firmansyah, & Jumaynah, N. (2017). Formulasi Tablet Kunyah Kalsium Laktat Dengan Variasi Konsentrasi HPMC Sebagai Bahan Pengikat Terhadap Sifat Fisiknya. *Jurnal Ilmu Farmasi Dan Farmasi Klinik*, 1986, 30–36.
- Lin, S.-Y., Lin, K.-H., & Li, M.-J. (2001). Micronized ethylcellulose used for designing a directly compressed time-controlled disintegration tablet. *Journal of Controlled Release*, 70(3), 321–328. [https://doi.org/10.1016/S0168-3659\(00\)00360-6](https://doi.org/10.1016/S0168-3659(00)00360-6)
- M., S., V., K., K., S., K., S., P., B., & M., M. (2017). Design and Evaluation of Chronotherapeutic Delivery of Terbutaline Sulphate by Pulsincap Technology. *International Journal of Drug Delivery Technology*, 7(1). <https://doi.org/10.25258/ijddt.v7i1.8920>
- Mahdiyyah, M., Puspitasari, I. M., Putriana, N. A., & Syamsunarno, M. R. A. . (2020). Review: Formulasi dan Evaluasi Sediaan Oral Effervescent. *Majalah Farmasetika*, 5(4), 191–203. <https://doi.org/10.24198/mfarmasetika.v5i4.27278>
- Main, A., Bhairav, B. A., & Saudager, R. B. (2017). Co processed excipients for tableting: Review article. *Research Journal of Pharmacy and Technology*, 10(7), 2427–2432. <https://doi.org/10.5958/0974-360X.2017.00429.2>
- Manohari, P. J., Healthcare, H., & Limited, P. (2019). *Formulation of modified-release tablets of corticosteroid*. March.
- Menshikova, I., & Zakharova, O. (2021). Pharmacokinetics of piroxicam pharmaceutical forms: An experimental study. *Current Trends in Biotechnology and Pharmacy*, 15(2), 164–171. <https://doi.org/10.5530/ctbp.2021.2.18>
- Moon, A., Kondawar, M., & Shah, R. (2011). Formulation and evaluation of press -coated indomethacin tablets for pulsatile drug delivery system. *Journal of Pharmacy Research*, 4(44), 564–566.

- Nazela Constantia Hilyatul Aulia, Sani Ega Priani, & Ratih Aryani. (2022). Kajian Pengembangan Sediaan Floating Sustained Release Tablet. *Bandung Conference Series: Pharmacy*, 2(2), 35–41. <https://doi.org/10.29313/bcsp.v2i2.3122>
- Prihastuti, D., & Abdassah, M. (2019). Karagenan dan Aplikasinya di Bidang Farmasetika. *Farmasetika.Com (Online)*, 4(5), 146–154. <https://doi.org/10.24198/farmasetika.v4i5.23066>
- Raj, B. S., Punitha, I. S. R., & Gifty, M. J. (2015). Formulation and Evaluation of Floating Pulsatile Drug Delivery System of Ibuprofen and Ranitidine Combination. *International Journal of Pharmaceutical Sciences and Nanotechnology*, 8(4), 3009–3017. <https://doi.org/10.37285/ijpsn.2015.8.4.3>
- Rajendra, A., Sukohar, A., Studi, P., Dokter, P., Kedokteran, F., Lampung, U., Farmakologi, B., Kedokteran, F., & Lampung, U. (2019). *Metode Kemoterapi Terkini Berbasis Circadian Chronoteraphy dalam Menurunkan Resistensi SeL SiHa Terhadap 5-Fluorourasil Pada Kanker Serviks Current Chemotherapy Method Based on Circadian Chronoteraphy in Reducing SeL SiHa Resistance to 5-Fluorouracil on C. 6*, 370–378.
- Ramadhani, R. A., Riyadi, D. H. S., Triwibowo, B., & Kusumaningtyas, R. D. (2017). Review Pemanfaatan Design Expert untuk Optimasi Komposisi Campuran Minyak Nabati sebagai Bahan Baku Sintesis Biodiesel. *Jurnal Teknik Kimia Dan Lingkungan*, 1(1), 11. <https://doi.org/10.33795/jtkl.v1i1.5>
- Raymond C Rowe, P. J. S., & Owen, and S. C. (2006). Handbook of Pharmaceutical Excipients Fifth Edition. In *AusIMM Bulletin* (Issue 1).
- Rusdiah. (2021). *formulasi dan evaluasi sediaan tablet dari ekstrak etanol daun katuk (saurpus androgynus merr.) dengan menggunakan metode granulasi basah. 1*, 45–65.
- Sa'adah, H., & Fudholi, A. (2011). Optimasi Formula Tablet Teofilin Menggunakan Co-Processed Excipients Campuran Laktosa dan Avicel Optimization of Theophylline Tablet Formula Using Co-Processed Excipients of Lactose and Avicel. *Majalah Farmasi Indonesia*, 4(22), 306–314.
- Salunkhe, A. K., Dias, R. J., Mali, K. K., Mahajan, N. S., & Ghorpade, V. S. (2011). Formulation and evaluation of floating pulsatile drug delivery system of metoprolol tartrate. *Der Pharmacia*

*Lettre*, 3(3), 147–160.

- Sari, S. P., Bestari, A. N., & Sulaiman, T. N. S. (2019). Optimasi Formula Tablet Floating Famotidin Menggunakan Kombinasi Matriks Gum Xanthan dan Hidroksi Propil Metil Selulosa K100M. *Majalah Farmaseutik*, 15(2), 86. <https://doi.org/10.22146/farmaseutik.v15i2.46878>
- Shah SH, Patel JK, & Patel NV. (2009). Stomach Specific Floating Drug Delivery System: a Review. *International Journal of PharmTech Research*, 1(3), 623–633.
- Shanmugan, P. (2015). Chronotherapeutic Drug Delivery Systems. *Journal of Drug Metabolism & Toxicology*, 06(05). <https://doi.org/10.4172/2157-7609.1000194>
- Sharimina, V. G., & Dolih, G. (2018). Review Artikel: Formulasi dan Evaluasi Sediaan Granul Effervescent dan Sediaan Tablet dengan Metode Granulasi Basah. *Farmaka*, 16(1), 117–123.
- Sharma, A. R., Raina, B., Bajwa, P. S., Bhargava, A., Toshiba, T., & Goel, V. (2018). Pulsatile Drug Delivery System-A Review. *Asian Pacific Journal of Health Sciences*, 5(3), 260–270. <https://doi.org/10.21276/apjhs.2018.5.3.38>
- Shashank, C., Prabha, K., Sunil, S., & Vipin Kumar, A. (2013). Approaches to increase the gastric residence time: Floating drug delivery systems- A review. *Asian Journal of Pharmaceutical and Clinical Research*, 6(3), 1–9.
- Shohin, I. E., Kulinich, J. I., Ramenskaya, G. V., Abrahamsson, B., Kopp, S., Langguth, P., Polli, J. E., Shah, V. P., Groot, D. W., Barends, D. M., & Dressman, J. B. (2014). Biowaiver Monographs for Immediate Release Solid Oral Dosage Forms: Piroxicam. *Journal of Pharmaceutical Sciences*, 103(2), 367–377. <https://doi.org/10.1002/jps.23799>
- Siswanto, A., Hapsari, I., Zulaikha, Y. U., & Rosmawati, E. (2016). Optimasi Tablet Floating Teofilin Menggunakan Metode Desain Faktorial. *Jurnal Farmasains*, 3(1), 43–51.
- Sulaiman, T. N. S., & Sulaiman, S. (2020). Excipients For Tablet Manufacturing With Direct Compression Method. *Journal of Pharmaceutical and Sciences*, 3(2), 64–76.
- Syamsudin, R., & Wachidah, L. (2020). Pengujian Asumsi Homoskedastisitas Regresi Linear Berganda Menggunakan RCEV Test Studentized Residual pada Data Pendapatan Asli

- Daerah (PAD) Kabupaten/Kota Jawa Barat Tahun 2018. *Prosiding Statistika*, 9–16. <http://dx.doi.org/10.29313/v6i2.22549>
- T, N. A. (2011). Studies on Enhancement of Dissolution Rate of Domperidone By Surface Solid Dispersion Technology. *International Journal of Research in Pharmacy and Chemistry*, 1(2), 133–142.
- THE UNITED STATES PHARMACOPEIA. (2018). *2018 Usp 41* (Vol. 5).
- Thoorens, G., Krier, F., Leclercq, B., Carlin, B., & Evrard, B. (2014). Microcrystalline cellulose, a direct compression binder in a quality by design environment - A review. *International Journal of Pharmaceutics*, 473(1–2), 64–72. <https://doi.org/10.1016/j.ijpharm.2014.06.055>
- Wulandari, E., Sihombing, F. S. P., Sukarminah, E., & Sunyoto, M. (2019). Karakterisasi Sifat Fungsional Isolat Protein Biji Sorgum Merah (*Sorghum bicolor* (L.) Moench) Varietas Lokal Bandung. *Chimica et Natura Acta*, 7(1), 14. <https://doi.org/10.24198/cna.v7.n1.19683>
- Yahoum, M. M., Lefnaoui, S., & Moulai-Mostefa, N. (2021). Design and evaluation of sustained release hydrophilic matrix tablets of Piroxicam based on carboxymethyl xanthan derivatives. *Soft Materials*, 19(2), 178–191. <https://doi.org/10.1080/1539445X.2020.1789994>
- Yao, H., Yao, H., Zhu, J., Yu, J., & Zhang, L. (2012). Preparation and evaluation of a novel gastric floating alginate/poloxamer inner-porous beads using foam solution. *International Journal of Pharmaceutics*. <https://doi.org/10.1016/j.ijpharm.2011.10.054>