

## DAFTAR PUSTAKA

- Aabed, W.J. *et al.* (2021) ‘Extemporaneous compounding and physiological modeling of amlodipine/valsartan suspension’, *International Journal of Hypertension*, 2021. Available at: <https://doi.org/10.1155/2021/6695744>.
- Ahuja, S. and Dong, M. (2005) *Handbook of pharmaceutical analysis by HPLC*. Elsevier.
- Alegantina, S. and Isnawati, A. (2015) ‘Profil disolusi tablet amlodipin dan perbandingan kadar dua produk generik dengan produk inovator’, *Jurnal Kefarmasian Indonesia*, pp. 11–18.
- Alfarizi, M.B. *et al.* (2023) ‘Pengaruh Suhu Dan Waktu Penyimpanan Terhadap Penurunan Kadar Sirup Kering Cefadroxil Dengan Metode FTIR’, in *Prosiding University Research Colloquium*, pp. 565–573.
- Anonim, 2020. Farmakope Indonesia, Edisi VI. Jakarta: Departemen Kesehatan Republik Indonesia
- AOAC. (2019). Official Method of Analysis The Association of AnalysisChemist Inc. VirgiNIA USA
- Ashley, C., dan Currie, A. (2009). *The Renal Drug Handbook*. Edisi ketiga. New York: Radcliffe Publishing. Hal. 44, 94, 116, 149, 338, 522, 762.
- Banker, G.S., Siepmann, J. and Rhodes, C. (2002) *Modern pharmaceutics*. CRC Press.
- Barnes, A.R. (2018) ‘Chemical stability in dosage forms’, *Any screen. Any time. Anywhere.*, p. 836.
- Chávez, E.M. and Jacobsen, P.L. (2015) ‘Pharmacology and aging’, *Textbook of geriatric dentistry. 3rd edition. West Sussex (UK): John Wiley & Sons, Ltd*, pp. 145–154.
- Connors, K.A., Amidon, G.L. and Stella, V.J. (1986) *Chemical stability of pharmaceuticals: a handbook for pharmacists*. John Wiley & Sons.

- David B Troy, P. B. (2006). *Remington's Pharmaceutical Sciences 21th ed.* Lippincott Williams & Wilkins.
- Elliott., J. W., & Bistrika, E., A. (2017). Perindopril Arginine and Amlodipine Besylate for Hypertension: A Safety Evaluation. *Expert Opinion on Drug Safety.*
- Ermer, J. and Miller, J.H.M. (2006) *Method validation in pharmaceutical analysis: A guide to best practice.* John Wiley & Sons.
- Fitriani, Y.N. et al. (2015) 'Formulasi and evaluasi stabilitas fisik suspensi ubi cilembu (ipomea batatas L.) dengan suspending agent cmc na dan pgs sebagai antihiperkolesterol', *Jurnal Farmasi Sains dan Terapan*, 2(1).
- Florence, A.T. and Attwood, D. (2015) *Physicochemical principles of pharmacy: In manufacture, formulation and clinical use.* Pharmaceutical press.
- Gandjar, I.G. and Rohman, A. (2018) *Spektroskopi molekuler untuk analisis farmasi.* UGM PRESS.
- Graves, R. A., Mandal, T. K., Bostanian, L. A., Nguyen, A. T., Swopes, D., Morris, T. C., & Pramar, Y. V. (2019). Physicochemical Stability of Compounded Amlodipine Besylate Suspensions in PCCA Base, SuspendIt. *International journal of pharmaceutical compounding*, 23(6), 519.
- Hanwar, D., Handayani, V. R., & Suhendi, A. (2020, December). Validasi Metode HPLC untuk Analisis Kurkumin pada Ekstrak Rimpang Temulawak (Curcuma xanthorrhiza Roxb.). In *Prosiding University Research Colloquium* (pp. 371-378).
- Harmita, H. (2004) 'Petunjuk pelaksanaan validasi metode dan Cara Perhitungannya', *Majalah Ilmu Kefarmasian*, 1(3), p. 1.
- Harsono, T., Yuwono, M. and Indrayanto, G. (2005) 'Simultaneous determination of some active ingredients in cough and cold preparations by gas chromatography, and method validation', *Journal of AOAC international*, 88(4), pp. 1093–1098.
- Hidayatullah, M. H., Ibrahim, S., & Permana, B. (2022). Pengembangan Dan Validasi Metode Analisis Amlodipin

- Besilat Dan Cemarannya Dalam Sediaan Tablet. *Pharmacon: Jurnal Farmasi Indonesia*, 19(2), 148-159.
- Jain, E. (2012). Development and Validation of HPTLC Method for Simultaneous Determination of Amlodipine Besylate and Metoprolol Succinate in Bulk and Tablets. *indian Journal of Pharmaceutical Sciences*, 152-156
- Katzung, B.G. (2012) *Basic and clinical pharmacology*.
- Kesehatan, D. (1995). *Farmakope Indonesia Edisi IV*. Jakarta: Direktorat Jenderal Pengawasan Obat dan Makanan
- Li, M. (2015) *Organic chemistry of drug degradation*. Royal Society of Chemistry.
- Lv, C.-M. et al. (2013) ‘Determination of amlodipine in human plasma by LC-MS/MS and its bioequivalence study in healthy Chinese subjects’, *Pharmacology & Pharmacy*, 4(02), pp. 191–200.
- Minarsih, T. (2011) ‘Penentuan Energi Aktivasi Amlodipin Besilat Pada pH 1, 6 Dan 10 Dengan Metode Kromatografi Cair Kinerja Tinggi’, *PHARMACY: Jurnal Farmasi Indonesia (Pharmaceutical Journal of Indonesia)*, 8(02), pp. 21–33.
- Miura, S., & Saku, K. (2012). Efficacy and safety of angiotensin II type 1 receptor blocker/calcium channel blocker combination therapy for hypertension: focus on a single-pill fixed-dose combination of valsartan and amlodipine. *40*, 1-9.
- Mourad, J. J., Amodeo, C., de Champvallins, M., Brzozowska-Villatte, R., & Asmar, R. (2017). Blood pressure-lowering efficacy and safety of perindopril/indapamide/amlodipine single-pill combination in patients with uncontrolled essential hypertension: a multicenter, randomized, double-blind, controlled trial. *Journal of Hypertension*, 35(7), 1481-1495.
- Ravindra, R., R., Arunkumar, S., Puniyani, R., R., Padgaonkar, K., Vadivelu, R.,
- Sharma, R., Panicker, G., Lokhandwala, Y. (2019). Amlodipine alters hemorheological parameters: Increased efficacy at the cost of edema?. *Indian Heart Journal* 71: 32-38.

- Nurhayati, N. R., & Saputri, F. A. (2016). Analisis Amlodipin Dengan Metoda KCKT dan Spektrofotometri UV. *Farmaka*, 14(1), 33-47.
- Risdiana, N. and Nuraeni, E. (2021) ‘The Oral Health Status, Salivary Flow Rate and pH in Hypertensive Patients Who Consume Antihypertensive Drugs in Puskesmas Kasihan I Yogyakarta’, in. Scitepress, pp. 273–277. Available at: <https://doi.org/10.5220/0010491302730277>.
- Rohman, A. (2007). *Kimia Farmasi Analisis*. Yogjakarta: Pustaka Pelajar.
- Sabdowati, R. A. (2015). Uji Stabilitas Obat Spironolakton Terhadap Perubahan pH Dengan Menggunakan Kromatografi Cair Kinerja Tinggi (KCKT).
- Sangam, K., Devireddy, P., & Konuru, V. (2016). Calcium channel blockers induced peripheral edema. *Age*, 53, 10-88.
- Saputri, F.A. et al. (2018) ‘Development and validation of simple simultaneous analysis for Amlodipine and Glibenclamide by nonderivatization high-performance liquid chromatography-fluorescence’, *Journal of Advanced Pharmaceutical Technology & Research*, 9(4), p. 124.
- Shetty, K.K. et al. (2015) ‘Calcium channel blockers induced pedal edema; mechanism and treatment options’, *International Journal of Sciences & Applied Research*, 2(12), pp. 27–33.
- Shyni Bernard, M. M., Shyni, B., Molly , M., K.L, S., & K, N. (2013). Simultaneous Estimation of Atorvastatin Calcium and Amlodipine besylate by UV Spectrophotometric method using hydrotropic solubilization. (1), 105-112
- S, N., F, A. and S, K. (2017) ‘An Overview on Stability of Extemporaneously Prepared Pharmaceutical Suspension’, *Journal of Bioequivalence & Bioavailability*, 09(04). Available at: <https://doi.org/10.4172/jbb.1000343>.
- Synder, L.R., & J.J Kirkland. (1979). *Introduction to Modern Liquid Chromatography*, 2nd Edition. New York: John Wiley & Sons, Inc. Hal: 52, 250.

- Tripathi, A.K. *et al.* (2015) ‘Low dose amlodipine-induced gingival enlargement: A clinical case series’, *Contemporary clinical dentistry*, 6(1), p. 107.
- Tutoli, T. S., & Rasdiana, N. (2021). Pola Penggunaan Obat Antihipertensi Pada Pasien Hipertensi. *Indonesian Journal of Pharmaceutical Education*, 1(3), 127-135.
- Udayani, N. N. W., Riastini, N. W., & Putra, I. M. A. S. (2018). Perbedaan Efektivitas Penggunaan Obat Amlodipin Tunggal dengan Kombinasi Amlodipin dan Lisinopril pada Pasien Hipertensi Rawat Inap di Rs ‘X’Tabanan Tahun 2017. *Jurnal Ilmiah Medicamento*, 4(2).
- Yhosioka, E. a. (2000). *Stability of Drugs and Dosage Forms*. Library of Congress Cataloging in Publication Data.
- Yulianti, T., Chiburdanidze, A., 2018, Ketepatan Pemilihan Obat Antihipertensi Pada Pasien Hipertensi Rawat Jalan di Surakarta, *The 7th University Research Colloquium*, 663-668
- Waney, R. and Abidjulu, J. (no date) *PENGARUH SUHU TERHADAP STABILITAS SERTA PENETAPAN KADAR TABLET FUROSEMIDA MENGGUNAKAN SPEKTROFOTOMETER UV-VIS.*