

BAB V

KESIMPULAN DAN SARAN

A. Kesimpulan

Dari data yang dikumpulkan lalu dianalisis dan dibahas maka hasil penelitian dapat disimpulkan sebagai berikut :

1. Obat antipsikotik yang digunakan di RSJD Surakarta meliputi : Risperidon, Clozapin, Aripiprazol, Paliperidone merupakan golongan atipikal, dan Chlorpromazin, Haloperidol, Pherpenazine, dan Flufhenazin merupakan golongan tipikal. Untuk penggunaan obat tunggal yang paling banyak digunakan adalah Risperidon sebanyak 95 resep (3,91%). Pada penggunaan obat kombinasi, yang paling banyak digunakan adalah Chlorpromazin (CPZ) – Haloperidol (HLP) – Trihexylpenidyl sebanyak 486 resep (20%).
2. Kesesuaian penggunaan antipsikotik secara keseluruhan dari segi jenis dan dosis berdasarkan Formularium Rumah Sakit diperoleh persentase 78,30 % dan berdasarkan *Guidline Texas Medication Algorithm Project Procedural Manual* diperoleh persentase sebesar 88,89 %.

B. Saran

Berdasarkan hasil penelitian ini, maka dapat disarankan sebagai berikut:

1. Perlunya monitoring efek samping obat antipsikotik seperti sindrom parkinson, terutama untuk obat-obat baru.

2. Perlunya penelitian lanjutan efektifitas pengobatan terapi tunggal maupun terapi kombinasi.
3. .Perlu dilakukan pembaharuan Formularium RSJD Surakarta untuk meningkatkan kualitas pelayanan kesehatan.

DAFTAR PUSTAKA

- Advameg Inc. Encyclopedia Of Mental Disorders. Disitasi pada tanggal 11 Mei 2009. <http://www.mindisorders.com> . Diakses pada : 25 April 2014
- Arif I.S. 2006. *Skizofrenia : Memahami Dinamik Keluarga Pasien*. Bandung : Refika Aditama
- [ASHP] American Society of Health-System Pharmacists. 2011. *Conditions in Depth paliperidon* [http:// www.harthosp.org/ HealthLibrary/ Conditions/ InDepth/ default.aspx?chunkiid=673579](http://www.harthosp.org/HealthLibrary/Conditions/InDepth/default.aspx?chunkiid=673579) diakses pada tanggal 19 juni 2014
- [BMA] British Medical Association. 2009. *British National Formulary 47*. Royal Pharmaceutical.
- Crismon M.L., Dorson P.G., Dipiro J.T., Talert R.L., Matzke G.R., Yee G.C., Wells B.G. 2002. *Schizophrenia Pharmacotherapy* (Pathophysiologic Approach). New York : Mc Graw-Hill Inc. Page.1219-1241
- [Depertemen Kesehatan RI]. 2008. *Informatorium Obat Nasional Indonesia*. Badan POM RI. Gramedia, Jakarta.
- Dipiro J.T., Talbert R.L., Yee G.C., Matzke G.R., Wells B.G., Posey L.M. 2009. *Pharmacotherapy A Pathophysiologycal Approach Seventh Edition*. United States : The McGraw-Hill. Companies inc.
- Fatemi S.H., Folsom T.D. 2009. *The Neurodevelopmental Hypothesis Of Schizofrenia*, Revisited. *Schizophrenia Bulletin* Vol. 35 No.3pp. 528-548.
- [FDA] Food and Drug Administration. 2006. *Highlights of prescribing information*http://www.accessdata.fda.gov/drugsatfda_docs/label/2014/022264s010lbl.pdf. Diakses pada tanggal 19 juni 2014.
- FKUI. 2007. *Farmakologi dan Terapi* edisi 5. Jakarta : Departemen Kedokteran Universitas Indonesia.
- Fortinash, Katherine M. Worret, Patricia A. Holloday. 2003. *Psychiatric Nursing Care Plans*. Edisi 4. New York : Elsiever Inc
- Hyman S.C., & K. Ronald. 2010. *Disease control priorities related to mental, neurological, depelovmental and substance abuse disorder*. Jenewa : WHO, 2010.
- Ikawati Zullies. 2011. *Farmakoterapi Penyakit Sistem Saraf*. Yogyakarta: Bursa Ilmu

- Ingram I.M., Timbury G.C., Mowbray R.M., 1995. *Notes On Psychiatry*, Edisi 6. Jakarta : Penerbit Buku Kedokteran EGC. Hal.8
- Irwan M., Fajriansyah A., Sinuhadji B., Indrayana M. 2008. *Penatalaksanaan Skizofrenia*. Riau: Fakultas Kedokteran Universitas Riau
- Isaac. 2005. *Panduan Belajar Keperawatan Kesehatan Jiwa & Psikiatrik*. Edisi 3. Jakarta : EGC
- ISFI. 2008. *ISO Farmakoterapi*. Jakarta : Penerbit PT. ISFI Penerbitan. Hal. 288-289.
- Iyus Yosep. 2007. *Keperawatan Jiwa* Edisi Revisi. Bandung : Refika Aditama
- Kaplan H.I., Sadock B.J., Grebb J.A. 1997. *Sinopsis Psikiatri : Ilmu Pengetahuan Prilaku Psikiatri Klinis Jilid Satu*. Jakarta : Binarupa Aksara.
- [KEPMENKES RI]. 2013. Keputusan Menteri Kesehatan Republik Indonesia NOMOR 312 / MENKES / SK / IX / 2013. *Daftar Obat Esensial Nasional 2013*. <http://www.pdpersi.co.id>. Diakses pada 23 September 2013.
- Lehman A.F., Lieberman J.A., Dixon L.B., 2004. *Practice Guideline for The Treatment of Patients with Schizophrenia*. Second edition. Arlington : American Psychiatric Association
- Maneak Mariana Agusta. 2012. Analisis Penggunaan Obat Antipsikotik Menggunakan Metode ATC/DDD Pada pasien Skizofrenia Di Instalasi Rawat Inap Di Rumah Sakit Jiwa Dr. RM. SOEDJARWADI KLATEN Tahun 2010 dan 2011 [Skripsi]. Surakarta : Fakultas Farmasi, Universitas Setia Budi.
- Maramis Willi F., Maramis Albert A. 2009. *Ilmu Kedokteran Jiwa*. Surabaya : Airlangga University Press
- Maramis Willi F. 1994. *Catatan Ilmu Kedokteran*. Cetakan ke-7. Surabaya : Airlangga University Press. Hal 218-228.
- Maslim Rudi. 1996. *Diagnosis Gangguan Jiwa* Edisi.6. Jakarta : PT. Nuh Jaya. Hal.45.
- [PDPERSI] Pusat Data dan Informasi - Perhimpunan Rumah Sakit Seluruh Indonesia. 2009. *Pengobatan Skizofrenia Tak Bisa 100 Persen*, <http://www.pdpersi.co.id>. Diakses pada 28 november 2013

- Reverger Monika Joy. 2012. Perbandingan Performa Fungsi Pasien Skizofrenia Yang Mendapatkan Terapi Tunggal Dengan Terapi Kombinasi Antipsikotika Di Rumah Sakit CIPTO MANGUNKUSUMO (Periode Desember 2011 – Mei 2012) [Tesis]. Jakarta : Fakultas Kedokteran Program Pendidikan Dokter Spesialis I Bidang Studi Ilmu Kedokteran Jiwa, Universitas Indonesia.
- Sinaga R.B. 2007, *Skizofrenia dan Diagnosis Banding*. Jakarta: Balai Penerbit FKUI.
- Siregar C.J.P., & Amalia L. 2003. *Farmasi Rumah Sakit Teori dan Penerapan*. Jakarta : EGC
- Stuart. 2007. *Buku Saku Keperawatan Jiwa*. Edisi 5. Jakarta : EGC
- Sugiyono. 2010. *Metode Penelitian Kualitatif dan Kuantitatif*. Bandung : CV. Alfabeta Bandung
- Szymanski S., Lieberman J., Alvir J.M., Mayerhoff D., Loebel A. 1995. *Gender Differences In Onset of Illness, Treatment Response, Course and Biologic Indexes In First-Episode Schizophrenic Patients*. American Journal of Psychiatry, 152, 698-703.
- Tan H.T., & Rahardja K. 2007. *Obat-Obat Penting*. Edisi VI. Departemen Kesehatan RI.
- [TMAPM] *Texas Medication Algorithm Project Procedural Manual*. 2008 *Schizophrenia Treatment Algorithm*. Texas.
- Utama H., & Gan V.H.S. 2007 . *Antikonvulsi Dalam : Farmakologi dan Terapi*. Edisi Keempat. Jakarta : Bagian Farmakologi Fakultas Kedokteran Universitas Indonesia. Hal.163-164.
- Utami Marisa Dwi. 2012 *Analisis Penggunaan Obat Antipsikotik Menggunakan Metode ATC/DDD Pada pasien Skizofrenia Di Instalasi Rawat Inap Di Rumah Sakit Jiwa Daerah Surakarta Tahun 2010 dan 2011* [Skripsi]. Surakarta: Fakultas Farmasi, Universitas Setia Budi
- [WHO] World Health Organization. 2010. *Collaborating Centre For Drug Statistics Methodology*. Oslo.
- Wiffen P. Mitchell., M. Snelling., M. Stoner N. 2007. *Oxford Handbook Of Chlinical Pharmacy*. Oxford University Press.
- Wijono Rudy., Nasrun M.W., Damping C.E. 2011. *Gambaran dan Karakteristik Penggunaan Triheksifenidil Pada Pasien Yang Mendapat Terapi Antipsikotik 2013*. [Artikel]. Jakarta: Departemen Psikiatri, Rumah Sakit Cipto Mangunkusumo, Fakultas Kedokteran, Universitas Indonesia.

- Yulia Maria Jarut., Fatimawali., Weny I. Wiyono. 2013. *Tinjauan Penggunaan Antipsikotik Pada Pasien Skizofrenia di Rumah Sakit Prof. Dr. V. L. Ratumbuang Manado Periode Januari 2013-Maret 2013*. Jurnal Ilmiah Farmasi-UNSRAT. Pharmacon 2 : 54-57.
- Yulia Mega. 2011. *Efek Samping Penggunaan Antipsikotik Terhadap Sindrom Parkinson Pada Pasien Schizophrenia Di RSJ. Prof. HB. SA'ANIN Padang [ARTIKEL]*. Padang : Program Pasca Sarjana, Universitas Andalas

ANALYSIS

Lampiran 2. Perhitungan sampel penelitian pasien RSJD Surakarta tahun 2013.

$$s = \left(\frac{\lambda^2 . N . P . Q}{d^2 (N-1) + \lambda^2 . P . Q} \right) = \left(\frac{3,481.1741.0,5.0,5}{0,05^2(1741-1) + 3,481.0,5.0,5} \right) = \left(\frac{0,87025.1741}{4,35 + 0,87025} \right)$$

$$= \left(\frac{1515,10525}{5,22025} \right) = 290,236 = 290$$

1. Januari	141 pasien	=	$\frac{141}{1741} \times 290$	= 23 pasien
2. Februari	114 pasien	=	$\frac{114}{1741} \times 290$	= 19 pasien
3. Maret	136 pasien	=	$\frac{136}{1741} \times 290$	= 23 pasien
4. April	142 pasien	=	$\frac{142}{1741} \times 290$	= 24 Pasien
5. Mei	145 pasien	=	$\frac{145}{1741} \times 290$	= 24 pasien
6. Juni	132 pasien	=	$\frac{132}{1741} \times 290$	= 22 pasien
7. Juli	163 pasien	=	$\frac{163}{1741} \times 290$	= 27 pasien
8. Agustus	155 pasien	=	$\frac{155}{1741} \times 290$	= 26 pasien
9. September	116 pasien	=	$\frac{116}{1741} \times 290$	= 20 pasien
10. Oktober	127 pasien	=	$\frac{127}{1741} \times 290$	= 21 pasien
11. November	152 pasien	=	$\frac{152}{1741} \times 290$	= 25 pasien
12. Desember	218 pasien	=	$\frac{218}{1741} \times 290$	= 36 pasien
Jumlah	1741 pasien			290 pasien

Lampiran 3. Surat izin penelitian



PEMERINTAH PROVINSI JAWA TENGAH
RUMAH SAKIT Jiwa DAERAH SURAKARTA

Jl. Ki Hajar Dewantoro 80 Jebres Kotak Pos 187 Surakarta Telp (0271) 641442 Fax (0271) 64892
E-mail : rsjsurakarta@jatengprov.go.id Website : <http://rsjd-surakarta.jatengprov.go.id>

SURAT KETERANGAN

NO : 421.5/ 1323 /IV/2014

Yang bertanda tangan dibawah ini Kasubag Pendidikan, Penelitian Dan Pengembangan Rumah Sakit Jiwa Daerah Surakarta menerangkan bahwa :

N a m a : HENDRI ROHMAD SETIAWAN
N i m : 16102910 A
Fakultas : FARMASI
Institusi : UNIVERSITAS SETIA BUDI SURAKARTA


Telah melaksanakan Penelitian pada tanggal, 25 Pebruari 2014 sampai dengan 12 April 2014 guna penyusunan Skripsi dengan judul POLA PENGGUNAAN ANTIPSIKOTIK PADA PASIEN SKIZOFRENIA RAWAT INAP DI RUMAH SAKIT Jiwa DAERAH SURAKARTA TAHUN 2013

Surat keterangan ini dibuat untuk dipergunakan sebagaimana mestinya

Surakarta, 14 APR 2014

Kasubag. Diklitbang

Rumah Sakit Jiwa Daerah Surakarta



Dra. Dwi Faridavanti

NIP. 19630128 198303 2 002

Lampiran 4. Form lembar pengobatan pasien rawat inap

RUMAH SAKIT JIWA DAERAH SURAKARTA

RM : 09

LEMBAR PENGOBATAN		
Tanggal Masuk :	Nomor CM : <table border="1" style="display: inline-table; width: 100px; height: 15px; vertical-align: middle;"></table>	
Nama Pasien :	Nomor Dokter :	
Nama Dokter :	Diagnosa :	

Nama Obat	Tgl.			Tgl.			Tgl.			Tgl.			Tgl.			Tgl.			Tgl.		
	p	s	m	p	s	m	p	s	m	p	s	m	p	s	m	p	s	m	p	s	m
Nama Obat	Tgl.			Tgl.			Tgl.			Tgl.			Tgl.			Tgl.			Tgl.		
	p	s	m	p	s	m	p	s	m	p	s	m	p	s	m	p	s	m	p	s	m
Nama Obat	Tgl.			Tgl.			Tgl.			Tgl.			Tgl.			Tgl.			Tgl.		
	p	s	m	p	s	m	p	s	m	p	s	m	p	s	m	p	s	m	p	s	m
Nama Obat	Tgl.			Tgl.			Tgl.			Tgl.			Tgl.			Tgl.			Tgl.		
	p	s	m	p	s	m	p	s	m	p	s	m	p	s	m	p	s	m	p	s	m
Nama Obat	Tgl.			Tgl.			Tgl.			Tgl.			Tgl.			Tgl.			Tgl.		
	p	s	m	p	s	m	p	s	m	p	s	m	p	s	m	p	s	m	p	s	m

Catatan : Kolom-kolom diisi para' petugas yang memberi obat

Lampiran 5. Formularium Rumah Sakit

FORMULARIUM RUMAH SAKIT JIWA DAERAH SURABAYA Edisi Tahun 2011

NO	GOLONGAN	EFEK	NAMA GENERIK	NAMA DAGANG	DOSIS TERAPI / HARI	KEMASAN	CARA PAKAI
B	Anti Depresi	a. Anti kolinerjik b. Sedatif	4. Clozapine	Clozaril Clorilex Clopin Luften - Novartis - Mersifarma - Ikapharmindo - Phapros	max. 600 mg	25 mg, 100 mg	Tablet Oral
			5. Olanzapine	Zyprexa Olandoz Zyprexa Injeksi Lemital - Eli Lilly - Sandoz - Eli Lilly - Pharos	5 - 20 mg/hr 10 mg / hari	5 mg, 7.5 mg, 10mg 10 mg bersi serbuk olanzapine	Tablet Vial im
			6. Quetiapine	Seroquel - Astra Zeneca	4 hari I : 1. 50 mg 2. 100 mg 3. 200 mg 4. 300 mg Selanjutnya 300- 800 mg/hr se- suai kebutuhan	25 mg, 100 mg, 200mg, 300 mg	Tablet Oral
			7. Aripiprazole	Abilify Abilify Tetes Abilify Injeksi - Otsuka - Otsuka - Otsuka	10 mg - 30 mg	10 mg, 15 mg	Tablet Oral
			8. Zolopin	Lodopin - Kalbe Farma	75 mg- 300 mg	25 mg, 50 mg	Tablet Oral
			9. Paliperidon	Invega - Janssen			
			10. Maprotilin	Ludios Sandepril 50 Ludiomil 50 - Solans - Mersifarma - Novartis		50 mg 25 mg	Tablet Oral
				Tofranil Amirptiline - Novartis - OGB	50 - 200 mg 50 - 150 mg	25 mg 25 mg	Tablet Tablet Oral Oral
				Remeron - Organon	15 - 45 mg / hari	30 mg	Tablet Oral

FORMULARIUM RUMAH SAKIT JIWA DAERAH SURABAYA Edisi Tahun 2011

NO	GOLONGAN	EFEK	NAMA GENERIK	NAMA DAGANG	DOSIS TERAPI / HARI	KEMASAN	CARA PAKAI
B	OBAT PENUN- JANG Anti Parkinson	a. Anti Kolinerjik	1. Trihexyphenidil	Arkine Trihexyphenidil Hexymer - Pyridam - OGB - Mersifarma	6 - 12 mg	2 mg	Tablet Oral
			2. Sulfas Atropin	Atropin Sulfas - OGB	0.3 - 1.2 mg tiap 4 - 6 jam 2-3 x 1 ampul	0.5 mg 0,25 mg / ml	Tablet Injeksi Oral im
		b. Antihistamin	Diphenhidramin	Difenhidramin Benadryl - OGB - Parke Davis	20 - 30 mg	10 mg / ml 25 mg	Injeksi Kapsul Oral
		c. Dopamin Agonis	1. Bromocriptin	Parlodel Deladryl - Sandoz - Darya Varia	75 - 150 mg	25 mg	Tablet Oral
			2. L. Dopa Benserazide	Madopar Levazide Stalefo - Roche - Pyridam - Novartis	150 - 300 mg	100 mg	Tablet Oral
	Anti Epilepsi		1. Phenobarbital	Fenobarbital Fenobarbital - OGB - OGB	150 - 300 mg	30,50,100 mg 50 mg / ml	Tablet Injeksi im Oral
			2. Diphenylhidantoin	Dilantin Phenitoin/Ikafen Dilantin Kutoin - Parke Davis - Ikapharmindo - Parke Davis - Mersifarma	150 - 300 mg	100 mg 100 mg / 2 cc 100 mg 100 mg / 2 cc	Kapsul Injeksi im Oral im Oral
			3. Phenitoin Amp	Phenitoin/Ikafen - Ikapharmindo - OGB	4-40 mg	100 mg / 2 cc	Injeksi Tablet
			4. Diazepam	Diazepam Valisane Valium - Sanbe Farma - Roche		2 mg, 5 mg	Tablet
				Stesolid (Rectal)	- Dumex	Anak > 10 kg - 10 mg Anak < 10 kg - 5 mg 2 - 20 mg	5,10mg / 2,5ml Tube Rectal
				Stesolid Valium - Dumex - Roche		10 mg / 2 cc	Ampul im, iv

Lampiran 6. Guideline Texas Medication Algorithm Project Procedural Manual

Appendix C: Medication Charts

Antipsychotics: Second Generation						
Drug	Starting Dose	Titration	Target Dose or Range	Maximum Daily Dose	Schedule	Patient Monitoring Parameters
Aripiprazole Abilify®	10-15 mg/day	None	10-30 mg/day	30 mg/day	Once daily	1) Pregnancy test – as clinically indicated 2) BMI measurement – when a new antipsychotic is initiated, at every visit (monthly for inpatients) for 6 months after the new antipsychotic is initiated and quarterly when the antipsychotic dose is stable. 3) Fasting plasma glucose level or hemoglobin A1c – before initiating a new antipsychotic, then yearly. If a patient has significant risk factors for diabetes and for those that are gaining weight – before initiating a new antipsychotic, 4 months after starting an antipsychotic, and then yearly. 4) Lipid screening [total cholesterol, low-and high-density lipoprotein (LDL and HDL) cholesterol, and triglycerides] – Every 2 years or more often if lipid levels are in the normal range, every 6 months if the LDL level is > 130 mg/dl 5) EKG – before initiating treatment with ziprasidone (Geodon ®) and subsequently if the patient demonstrates symptoms (e.g., syncope) associated with QT interval prolongation. 6) Sexual function inquiry – inquire yearly for evidence of galactorrhea/gynecomastia, menstrual disturbance, libido disturbance or erectile/ejaculatory disturbances in males. If a patient is receiving an antipsychotic known to be associated with Prolactin elevation, then at each visit (quarterly for inpatients) for the first 12 months after starting an antipsychotic or until the medication dose is stable and then yearly. 7) Prolactin level – if there is evidence of galactorrhea/gynecomastia, menstrual disturbance, libido disturbance or erectile/ejaculatory disturbances in males. 8) EPS Evaluation (examination for rigidity, tremor, akathisia) – before initiation of any antipsychotic medication, then weekly for the first 2 weeks after initiating treatment with a new antipsychotic or until the dose has been stabilized and weekly for 2 weeks after a dose increase 9) Tardive dyskinesia evaluation – every 6 months. For high-risk patients (including the elderly) every 3 months. 10) Vision questionnaire – ask whether the patient has experienced a change in vision and should specifically ask about distance vision and blurry vision – yearly. 11) Ocular evaluations – yearly for patients older than age 40 years, every 2 years for younger patients
Olanzapine Zyprexa®	5-10 mg/day	5 mg/wk	10-20 mg/day	30 mg/day ²	Once daily	• Constipation • Dizziness • Dry mouth • Glucose dysregulation • Hyperlipidemia • Increased appetite • Sedation • Weight gain • Cataract formation • Dry mouth • Glucose dysregulation • Headache • Hyperlipidemia • Increased appetite • Orthostatic hypotension • Sedation • Weight gain
Quetiapine Seroquel®	50 mg/day	300 mg every 3-7 days	300-800 mg/day	800 mg/day	Twice daily	• Erythromycin • Fluconazole • Ketoconazole • Phenytoin • St. John's Wort • Thioridazine • Valproate
Risperidone Risperdal®	1-2 mg/day	1 mg every 2-3 days	2-6 mg/day	16 mg/day ³	Once daily	• EPS • Glucose dysregulation • Galactorrhea • Hyperlipidemia • Menstrual irregularity • Orthostatic hypotension • Prolactin elevation • Sedation • Sexual dysfunction • Tardive dyskinesia • Weight gain
						• Carbamazepine • Fluoxetine • Ketoconazole • Paroxetine • Quinidine • St. John's Wort • Carbamazepine • Fluoxetine • Risperdal • Smoking • St. John's Wort • Carbamazepine • Fluconazole • Ketoconazole • Phenytoin • St. John's Wort • Thioridazine • Valproate • Carbamazepine • Cimetidine • Fluoxetine • Paroxetine • Phenytoin • Rifampin • Tricyclic antidepressants

² The CATIE trial utilized olanzapine doses up to 30 mg/day.³ Use of risperidone > 6mg/day is associated with an increased risk of EPS.

Appendix C: Medication Charts

Antipsychotics, Second Generation						
Drug	Starting Dose	Titration	Target Dose or Range	Maximum Daily Dose	Schedule	Patient Monitoring Parameters
Ziprasidone Geodon®	40-80 mg/day	20-40 mg every 2-3 days	80 - 160 mg/day	160 mg/day	Once or twice daily ⁴	See Previous Page
Clozapine Generic available Clozaril® Fazaclo®	12.5 mg/day (half of a 25 mg tab)	Day 2: 25 mg daily Day 3: 25 mg twice daily Day 6: 25 mg at morning, 50 mg at evening Day 9: 50 mg twice daily Day 12: 75 mg twice daily Day 15: 100 mg twice daily Day 18: 125 mg twice daily Day 21: 150 mg twice daily Day 24: 100 mg at morning, 200 mg at evening	300-900 mg/day (serum level for doses > 600 mg/day)	900 mg/day	Twice daily ⁵	1) CBC as indicated by guidelines approved by the FDA in the product labeling. 2) Pregnancy test – as clinically indicated 3) BMI measurement – when a new antipsychotic is initiated, at every visit (monthly for inpatients) for 6 months after the new antipsychotic is initiated, and quarterly when the antipsychotic dose is stable. 4) Fasting plasma glucose level or hemoglobin A1c - before initiating a new antipsychotic, then yearly. If a patient has significant risk factors for diabetes and for those that are gaining weight – before initiating a new antipsychotic, 4 months after starting an antipsychotic, and then yearly. 5) Lipid screening [total cholesterol, low-and high-density lipoprotein (LDL and HDL) cholesterol, and triglycerides] – Every 2 years or more often if lipid levels are in the normal range, every 6 months if the LDL level is > 130 mg/dl 6) Sexual function inquiry – inquire yearly for evidence of galactorrhea/gynecomastia, menstrual disturbances, libido disturbance or erectile/ejaculatory disturbances in males. If a patient is receiving an antipsychotic known to be associated with Prolactin elevation, then at each visit (quarterly for inpatients) for the first 12 months after starting an antipsychotic or until the medication dose is stable and then yearly. 7) EPS: Evaluation (examination for rigidity, tremor, akathisia) – before initiation of any antipsychotic medication, then weekly for the first 2 weeks after initiating treatment with a new antipsychotic or until the dose has been stabilized and weekly for 2 weeks after a dose increase. 8) Tardive Dyskinesia evaluation – every 12 months. For high risk patients (including the elderly), every 6 months. 9) Vision questionnaire – ask whether the patient has experienced a change in vision and should specifically ask about distance vision and blurry vision – yearly 10) Ocular evaluations – yearly for patients older than age 40 years; every 2 years for younger patients
						Side Effects • Dizziness • ECG changes • EPS • Rash • Sedation • Vomiting Selected Drug Interactions • Carbamazepine • Diuretics • Modifloxacin • Quinidine • Sotalol • Thioridazine • Tricyclic antidepressants
						Side Effects • Agranulocytosis • Excess salivation • Fever • Glucose dysregulation • Hyperlipidemia • Increased appetite • Myocarditis • Orthostatic hypotension • Sedation • Seizures • SSRIs • Tachycardia • Weight gain Selected Drug Interactions • Barbiturates • Caffeine • Carbamazepine • Cimetidine • Erythromycin • Phenytoin • Rifampin • Ritonavir • Smoking • SSRIs • St John's Wort

⁴ The presence of food can increase ziprasidone's absorption up to two-fold.

⁵ Eventual maintenance dose schedule is twice daily dosing. 1/3 dose in morning, 2/3 dose in the evening.

Appendix C: Medication Charts

Antipsychotics, First Generation						
Drug	Starting Dose	Titration	Target Dose or Range	Maximum Daily Dose	Schedule	Patient Monitoring Parameters
Low Potency						
Chlorpromazine Generic available Thorazine®	50-100 mg/day	50-200 mg/day	300-1000 mg/day	1000 mg/day	Three times daily	1) Pregnancy test – as clinically indicated 2) BMI measurement – when a new antipsychotic is initiated, at every visit (monthly for inpatients) for 6 months after the new antipsychotic is initiated, and quarterly when the antipsychotic dose is stable 3) Fasting plasma glucose level or hemoglobin A1c – before initiating a new antipsychotic, then yearly If a patient has significant risk factors for diabetes and for those that are gaining weight – before initiating a new antipsychotic, 4 months after starting an antipsychotic, and then yearly 4) Lipid screening (total cholesterol, low-and high-density lipoprotein (LDL and HDL) cholesterol, and triglycerides) – Every 2 years or more often if lipid levels are in the normal range, every 6 months if the LDL level is > 130 mg/dl 5) Sexual function inquiry – inquire yearly for evidence of galactorrhea/gynecomastia, menstrual disturbance, libido disturbance or erectile/ejaculatory disturbances in males. If a patient is receiving an antipsychotic known to be associated with prolactin elevation, then at each visit (quarterly for inpatients) for the first 12 months after starting an antipsychotic or until the medication dose is stable and then yearly 6) Prolactin level – if there is evidence of galactorrhea/gynecomastia, menstrual disturbances, libido disturbance or erectile/ejaculatory disturbances in males. 7) EPS Evaluation (examination for rigidity, tremor, akathisia) – before initiation of any antipsychotic medication, then weekly for the first 2 weeks after initiating treatment with a new antipsychotic or until the dose has been stabilized and weekly for 2 weeks after a dose increase 8) Tardive dyskinesia evaluation – every 6 months For high risk patients (including the elderly), every 3 months. Continued on next page
Mid Potency						
Loxapine Generic available Loxitane®	20 mg/day	10-50 mg every 3-7 days	50-150 mg/day	150 mg/day	Once or twice daily	• Constipation • Dry mouth • EPS • Orthostatic hypotension • Photosensitivity • Sedation • Tachycardia • Tardive dyskinesia
Molindone Moban®	50-75 mg/day	25 mg every 3 days	50-150 mg/day	225 mg/day	3-4 times daily	• Barbiturates • General anesthetics • Opiate agonists • Radiopaque contrast agents • Tricyclic antidepressants
Perphenazine Generic available Trilafon®	4-8 mg/day	4-8 mg/day	16-64 mg/day	64 mg/day ⁶	Three times daily	• CNS depressants • Anticonvulsants • Tetracycline
High Potency						
Fluphenazine Generic available Prolixin®	5 mg	2.5-5 mg/day	5-20 mg/day	20 mg/day	Three times daily	• Paroxetine • Quinolones
Fluphenazine D Generic available Prolixin® Decanoate®	12.5-25 mg IM every 1-3 weeks ⁷	12.5 mg per injection	6.25-50 mg IM every 2-4 weeks	100mg IM (per 4 weeks)	Every 1-3 weeks	• Guanethidine • Paroxetine • Quinolones

⁶ The CATIE trial used doses up to 32mg/day.

⁷ Starting dose generally 1.2 times the patient's oral dose.
Schizophrenia Clinician's Manual

Appendix C: Medication Charts

Antipsychotics, First Generation						
Drug	Starting Dose	Titration	Target Dose or Range	Maximum Daily Dose	Schedule	Patient Monitoring Parameters
Haloperidol Generic available Haldol®	2-5 mg/day	2-5 mg/day	2-20 mg/day	20 mg/day	1 - 3 times daily	
Haloperidol D Generic available Haldol Decanoate®	25-50 mg IM every 2-4 weeks ⁸	N/A	50-200 mg IM every 2-4 weeks	450 mg (per 4 weeks) ^{9, 10}	Every 3-4 weeks	9) Vision questionnaire—ask whether the patient has experienced a change in vision and should specifically ask about distance vision and blurry vision—yearly 10) Ocular evaluations—yearly for patients older than age 40 years; every 2 years for younger patients
Thiothixene Nevane®	5-10 mg/day	5-10 mg every 3-7 days	15-50 mg/day	50 mg/day	2-3 times daily	
Trifluoperazine Stelazine®	2-5 mg twice daily	2-5 mg every 3-7 days	5-20 mg/day	40 mg/day	Twice daily	
						Side Effects See previous page
						Selected Drug Interactions • Azole antifungals • Carbamazepine • Rifabutin • Rifampin • Guanethidine • Alcohol • Cisapride • Guanethidine • Meizamide • Paroxetine

⁸ Starting dose generally 10-20 times the patient's oral dose. Dose of first injection should not exceed 100 mg.

⁹ The maximum volume per injection site should not exceed 3 mL.

¹⁰ Multiple injections can be given at 1-7 day intervals to provide total loading dose.

Lampiran 7. Data penggunaan antipsikotik terapi tunggal dan kombinasi

Jenis Antipsikotik	Jumlah resep yang digunakan	Persen (%)
<u>Terapi Tunggal</u>		
Risperidon	95	3,91
Haloperidol	82	3,37
Chlorpromazin	28	1,15
Clozapin	26	1,07
Trifluoperazine	8	0,33
Flufenazine	3	0,12
Pherpenazine	2	0,08
Aripiprazole	2	0,08
Paliperidon	1	0,04
<u>Terapi Kombinasi</u>		
Chlorpromazin - Trihexyphenidyl	6	0,25
Chlorpromazin - Risperidon	76	3,13
Chlorpromazin - Haloperidol	39	1,60
Chlorpromazin - Trifluoperazine	6	0,25
Risperidon - Trifluoperazine	7	0,29
Risperidon - Haloperidol	3	0,12
Risperidon - Trihexyphenidyl	135	5,51
Trifluoperazine - Trihexyphenidyl	54	2,22
Clozapin - Trihexyphenidyl	1	0,04
Haloperidol - Trihexyphenidyl	31	1,27
Haloperidol Inj. - Dipenhidramin HCl Inj.	247	10,16
Chlorpromazin - Trifluoperazin - Trihexypenydil	113	4,65
Chlorpromazin - Risperidon- Trihexypenydil	463	19,00
Chlorpromazin - Trifluoperazin – Haloperidol	1	0,04
Chlorpromazin -Haloperidol – Trihexypenydil	486	20
Chlorpromazin – Haloperidol – Risperidon	4	0,16
Risperidon – Haloperidol – Trihexypenydil	59	2,43
Risperidon – Trifluoperazin – Trihexypenydil	45	1,85
Risperidon – Trifluoperazin – Chlorpromazin	5	0,21
Risperidon – Clozapin – Trihexypenydil	6	0,25
Haloperidol - Trifluoperazin – Trihexypenydil	10	0,41
Haloperidol – Clozapin – Trihexypenydil	34	1,40
Trifluoperazine - Clozapin – Trihexypenydil	6	0,25
Risperidon – Chlorpromazin – Trifluoperazin – Trihexypenydil	81	3,33
Risperidon – Chlorpromazin – Haloperidol – Trihexypenydil	168	6,91
Risperidon – Trifluoperazin – Haloperidol – Trihexypenydil	2	0,08
Risperidon –Haloperidol – Clozapin - Trihexypenydil	27	1,11

Jenis Antipsikotik	Jumlah resep yang digunakan	Persen (%)
Risperidon –Trifluoperazin – Clozapin - Trihexypenydil	10	0,41
Risperidon –Haloperidol – Chlorpromazin -Clozapin	2	0,08
Risperidon – Chlorpromazin -Trifluoperazin – Clozapin	3	0,12
Haloperidol - Chlorpromazin – Trifluoperazin – Trihexypenydil	15	0,62
Haloperidol – Chlorpromazin - Clozapin - Trihexypenydil	26	1,07
Haloperidol - Trifluoperazin - Clozapin - Trihexypenydil	1	0,04
Trifluoperazine – Chlorpromazin - Clozapin Trihexypenydil	7	0,29
Trifluoperazine – Chlorpromazin - Clozapin Trihexypenydil	4	0,16
Trifluoperazine - Haloperidol – Chlorpromazin - Risperidon – Trihexyphenidyl	2	0,08
Trifluoperazine – Haloperidol – Chlorpromazin - Clozapin - Trihexypenydil		
Total	2432	100

Lampiran 8. Data Penggunaan Antipsikotik Pada Pasien Skizofrenia Rawat Inap Di RSJD Surakarta Pada Tahun 2013

Januari

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
1	DRY (048xxx)	P	35	F.20.0	39 hari	Trifluoperazin Risperidone Chlorpromazine	Oral Oral Oral	5 mg (3dd1) 2 mg (2dd1) 100 mg (1dd1)	Tablet Tablet Tablet	Oral Oral Oral	2-20 mg / hari 4-18 mg / hari 300-1200 mg / hari	Tablet Tablet Tablet
2.	YL (046xxx)	P	42	F.20.8	31 hari	Risperidone Haloperidol	Oral Oral	2 mg (2dd1) 5 mg (3dd1)	Tablet Tablet	Oral Oral	4-18 mg / hari 2-20 mg / hari	Tablet Tablet
3.	PL (048xxx)	P	37	F.20.8	42 hari	Haloperidol Injeksi Chlorpromazine Haloperidol Risperidone Trifluoperazin	I.V Oral Oral Oral Oral	5mg / cc (1dd1) 100 mg (1dd1) 5 mg (3dd1) 2 mg (2dd1) 5 mg (3dd1)	Ampul Tablet Tablet Tablet Tablet	I.V Oral Oral Oral Oral	5mg / cc / hr 300-1200 mg / hari 2-20 mg / hari 4-18 mg / hari 2-20 mg / hari	Ampul Tablet Tablet Tablet Tablet
4.	NG (041xxx)	P	38	F.20.8	32 hari	Risperidone Haloperidol Chlorpromazine	Oral Oral Oral	2 mg (2dd1) 5 mg (2dd1) 100 mg (1dd1)	Tablet Tablet Tablet	Oral Oral Oral	4-18 mg / hari 2-20 mg / hari 300-1200 mg / hari	Tablet Tablet Tablet
5.	DSM (046xxx)	P	44	F.20.8	50 hari	Haloperidol Injeksi Risperidone Chlorpromazine Trifluoperazin Haloperidol	I.V Oral Oral Oral Oral	5mg / cc (1dd1) 2 mg (2dd1) 100 mg (1dd1) 5 mg (3dd1) 5 mg (3dd1)	Ampul Tablet Tablet Tablet Tablet	I.V Oral Oral Oral Oral	5mg / cc / hr 4-18 mg / hari 300-1200 mg / hari 2-20 mg / hari 2-20 mg / hari	Ampul Tablet Tablet Tablet Tablet
6.	WN (035xxx)	P	37	F.20.5	38 hari	Haloperidol Chlorpromazine	Oral Oral	5 mg (3dd1) 100 mg (1dd1)	Tablet Tablet	Oral Oral	2-20 mg / hari 300-1200 mg / hari	Tablet Tablet
7.	PW (041xxx)	P	41	F.20.8	31 hari	Risperidone Haloperidol	Oral Oral	2 mg (2dd1) 5 mg (2dd1)	Tablet Tablet	Oral Oral	4-18 mg / hari 2-20 mg / hari	Tablet Tablet
8.	SKR (048xxx)	P	27	F.20.0	31 hari	Haloperidol Injeksi Haloperidol Chlorpromazine Trifluoperazin	I.V Oral Oral Oral	5mg / cc (1dd1) 5 mg (3dd1) 100 mg (1dd1) 5 mg (3dd1)	Ampul Tablet Tablet Tablet	I.V Oral Oral Oral	5mg / cc / hr 2-20 mg / hari 300-1200 mg / hari 2-20 mg / hari	Ampul Tablet Tablet Tablet
9.	WNI (048xxx)	P	34	F.20.3	43 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
						Haloperidol Chlorpromazine	Oral Oral	5 mg (3dd1) 100 mg (1dd1)	Tablet Tablet	Oral Oral	2-20 mg / hari 300-1200 mg / hari	Tablet Tablet
10.	SMI (048xxx)	P	40	F.20.3	35 hari	Haloperidol Injeksi Risperidone Chlorpromazine	I.V Oral Oral	5mg / cc (1dd1) 2 mg (2dd1) 100 mg (2dd1)	Ampul Tablet Tablet	I.V Oral Oral	5mg / cc / hr 4-18 mg / hari 300-1200 mg / hari	Ampul Tablet Tablet
11.	JML (048xxx)	P	34	F.20.8	43 hari	Risperidone Trifluoperazin Haloperidol	Oral Oral Oral	2 mg (2dd1) 5 mg (3dd1) 5 mg (3dd1)	Tablet Tablet Tablet	Oral Oral Oral	4-18 mg / hari 2-20 mg / hari 2-20 mg / hari	Tablet Tablet Tablet
12.	IP (048xxx)	P	35	F.20.8	47 hari	Risperidone Chlorpromazine Haloperidol	Oral Oral Oral	2 mg (2dd1) 100 mg (1dd1) 5 mg (3dd1)	Tablet Tablet Tablet	Oral Oral Oral	4-18 mg / hari 300-1200 mg / hari 2-20 mg / hari	Tablet Tablet Tablet
13.	PTH (037xxx)	P	40	F.20.8	31 hari	Haloperidol Injeksi Risperidone Chlorpromazine	I.V Oral Oral	5mg / cc (1dd1) 2 mg (2dd1) 100 mg (1dd 1/2)	Ampul Tablet Tablet	I.V Oral Oral	5mg / cc / hr 4-18 mg / hari 300-1200 mg / hari	Ampul Tablet Tablet
14.	SMY (048xxx)	P	40	F.20.3	42 hari	Haloperidol Injeksi Chlorpromazine Trifluoperazin Risperidone	I.V Oral Oral Oral	5mg / cc (1dd1) 100 mg (1dd1) 5 mg (3dd1) 2 mg (2dd1)	Ampul Tablet Tablet Tablet	I.V Oral Oral Oral	5mg / cc / hr 300-1200 mg / hari 2-20 mg / hari 4-18 mg / hari	Ampul Tablet Tablet Tablet
15.	SNO (048xxx)	L	35	F.20.8	33 hari	Haloperidol Chlorpromazine Haloperidol Injeksi	Oral Oral I.V	5 mg (2dd1) 100 mg (1dd1) 5mg / cc (1dd1)	Tablet Tablet Ampul	Oral Oral I.V	2-20 mg / hari 300-1200 mg / hari 5mg / cc / hr	Tablet Tablet Ampul
16.	PYT (048xxx)	L	36	F.20.0	36 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
17.	MTR (029xxx)	L	27	F.20.3	38 hari	Trifluoperazin Clozapin Haloperidol	Oral Oral Oral	5 mg (3dd1) 25 mg (2dd1) 5 mg (3dd1)	Tablet Tablet Tablet	Oral Oral Oral	2-20 mg / hari max 600 mg/hr 2-20 mg / hari	Tablet Tablet Tablet
18.	NW (037xxx)	L	28	F.20.1	70 hari	Haloperidol Injeksi Risperidone Haloperidol Chlorpromazine	I.V Oral Oral Oral	5mg / cc (1dd1) 2 mg (2dd1) 5 mg (3dd1) 100 mg (1dd1)	Ampul Tablet Tablet Tablet	I.V Oral Oral Oral	5mg / cc / hr 4-18 mg / hari 2-20 mg / hari 300-1200 mg / hari	Ampul Tablet Tablet Tablet
19.	MA (044xxx)	L	28	F.20.3	57 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
20.	TJK (048xxx)	L	35	F.20.0	31 hari	Haloperidol Injeksi Chlorpromazine Trifluoperazin Risperidone	I.V Oral Oral Oral	5mg / cc (1dd1) 100 mg (2dd1) 5 mg (3dd1) 2 mg (2dd1)	Ampul Tablet Tablet Tablet	I.V Oral Oral Oral	5mg / cc / hr 300-1200 mg / hari 2-20 mg / hari 4-18 mg / hari	Ampul Tablet Tablet Tablet
21.	TYO (048xxx)	L	28	F.20.2	56 hari	Haloperidol Injeksi Trifluoperazin Risperidone	I.V Oral Oral	5mg / cc (1dd1) 5 mg (3dd1) 2 mg (2dd1)	Ampul Tablet Tablet	I.V Oral Oral	5mg / cc / hr 2-20 mg / hari 4-18 mg / hari	Ampul Tablet Tablet
22.	SYT (025xxx)	L	34	F.20.3	56 hari	Haloperidol Injeksi Chlorpromazine Trifluoperazin	I.V Oral Oral	5mg / cc (1dd1) 100 mg (2dd1) 5 mg (3dd1)	Ampul Tablet Tablet	I.V Oral Oral	5mg / cc / hr 300-1200 mg / hari 2-20 mg / hari	Ampul Tablet Tablet
23.	LH (048xxx)	L	34	F.20.1	52 hari	Haloperidol Injeksi Chlorpromazine Risperidone Haloperidol	I.V Oral Oral Oral	5mg / cc (1dd1) 100 mg (1dd1) 2 mg (2dd1) 5 mg (2dd1)	Ampul Tablet Tablet Tablet	I.V Oral Oral Oral	5mg / cc / hr 300-1200 mg / hari 4-18 mg / hari 2-20 mg / hari	Ampul Tablet Tablet Tablet

Februari

No.	Initial & No. RM	JK	Usia	Diag-nosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
1.	MSN (045xxx)	P	39	F.20.8	40 hari	Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
2.	ES (048xxx)	P	33	F.20.1	43 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
3.	AR (041xxx)	P	44	F.20.3	36 hari	Chlorpromazine	Oral	100 mg (1dd 1/2)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (2dd 1/2)	Tablet	Oral	2-20 mg / hari	Tablet
4.	AH (048xxx)	P	35	F.20.3	51 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
5.	SPD (047xxx)	P	34	F.20.3	40	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd 1)	Tablet	Oral	2-20 mg / hari	Tablet
6.	LS (045xxx)	P	30	F.20.3	44 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd 1)	Tablet	Oral	2-20 mg / hari	Tablet
7.	SPT (027xxx)	P	41	F.20.8	47 hari	Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (2dd1)	Tablet	Oral	2-20 mg / hari	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
						Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
8.	DYW (031xxx)	P	31	F.20.8	45 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
9.	JKO (048xxx)	L	29	F.20.8	47 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
10.	EM (048xxx)	L	26	F.20.8	45 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
11.	STY (039xxx)	L	38	F.20.8	50 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
12.	AGS (048xxx)	L	38	F.20.1	49 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Clozapin	Oral	25 mg (2dd1)	Tablet	Oral	max 600 mg/hr	Tablet
13.	IVH (048xxx)	L	31	F.20.8	35 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
14.	SWO (027xxx)	L	31	F.20.2	37 hari	Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
15.	AP (045xxx)	L	32	F.20.8	48 hari	Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
16.	IK (048xxx)	L	43	F.20.0	46 hari	Aripiprazole injeksi	I.V	10 mg/ cc (1dd1)	Ampul	I.V	10 mg-30 mg	Ampul
						Aripiprazole	Oral	10 mg (1dd1)	Tablet	Oral	10 mg-30 mg	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
17.	SMR (015xxx)	L	36	F.20.8	36 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
18.	DI (015xxx)	L	35	F.20.3	35 hari	Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
19.	USR (048xxx)	L	42	F.20.3	35 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet

Maret

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
1.	SHT (0487xxx)	P	25	F.20.8	65 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Ampul
												Tablet
2.	MYT (048xxx)	P	29	F.20.0	31 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
3.	JMT (033xxx)	P	32	F.20.8	52 hari	Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
4.	ISQ (048xxx)	P	37	F.20.3	58 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
5.	RNA (039xxx)	P	39	F.20.3	31 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
6.	WA (048xxx)	P	29	F.20.1	69 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Clozapin	Oral	25 mg (2dd1)	Tablet	Oral	max 600 mg/hr	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
7.	SLM (048xxx)	P	39	F.20.3	62 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
8.	ONS (048xxx)	P	32	F.20.8	46 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Clozapin	Oral	25 mg (2dd1)	Tablet	Oral	max 600 mg / hari	Tablet
9.	SLI (041xxx)	P	38	F.20.3	31 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hari	Ampul
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
10.	TMI (048xxx)	P	38	F.20.3	77 hari	Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
11.	MRJ (000xxx)	L	43	F.20.3	37 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hari	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
12.	ES (042xxx)	L	30	F.20.3	62 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hari	Ampul
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
13.	SDL (048xxx)	L	27	F.20.3	31 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hari	Ampul
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet

No.	Initial & No. RM	JK	Usia	Diag- nosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
14.	AS (044xxx)	L	27	F.20.3	35 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hari	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
15.	RYD (048xxx)	L	31	F.20.3	42 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hari	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
16.	HS (034xxx)	L	28	F.20.3	66 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hari	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
17.	LS (048xxx)	L	35	F.20.3	42 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hari	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Clozapin	Oral	25 mg (2dd1)	Tablet	Oral	max 600 mg / hari	Tablet
18.	JK (047xxx)	L	26	F.20.8	31 hari	Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
19.	AZM (005xxx)	L	43	F.20.0	34 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hari	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
20.	SRT (042xxx)	L	33	F.20.0	31 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hari	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
21.	SPD(048xxx)	L	40	F.20.0	31 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hari	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
22.	PA (036xxx)	L	28	F.20.3	68 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hari	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
23.	BH (031xxx)	L	42	F.20.3	78 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet

April

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
1.	SM (028xxx)	P	25	F.20.8	75 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Clozapin	Oral	25 mg (2dd1)	Tablet	Oral	max 600 mg/hr	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
2.	GM (041xxx)	P	41	F.20.8	61 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet

No.	Initial & No. RM	JK	Usia	Diag- nosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
3.	FW (040xxx)	P	25	F.20.3	47 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (3dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Clozapin	Oral	25 mg (2dd1)	Tablet	Oral	max 600 mg/hr	Tablet
4.	LL (019xxx)	P	31	F.20.1	47 hari	Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
5.	SH (026xxx)	P	25	F.20.0	35 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
6.	GYT (048xxx)	P	37	F.20.0	87 hari	Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Clozapin	Oral	25 mg (2dd1)	Tablet	Oral	max 600 mg/hr	Tablet
7.	SMJ (040xxx)	P	34	F.20.3	50 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (3dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
8.	HRT (048xxx)	P	27	F.20.8	102 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
9.	HTN (048xxx)	P	27	F.20.1	88 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Clozapin	Oral	25 mg (2dd1)	Tablet	Oral	max 600 mg/hr	Tablet
10.	TSD (048xxx)	P	27	F.20.3	78 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
11.	RYT (046xxx)	L	26	F.20.3	53 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (2dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
12.	EP (029xxx)	L	30	F.20.0	69 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
13.	AS (030xxx)	L	39	F.20.0	51 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (2dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
14.	STO (048xxx)	L	27	F.20.3	78 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
15.	ESO (049xxx)	L	33	F.20.3	93 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
16.	SHD (036xxx)	L	38	F.20.8	66 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
17.	JFD (049xxx)	L	40	F.20.2	36 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
18.	MAR (045xxx)	L	27	F.20.0	53 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
19.	LRS (043xxx)	L	27	F.20.8	64 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
20.	SYO (044xxx)	L	29	F.20.3	60 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
21.	PMO (046xxx)	L	41	F.20.3	57 hari	Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
22.	JPO(038xxx)	L	35	F.20.3	37 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
23.	NYO(048xxx)	L	29	F.20.2	71 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
24.	UNG (045xxx)	L	36	F.20.3	48 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (2dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet

Mei

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
1.	SRI (041xxx)	P	38	F.20.8	36 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
2.	NAI (009xxx)	P	37	F.20.3	38 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
3.	NHI (049xxx)	P	37	F.20.2	38 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (2dd1)	Tablet	Oral	2-20 mg / hari	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
4.	TWI (036xxx)	P	26	F.20.3	51 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
5.	WAI (047xxx)	P	32	F.20.0	64 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
6.	NYI (049xxx)	P	27	F.20.8	43 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Clozapin	Oral	25 mg (2dd1)	Tablet	Oral	max 600 mg/hr	Tablet
7.	UKN (049xxx)	P	26	F.20.3	35 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
8.	MLN (049xxx)	P	43	F. 20.8	63 hari	Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
9.	SMY (046xxx)	P	25	F. 20.1	36 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
10.	TMI (047xxx)	P	34	F. 20.1	36 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
11.	DATC (040xxx)	L	39	F. 20.3	32 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
12.	THN (044xxx)	L	41	F. 20.3	36 hari	Risperidone	Oral	2 mg (3dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (2dd1)	Tablet	Oral	2-20 mg / hari	Tablet
13.	NRM (028xxx)	L	42	F. 20.3	59 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
14.	SKN (049xxx)	L	25	F. 20.8	35 hari	Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (2dd1)	Tablet	Oral	2-20 mg / hari	Tablet
15.	SLN (049xxx)	L	35	F. 20.3	74 hari	Risperidone	Oral	2 mg (3dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
16.	MKO (049xxx)	L	41	F. 20.3	35 hari	Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
17.	RJO (049xxx)	L	39	F. 20.3	35 hari	Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
18.	SR (005xxx)	L	44	F. 20.3	34 hari	Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
19.	AP (049xxx)	L	29	F. 20.0	31 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
20.	SHO (019xxx)	L	25	F. 20.3	33 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1/2)	Tablet	Oral	300-1200 mg / hari	Tablet
21.	HYO (027xxx)	L	27	F. 20.3	66 hari	Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
22.	SNI (049xxx)	L	41	F. 20.8	55 hari	Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
23.	HP (049xxx)	L	29	F. 20.3	55 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
24.	SRO (039xxx)	L	33	F. 20.3	51 hari	Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet

Juni

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
1.	SM (028xxx)	P	25	F.20.8	43 hari	Chlorpromazine	Oral	100 mg (3dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
2.	PRH (049xxx)	P	43	F.20.5	71 hari	Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
3.	SN (049xxx)	P	37	F.20.1	54 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Clozapin	Oral	25 mg (2dd1)	Tablet	Oral	max 600 mg/hr	Tablet
4.	HTI (049 xxx)	P	42	F.20.8	53 hari	Haloperidol	Oral	5 mg (2dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
5.	SNI (036 xxx)	P	40	F.20.0	33 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
6.	MDH (049 xxx)	P	40	F.20.8	63 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (2dd1)	Tablet	Oral	2-20 mg / hari	Tablet
-	-	-	-	-	-	Clozapin	Oral	25 mg (2dd1)	Tablet	Oral	max 600 mg/hr	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
7.	SKN (049 xxx)	P	40	F.20.1	50 hari	Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
8.	SLI (048xxx)	P	28	F.20.3	47 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
9.	TWI (031xxx)	P	29	F.20.8	39 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
10.	JD (032xxx)	L	36	F.20.1	54 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
11.	SHO (049xxx)	L	35	F.20.3	91 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
12.	IW (049xxx)	L	25	F.20.3	62 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Haloperidol	Oral	5 mg (2dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
13.	TDS (028xxx)	L	30	F.20.3	56 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
14.	WY (046xxx)	L	43	F.20.8	76 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
15.	LNO (046xxx)	L	27	F.20.3	35 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
16.	AK (049xxx)	L	43	F.20.3	69 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
17.	SJW (049xxx)	L	41	F.20.0	45 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
18.	JP (047xxx)	L	29	F.20.0	41 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
19.	SJO (048xxx)	L	29	F.20.5	32 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
20.	SYO (049xxx)	L	25	F.20.3	61 hari	Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Clozapin	Oral	25 mg (2dd1)	Tablet	Oral	max 600 mg/hr	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
21.	SGO (018xxx)	L	36	F.20.3	34 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Clozapin	Oral	25 mg (2dd1)	Tablet	Oral	max 600 mg/hr	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
22.	SJ (027xxx)	L	36	F.20.3	52 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet

Juli

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
1.	SH (050xxx)	P	36	F.20.0	37 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (2dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
2.	SWI (050xxx)	P	41	F.20.3	67 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
3.	NHI (050xxx)	P	39	F.20.3	49 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
4.	MNI (052xxx)	P	36	F.20.8	39 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
5.	HTI (045xxx)	P	25	F.20.3	35 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
6.	NYI (026xxx)	P	39	F.20.0	34 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
7.	DYI (029xxx)	P	26	F.20.1	89 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
8.	NHI (005xxx)	P	38	F.20.0	41 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (2dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
9.	WSI (050xxx)	P	31	F.20.8	32 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
10.	PR (048xxx)	P	35	F.20.3	42 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
11.	KS (030xxx)	P	43	F.20.3	30 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
12.	SL (001xxx)	P	38	F.20.3	57 hari	Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Clozapin	Oral	25 mg (2dd1)	Tablet	Oral	max 600 mg/hr	Tablet
13.	KTO (050xxx)	L	29	F.20.3	46 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
14.	SJO (009xxx)	L	39	F.20.5	64 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Haloperidol	Oral	5 mg (2dd1)	Tablet	Oral	2-20 mg / hari	Tablet
15.	SNO (018xxx)	L	39	F.20.3	89 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Clozapin	Oral	25 mg (2dd1)	Tablet	Oral	max 600 mg/hr	Tablet
16.	PU (049xxx)	L	26	F.20.8	78 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Clozapin	Oral	100mg (1dd1/2)	Tablet	Oral	max 600 mg/hr	Tablet
17.	SYO (039xxx)	L	31	F.20.8	79 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
18.	ILM (035xxx)	L	27	F.20.3	86 hari	Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (1dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Clozapin	Oral	100mg (2dd1)	Tablet	Oral	max 600 mg/hr	Tablet
19.	STD (035xxx)	L	37	F.20.1	32 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
20.	YK (035xxx)	L	30	F.20.3	77 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
21.	EP (036xxx)	L	37	F.20.3	81 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
22.	EP (036xxx)	L	31	F.20.0	31 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Clozapin	Oral	100mg (2dd1/2)	Tablet	Oral	max 600 mg/hr	Tablet
23.	NA (030xxx)	L	27	F.20.8	38 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
24.	WTN (052xxx)	L	25	F.20.3	37 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
25.	SPY (045xxx)	L	25	F.20.0	33 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (3dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
26.	TWR (048xxx)	L	35	F.20.3	38 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Clozapin	Oral	25 mg (2dd1)	Tablet	Oral	max 600 mg/hr	Tablet
27.	MM (043xxx)	L	25	F.20.3	33 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet

Agustus

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
1.	HI (049xxx)	P	40	F.20.3	70 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd 2)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Clozapin	Oral	25 mg (2dd1)	Tablet	Oral	max 600 mg/hr	Tablet
2.	LSQ (011xxx)	P	36	F.20.3	39 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd 2)	Ampul	I.V	5mg / cc / hr	Ampul
						Trifluoperazin	Oral	5 mg (2dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
3.	PA (049xxx)	P	31	F.20.0	32 hari	Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
4.	PYM (008xxx)	P	33	F.20.8	40 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd 2)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
5.	SS (050xxx)	P	32	F.20.3	57 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
6.	NTM (048xxx)	P	40	F.20.0	36 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd 1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
-	-	-	-	-	-	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
7.	SPT (038xxx)	P	33	F.20.3	44 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
8.	HNI (050xxx)	P	35	F.20.8	46 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Aripiprazole Injeksi	I.V	10 mg/cc (1dd1)	Ampul	I.V	10 mg-30 mg	Ampul
						Paliperidon Injeksi	I.V	150 mg/cc (1dd1)	Ampul	I.V	-	Ampul
9.	ML (050xxx)	P	25	F.20.3	45 hari	Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1/2)	Tablet	Oral	300-1200 mg / hari	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
10.	WTH (033xxx)	P	38	F.20.0	44 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd 1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
11.	IRG (033xxx)	P	25	F.20.3	70 hari	Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol Injeksi	I.V	5mg / cc (1dd 1)	Ampul	I.V	5mg / cc / hr	Ampul
						Clozapin	Oral	25 mg (3dd1)	Tablet	Oral	max 600 mg/hr	Tablet
12.	SHO (008xxx)	L	33	F.20.3	87 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd 1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Clozapin	Oral	100 mg (2dd1)	Tablet	Oral	max 600 mg/hr	Tablet
13.	MKO (049xxx)	L	41	F.20.3	44 hari	Haloperidol	Oral	1,5 mg (2dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
14.	HYO (027xxx)	L	27	F.20.0	46 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd 1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
15.	SJO (009xxx)	L	40	F.20.3	48 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd 1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
						Risperidone	Oral	2 mg (3dd1)	Tablet	Oral	4-18 mg / hari	Tablet
16.	MNO (031xxx)	L	41	F.20.0	48 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd 1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (2dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
17.	AM (050xxx)	L	35	F.20.3	38 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd 1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
18.	SHO (049xxx)	L	35	F.20.3	42 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol Injeksi	I.V	5mg / cc (1dd 1)	Ampul	I.V	5mg / cc / hr	Ampul
						Trifluoperazin	Oral	5 mg (2dd1)	Tablet	Oral	2-20 mg / hari	Tablet
19.	WRO (050xxx)	L	27	F.20.3	44 hari	Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
20.	RKN (042xxx)	L	30	F.20.0	34 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd 1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
21.	WMN (049xxx)	L	35	F.20.3	44 hari	Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Haloperidol Injeksi	I.V	5mg / cc (1dd 1)	Ampul	I.V	5mg / cc / hr	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
22.	KT (050xxx)	L	30	F.20.3	34 hari	Haloperidol	Oral	5 mg (2dd1)	Tablet	Oral	2-20 mg / hari	Tablet
23.	PMO (050xxx)	L	31	F.20.3	33 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd 1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
24.	JJG (052xxx)	L	28	F.20.1	68 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd 1)	Ampul	I.V	5mg / cc / hr	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (3dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Clozapin	Oral	100 mg (2dd1)	Tablet	Oral	max 600 mg/hr	Tablet
25.	ISI (050xxx)	L	35	F.20.3	44 hari	Chlorpromazine	Oral	100 mg (1dd1/2)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
26.	SF (050xxx)	L	42	F.20.3	36 hari	Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Haloperidol	Oral	5 mg (2dd1)	Tablet	Oral	2-20 mg / hari	Tablet

September

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
1.	SM (028xxx)	P	26	F. 20.3	41 hari	Chlorpromazine	Oral	100 mg (3dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (3dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
						Haloperidol Injeksi	I.V	5mg / cc (1dd 1)	Ampul	I.V	5mg / cc / hr	Ampul
2.	MY (050xxx)	P	35	F. 20.3	32 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd 1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Risperidone	Oral	2 mg (3dd1)	Tablet	Oral	4-18 mg / hari	Tablet
3.	EW (010xxx)	P	43	F. 20.3	32 hari	Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol Injeksi	I.V	5mg / cc (1dd 1)	Ampul	I.V	5mg / cc / hr	Ampul
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
4.	WM (010xxx)	P	43	F. 20.3	36 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd 1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
5.	SNS (050xxx)	P	28	F. 20.0	73 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd 1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Clozapin	Oral	25 mg (2dd1)	Tablet	Oral	max 600 mg/hr	Tablet
6.	SL (044xxx)	P	29	F. 20.0	32 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
7.	SK (036xxx)	P	38	F. 20.0	31 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd 1)	Ampul	I.V	5mg / cc / hr	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
8.	SK (025xxx)	P	30	F. 20.3	30 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd 1)	Ampul	I.V	5mg / cc / hr	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
9.	SYM (023xxx)	P	41	F. 20.3	35 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd 1)	Ampul	I.V	5mg / cc / hr	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
10.	NMI (041xxx)	P	28	F. 20.8	57 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
11.	NW (041xxx)	L	29	F. 20.8	94 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd 1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
12.	AM (029xxx)	L	34	F. 20.0	96 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd 1)	Ampul	I.V	5mg / cc / hr	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
13.	LNO (046xxx)	L	27	F. 20.3	36 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd 1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
14.	TSO (044xxx)	L	27	F. 20.3	33 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd 1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
						Clozapin	Oral	25 mg (2dd1)	Tablet	Oral	max 600 mg/hr	Tablet
15.	JSO (013xxx)	L	37	F. 20.3	46 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd 1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
16.	SMJ (050xxx)	L	30	F. 20.3	33 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd 1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
17.	SDO (050xxx)	L	37	F. 20.0	46 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
18.	AS (050xxx)	L	27	F. 20.0	33 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
19.	SRT (017xxx)	L	32	F. 20.0	36 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd 1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine Injeksi	I.V	25 mg/ml (1dd1)	Ampul	I.V	25-50 mg	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
20.	STs (050xxx)	L	29	F. 20.1	35 hari	Haloperidol Injeksi	I.V	5mg / cc (1dd 1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet

Oktober

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
1.	SRM (003xxx)	P	40	F. 20.3	50 hari	Haloperidol Injeksi	I.V	5mg /cc (1dd 1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
2.	SJW (051xxx)	P	30	F. 20.8	49 hari	Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
3.	WNI (050xxx)	P	38	F. 20.8	41 hari	Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol Injeksi	I.V	5mg /cc (1dd 1)	Ampul	I.V	5mg / cc / hr	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
4.	LL (050xxx)	P	30	F. 20.3	41 hari	Haloperidol Injeksi	I.V	5mg /cc (1dd 1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
5.	LR (049xxx)	P	34	F. 20.0	34 hari	Haloperidol Injeksi	I.V	5mg /cc (1dd 1)	Ampul	I.V	5mg / cc / hr	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
6.	ERN (051xxx)	P	26	F. 20.8	36 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
7.	SP (034xxx)	P	25	F. 20.1	32 hari	Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
8.	SH (030xxx)	P	31	F. 20.8	47 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
9.	AC (006xxx)	P	43	F. 20.5	41 hari	Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
10.	DR(039xxx)	P	33	F. 20.3	31 hari	Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
11.	SKN (049xxx)	L	25	F. 20.3	48 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
12.	SNI (049xxx)	L	41	F. 20.0	45 hari	Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Clozapin	Oral	25 mg (2dd1)	Tablet	Oral	max 600 mg/hr	Tablet
13.	SW0 (027xxx)	L	35	F. 20.4	73 hari	Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
14.	RKN(042xxx)	L	30	F. 20.0	42 hari	Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
15.	TW (050xxx)	L	27	F. 20.0	42 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
16.	PWO (050xxx)	L	32	F. 20.3	53 hari	Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Clozapin	Oral	100 mg (2 dd 1/2)	Tablet	Oral	max 600 mg/hr	Tablet
17.	AW (050xxx)	L	35	F. 20.3	32 hari	Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
18.	SWT (010xxx)	L	27	F. 20.1	31 hari	Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
19.	BSK (021xxx)	L	40	F. 20.3	34 hari	Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
20.	WDI (041xxx)	L	26	F. 20.3	36 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
21.	SWD (022xxx)	L	41	F. 20.3	37 hari	Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet

November

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
1.	PWH (049xxx)	P	43	F.20.8	35 hari	Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
2.	EM (049xxx)	P	25	F.20.3	62 hari	Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
3.	PMI (017xxx)	P	40	F.20.3	35 hari	Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
4.	YTH (019xxx)	P	33	F.20.3	42 hari	Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
5.	RHN (011xxx)	P	32	F.20.3	62 hari	Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
6.	CLN (051xxx)	P	35	F.20.1	62 hari	Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
7.	LTR (034xxx)	P	29	F.20.0	37 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Haloperidol	Oral	5 mg (2dd1)	Tablet	Oral	2-20 mg / hari	Tablet
-	-	-	-	-	-	Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
8.	TTK (051xxx)	P	37	F.20.3	62 hari	Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (2dd1)	Tablet	Oral	2-20 mg / hari	Tablet
9.	ASH (051xxx)	P	40	F.20.8	35 hari	Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
10.	UJ (051xxx)	P	36	F.20.8	46 hari	Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Clozapin	Oral	25 mg (2dd1)	Tablet	Oral	max 600 mg/hr	Tablet
11.	MNK (051xxx)	P	33	F.20.3	36 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
12.	WE (051xxx)	P	40	F.20.3	36 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
13.	RYT (046xxx)	L	26	F.20.8	48 hari	Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet

No.	Initial & No. RM	JK	Usia	Diag- nosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
14.	SJO (048xxx)	L	29	F.20.3	49 hari	Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
15.	SPY (009xxx)	L	35	F.20.0	33 hari	Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Clozapin	Oral	100 mg (2dd1)	Tablet	Oral	max 600 mg/hr	Tablet
16.	SYN (051xxx)	L	25	F.20.3	43 hari	Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
17.	ER (051xxx)	L	40	F.20.8	33 hari	Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
18.	MNT (049xxx)	L	26	F.20.8	35 hari	Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
19.	WDY (051xxx)	L	32	F.20.0	35 hari	Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Clozapin	Oral	100 mg (2dd1)	Tablet	Oral	max 600 mg/hr	Tablet
20.	SNT (018xxx)	L	39	F.20.3	39 hari	Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
21.	DS (051xxx)	L	36	F.20.3	38 hari	Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
22.	MLM (051xxx)	L	32	F.20.3	38 hari	Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
23.	LMD (041xxx)	L	41	F.20.8	33 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Haloperidol	Oral	5 mg (2dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
24.	MM (051xxx)	L	29	F.20.1	41 hari	Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
25.	JS (051xxx)	L	27	F.20.3	37 hari	Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet

Desember

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
1.	TTK (043xxx)	P	35	F.20.3	79 hari	Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
2.	LSR (048xxx)	P	29	F.20.8	41 hari							
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
3.	SWT (018xxx)	P	36	F.20.1	46 hari	Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Clozapin	Oral	25 mg (2dd1)	Tablet	Oral	max 600 mg/hr	Tablet
4.	IN (018xxx)	P	33	F.20.3	64 hari	Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Clozapin	Oral	25 mg (2dd1)	Tablet	Oral	max 600 mg/hr	Tablet
5.	PDM (010xxx)	P	30	F.20.8	64 hari	Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
6.	EN (051xxx)	P	37	F.20.8	64 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (2dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
7.	SGY (051xxx)	P	26	F.20.3	50 hari	Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
8.	UKN (049xxx)	P	26	F.20.3	64 hari	Haloperidol	Oral	5 mg (2dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Clozapin	Oral	25 mg (2dd1)	Tablet	Oral	max 600 mg/hr	Tablet
						Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
9.	MJT (051xxx)	P	40	F.20.8	31 hari	Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
10.	TM (034xxx)	P	43	F.20.8	43 hari	Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
11.	DN (023xxx)	P	30	F.20.0	37 hari	Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
12.	SG (035xxx)	P	37	F.20.3	36 hari	Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
13.	HRW(051xxx)	P	31	F.20.8	35 hari	Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
14.	ATN (051xxx)	P	30	F.20.3	50 hari	Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Clozapin	Oral	25 mg (2dd1)	Tablet	Oral	max 600 mg/hr	Tablet
15.	TNT (051xxx)	P	25	F.20.3	36 hari	Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
16.	TKM (036xxx)	P	41	F.20.8	40 hari	Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
17.	AS (051xxx)	P	25	F.20.3	35 hari	Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
18.	STG (027xxx)	P	31	F.20.3	30 hari	Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
19.	SWT (010xxx)	L	35	F.20.3	39 hari	Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Clozapin	Oral	25 mg (2dd1)	Tablet	Oral	max 600 mg/hr	Tablet
20.	PWT (000xxx)	L	44	F.20.3	39 hari	Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
21.	SN (051xxx)	L	42	F.20.3	39 hari	Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
22.	SMN (051xxx)	L	38	F.20.3	56 hari	Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
23.	SGY (051xxx)	L	40	F.20.0	42 hari	Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Clozapin	Oral	25 mg (2dd1)	Tablet	Oral	max 600 mg/hr	Tablet
24.	ALT (051xxx)	L	40	F.20.3	33 hari	Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
25.	FRI (051xxx)	L	25	F.20.3	33 hari	Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
26.	SN (051xxx)	L	43	F.20.3	41 hari	Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (2dd1)	Tablet	Oral	2-20 mg / hari	Tablet
27.	PW (051xxx)	L	35	F.20.1	36 hari	Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
						Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
28.	AH (046xxx)	L	31	F.20.3	41 hari	Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
29.	KTN (027xxx)	L	32	F.20.3	45 hari	Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
30.	SKR (051xxx)	L	44	F.20.0	39 hari	Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
31.	WST (051xxx)	L	30	F.20.3	36 hari	Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
32.	WJT (051xxx)	L	42	F.20.8	42 hari	Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
33.	CCK(050xxx)	L	39	F.20.8	36 hari	Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
34.	HDK(051xxx)	L	37	F.20.3	37 hari	Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		Dosis Formularium			
							Cara Pakai	Dosis	Sediaan	Cara Pakai	Dosis	Sediaan
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
35.	SMD(051xxx)	L	35	F.20.3	50 hari	Chlorpromazine	Oral	100 mg (1dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet
						Trifluoperazin	Oral	5 mg (2dd1)	Tablet	Oral	2-20 mg / hari	Tablet
36.	SBD(051xxx)	L	43	F.20.8	37 hari	Haloperidol Injeksi	I.V	5mg /cc (1dd1)	Ampul	I.V	5mg / cc / hr	Ampul
						Chlorpromazine	Oral	100 mg (2dd1)	Tablet	Oral	300-1200 mg / hari	Tablet
						Haloperidol	Oral	5 mg (3dd1)	Tablet	Oral	2-20 mg / hari	Tablet
						Risperidone	Oral	2 mg (2dd1)	Tablet	Oral	4-18 mg / hari	Tablet

Total sampel : 290 Rekam Medis Pasien Skizofrenia Rawat Inap Di RSJD Surakarta

Ket :

- F. 20.0 = Skizofrenia Paranoid
- F. 20.1 = Skizofrenia Hebrefenik
- F. 20.2 = Skizofrenia Katatonik
- F. 20.3 = Skizofrenia Tak Terinci
- F. 20.4 = Depresi Pasca Skizofrenia
- F. 20.5 = Skizofrenia Residual
- F. 20.6 = Skizofrenia Simplex
- F. 20.8 = Skizofrenia Lainnya

Lampiran 9. Data penggunaan Obat Adjuvant Pada Pasien Skizofrenia Rawat Inap RSJD Surakarta Pada Tahun 2013

Januari

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
1.	DRY (048xxx)	P	35	F.20.0	39 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
2.	YL (046xxx)	P	42	F.20.8	31 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
3.	PL (048xxx)	P	37	F.20.8	42 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
						Dipenhidramin HCL Inj.	Intra Vena	10mg/ml (1dd1)	Ampul
4.	NG (041xxx)	P	38	F.20.8	32 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
5.	DSM (046xxx)	P	44	F.20.8	50 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
						NA-H- Divalpoat	Oral	250 mg (1dd1)	Tablet
						Dipenhidramin HCL Inj.	Intra Vena	10mg/ml (1dd1)	Ampul
6.	WN (035xxx)	P	37	F.20.5	38 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
7.	PW (041xxx)	P	41	F.20.8	31 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
8.	SKR (048xxx)	P	27	F.20.0	31 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj.	Intra Vena	10mg/ml (1dd1)	Ampul

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
9.	WNI (048xxx)	P	34	F.20.3	43 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
10.	SMI (048xxx)	P	40	F.20.3	35 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
11.	JML (048xxx)	P	34	F.20.8	43 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Atropin sulfas injeksi	Intra Vena	0,5 mg/ml (1dd1)	Ampul
						Dipenhidramin HCL Inj	Intra Vena	20 mg/ml (1dd1)	Ampul
12.	IP (048xxx)	P	35	F.20.8	47 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
						Amitriptyline	Oral	25 mg (2dd1)	Tablet
						Vit. B12	Oral	200 mcg (1dd1)	Tablet
13.	PTH (037xxx)	P	40	F.20.8	31 hari	–	–	–	–
14.	SMY (048xxx)	P	40	F.20.3	42 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
15.	SNO (048xxx)	L	35	F.20.8	33 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
						Dipenhidramin HCL Inj.	Intra Vena	10mg/ml (1dd1)	Ampul
16.	PYT (048xxx)	L	36	F.20.0	36 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
17.	MTR (029xxx)	L	27	F.20.3	38 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
18.	NW (037xxx)	L	28	F.20.1	70 hari	Dipenhidramin HCL Inj.	Intra Vena	10mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
19.	MA (044xxx)	L	28	F.20.3	57 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
20.	TJK (048xxx)	L	35	F.20.0	31 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj.	Intra Vena	10mg/ml (1dd1)	Ampul
21.	TYO (048xxx)	L	28	F.20.2	56 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
22.	SYT (025xxx)	L	34	F.20.3	56 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
23.	LH (048xxx)	L	34	F.20.1	52 hari	Dipenhidramin HCL Inj.	Intra Vena	10mg/ml (1dd1)	Ampul
						Phenitoin	Oral	100 mg (2dd1)	Tablet
						Phenobarbital	Oral	30 mg (2dd1)	Tablet

Februari

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
1.	MSN 045xxx)	P	39	F.20.8	40 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj.	Intra Vena	10mg/ml (1dd1)	Ampul
2.	ES (048xxx)	P	33	F.20.1	43 hari	Dipenhidramin HCL Inj	Intra Vena	20 mg/ml (1dd1)	Ampul
3.	AR (041xxx)	P	44	F.20.3	36 hari	–	–	–	–
4.	AH (048xxx)	P	35	F.20.3	51 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
5.	SPD (047xxx)	P	34	F.20.3	40 hari	Dipenhidramin HCL Inj.	Intra Vena	10mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
6.	LS (045xxx)	P	30	F.20.3	44 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Atropin sulfas injeksi	Intra Vena	0,5 mg/ml 1dd1)	Ampul
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
7.	SPT (027xxx)	P	41	F.20.8	47 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
8.	DYW (031xxx)	P	31	F.20.8	45 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
9.	JKO (048xxx)	L	29	F.20.8	47 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
						Dipenhidramin HCL Inj.	Intra Vena	20 mg/ml (1dd1)	Ampul
10.	EM (048xxx)	L	26	F.20.8	45 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
11.	STY (039xxx)	L	38	F.20.8	50 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
12.	AGS (048xxx)	L	38	F.20.1	49 hari	Dipenhidramin HCL Inj	Intra muscular	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
13.	IVH (048xxx)	L	31	F.20.8	35 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
14.	SWO (027xxx)	L	31	F.20.2	37 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
15.	AP (045xxx)	L	32	F.20.8	48 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
16.	IK (048xxx)	L	43	F.20.0	46 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
17.	SMR (015xxx)	L	36	F.20.8	36 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
18.	DI (015xxx)	L	35	F.20.3	35 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
19.	USR (048xxx)	L	42	F.20.3	35 hari	Amitriptyline	Oral	25 mg (2dd1)	Tablet
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet

Maret

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
1.	SHT (0487xxx)	P	25	F.20.8	65 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj.	Intra Vena	10mg/ml (1dd1)	Ampul
2.	MYT (048xxx)	P	29	F.20.0	31 hari	Dipenhidramin HCL Inj.	Intra Vena	10mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
3.	JMT (033xxx)	P	32	F.20.8	52 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
4.	ISQ (048xxx)	P	37	F.20.3	58 hari	Dipenhidramin HCL Inj.	Intra Vena	10mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
5.	RNA (039xxx)	P	39	F.20.3	31 hari	Dipenhidramin HCL Inj.	Intra Vena	10mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
6.	WA (048xxx)	P	29	F.20.1	69 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
7.	SLM (048xxx)	P	39	F.20.3	62 hari	Dipenhidramin HCL Inj.	Intra Vena	10mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
8.	ONS (048xxx)	P	32	F.20.8	46 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
9.	SLI (041xxx)	P	38	F.20.3	31 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
10.	TMI (048xxx)	P	38	F.20.3	77 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
11.	MRJ (001xxx)	L	43	F.20.3	37 hari	–	–	–	–
12.	ES (042xxx)	L	30	F.20.3	62 hari	Dipenhidramin HCL Inj.	Intra Vena	10mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
13.	SDL (048xxx)	L	27	F.20.3	31 hari	Dipenhidramin HCL Inj.	Intra Vena	10mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
14.	AS (044xxx)	L	27	F.20.3	35 hari	Dipenhidramin HCL Inj.	Intra Vena	10mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
15.	RYD (048xxx)	L	31	F.20.3	42 hari	Dipenhidramin HCL Inj.	Intra Vena	10mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
16.	HS (034xxx)	L	28	F.20.3	66 hari	Dipenhidramin HCL Inj.	Intra Vena	10mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
17.	LS (048xxx)	L	35	F.20.3	42 hari	Dipenhidramin HCL Inj.	Intra Vena	10mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
18.	JK (047xxx)	L	26	F.20.8	31 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
19.	AZM (005xxx)	L	43	F.20.0	34 hari	Dipenhidramin HCL Inj.	Intra Vena	10mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
20.	SRT (042xxx)	L	33	F.20.0	31 hari	Dipenhidramin HCL Inj.	Intra Vena	10mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
21.	SPD(048xxx)	L	40	F.20.0	31 hari	Dipenhidramin HCL Inj.	Intra Vena	10mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
22.	PA (036xxx)	L	28	F.20.3	68 hari	Dipenhidramin HCL Inj.	Intra Vena	20mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
23.	BH (031xxx)	L	42	F.20.3	78 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet

April

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
1.	SM (028xxx)	P	25	F.20.8	75 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
						Dipenhidramin HCL Inj.	Intra Vena	40mg/ml (1dd1)	Ampul
2.	GM (041xxx)	P	41	F.20.8	61 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
3.	FW (040xxx)	P	25	F.20.3	47 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Atropin sulfas injeksi	Intra Vena	0,5 mg/ml (1dd1)	Ampul
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
4.	LL (019xxx)	P	31	F.20.1	47 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
5.	SH (026xxx)	P	25	F.20.0	35 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
6.	GYT (048xxx)	P	37	F.20.0	87 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
7.	SMJ (040xxx)	P	34	F.20.3	50 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
8.	HRT (048xxx)	P	27	F.20.8	102 hari	Dipenhidramin HCL Inj	Intra Vena	20 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Atropin sulfas injeksi	Intra Vena	0,5 mg/ml (1dd1)	Ampul
9.	HTN (048xxx)	P	27	F.20.1	88 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
						Atropin sulfas injeksi	Intra Vena	0,5 mg/ml (1dd1)	Ampul
10.	TSD (048xxx)	P	27	F.20.3	78 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
11.	RYT (046xxx)	L	26	F.20.3	53 hari	Dipenhidramin HCL Inj	Intra Vena	20 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
12.	EP (029xxx)	L	30	F.20.0	69 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
13.	AS (030xxx)	L	39	F.20.0	51 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
14.	STO (048xxx)	L	27	F.20.3	78 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
15.	ESO (049xxx)	L	33	F.20.3	93 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj.	Intra Vena	40mg/ml (1dd1)	Ampul
16.	SHD (036xxx)	L	38	F.20.8	66 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
17.	JFD (049xxx)	L	40	F.20.2	36 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
18.	MAR (045xxx)	L	27	F.20.0	53 hari	–	–	–	–
19.	LRS (043xxx)	L	27	F.20.8	64 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
20.	SYO (044xxx)	L	29	F.20.3	60 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
21.	PMO (046xxx)	L	41	F.20.3	57 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
22.	JPO(038xxx)	L	35	F.20.3	37 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
23.	NYO(048xxx)	L	29	F.20.2	71 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
24.	UNG (045xxx)	L	36	F.20.3	48 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd 6)	Ampul
						Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet

Mei

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
1.	SRI (041xxx)	P	38	F.20.8	36 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
2.	NAI (009xxx)	P	37	F.20.3	38 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
						Atropin sulfas injeksi	Intra Vena	0,5 mg/ml (1dd 6)	Ampul

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
3.	NHI (049xxx)	P	37	F.20.2	38 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
4.	TWI (036xxx)	P	26	F.20.3	51 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
5.	WAI (047xxx)	P	32	F.20.0	64 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
6.	NYI (049xxx)	P	27	F.20.8	43 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd 6)	Ampul
7.	UKN (049xxx)	P	26	F.20.3	35 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
8.	MLN (049xxx)	P	43	F. 20.8	63 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
9.	SMY (046xxx)	P	25	F. 20.1	36 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
10.	TMI (047xxx)	P	34	F. 20.1	36 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
11.	DATC(040xxx)	L	39	F. 20.3	32 hari	–	–	–	–
12.	THN (044xxx)	L	41	F. 20.3	36 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
13.	NRM (028xxx)	L	42	F. 20.3	59 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
14.	SKN (049xxx)	L	25	F. 20.8	35 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
						Amitriptyline	Oral	25 mg (2dd 1/2)	Tablet
15.	SLN (049xxx)	L	35	F. 20.3	74 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Phenitoin	Oral	100 mg (3dd1)	Tablet
						Phenobarbital	Oral	30 mg (3dd1)	Tablet
16.	MKO (049xxx)	L	41	F. 20.3	35 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
17.	RJO (049xxx)	L	39	F. 20.3	35 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
18.	SR (005xxx)	L	44	F. 20.3	34 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
19.	AP (049xxx)	L	29	F. 20.0	31 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
20.	SHO (019xxx)	L	25	F. 20.3	33 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
21.	HYO (027xxx)	L	27	F. 20.3	66 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
22.	SNI (049xxx)	L	41	F. 20.8	55 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
23.	HP (049xxx)	L	29	F. 20.3	55 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
24.	SRO (039xxx)	L	33	F. 20.3	51 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul

Juni

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
1.	SM (028xxx)	P	25	F.20.8	43 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd 2)	Ampul
2.	PRH (049xxx)	P	43	F.20.5	71 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
3.	SN (049xxx)	P	37	F.20.1	54 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet

No.	Initial &	JK	Usia	Diagnosis	Lama	Obat Yang Digunakan	Dosis Penelitian		
4.	HTI (049 xxx)	P	42	F.20.8	53 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
5.	SNI (036 xxx)	P	40	F.20.0	33 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
6.	MDH (049xxx)	P	40	F.20.8	63 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
7.	SKN (049 xxx)	P	40	F.20.1	50 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
8.	SLI (048xxx)	P	28	F.20.3	47 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
9.	TWI (031xxx)	P	29	F.20.8	39 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
10.	JD (032xxx)	L	36	F.20.1	54 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Piracetam	Oral	400 mg (2dd1)	Tablet
11.	SHO (049xxx)	L	35	F.20.3	91 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd 2)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
12.	IW (049xxx)	L	25	F.20.3	62 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet

No.	Initial &	JK	Usia	Diagnosis	Lama	Obat Yang Digunakan	Dosis Penelitian		
13.	TDS (028xxx)	L	30	F.20.3	56 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
14.	WY (046xxx)	L	43	F.20.8	76 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
15.	LNO (046xxx)	L	27	F.20.3	35 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
16.	AK (049xxx)	L	43	F.20.3	69 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
17.	SJW (049xxx)	L	41	F.20.0	45 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
18.	JP (047xxx)	L	29	F.20.0	41 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
19.	SJO (048xxx)	L	29	F.20.5	32 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
20.	SYO (049xxx)	L	25	F.20.3	61 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
21.	SGO (018xxx)	L	36	F.20.3	34 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet

No.	Initial &	JK	Usia	Diagnosis	Lama	Obat Yang Digunakan	Dosis Penelitian		
22.	SJ (027xxx)	L	36	F.20.3	52 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet

Juli

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
1.	SH (050xxx)	P	36	F.20.0	37 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
2.	SWI (050xxx)	P	41	F.20.3	67 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
3.	NHI (050xxx)	P	39	F.20.3	49 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
4.	MNI (052xxx)	P	36	F.20.8	39 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
5.	HTI (045xxx)	P	25	F.20.3	35 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd 3)	Ampul
6.	NYI (026xxx)	P	39	F.20.0	34 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
						Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
7.	DYI (029xxx)	P	26	F.20.1	89 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
8.	NHI (005xxx)	P	38	F.20.0	41 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
9.	WSI (050xxx)	P	31	F.20.8	32 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd 6)	Ampul
10.	PR (048xxx)	P	35	F.20.3	42 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
11.	KS (030xxx)	P	43	F.20.3	30 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
12.	SL (001xxx)	P	38	F.20.3	57 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
13.	KTO (050xxx)	L	29	F.20.3	46 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
14.	SJO (009xxx)	L	39	F.20.5	64 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
15.	SNO (018xxx)	L	39	F.20.3	89 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
16.	PU (049xxx)	L	26	F.20.8	78 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
17.	SYO (039xxx)	L	31	F.20.8	79 hari	—	—	—	—
18.	ILM (035xxx)	L	27	F.20.3	86 hari	Trihexilphenidyl	Oral	2 mg (1dd1)	Tablet
19.	STD (035xxx)	L	37	F.20.1	32 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd 4)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
20.	YK (035xxx)	L	30	F.20.3	77 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
21.	EP (036xxx)	L	37	F.20.3	81 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
22.	HT (020xxx)	L	31	F.20.0	31 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd 2)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
23.	NA (030xxx)	L	27	F.20.8	38 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
24.	WTN (052xxx)	L	25	F.20.3	37 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
25.	SPY (045xxx)	L	25	F.20.0	33 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
26.	TWR (048xxx)	L	35	F.20.3	38 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
27.	MM (043xxx)	L	25	F.20.3	33 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd 2)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Carbamazepine	Oral	200 mg (1dd 1/2)	Tablet

Agustus

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
1.	HI (049xxx)	P	40	F.20.3	70 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd 2)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
2.	LSQ (011xxx)	P	36	F.20.3	39 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd 4)	Ampul
						Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
3.	PA (049xxx)	P	31	F.20.0	32 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
4.	PYM (008xxx)	P	33	F.20.8	40 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
5.	SS (050xxx)	P	32	F.20.3	57 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
6.	NTM (048xxx)	P	40	F.20.0	36 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
7.	SPT (038xxx)	P	33	F.20.3	44 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
8.	HNI (050xxx)	P	35	F.20.8	46 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
9.	ML (050xxx)	P	25	F.20.3	45 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
10.	WTH (033xxx)	P	38	F.20.0	44 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
11.	IRG (033xxx)	P	25	F.20.3	70 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd 6)	Ampul
12.	SHO (008xxx)	L	33	F.20.3	87 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
13.	MKO (049xxx)	L	41	F.20.3	44 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
14.	HYO (027xxx)	L	27	F.20.0	46 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
15.	SJO (009xxx)	L	40	F.20.3	48 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
16.	MNO (031xxx)	L	41	F.20.0	48 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
17.	AM (050xxx)	L	35	F.20.3	38 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
18.	SHO (049xxx)	L	35	F.20.3	42 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
						Atropin sulfas injeksi	Intra Vena	0,5 mg/ml (1dd1)	Ampul
19.	WRO (050xxx)	L	27	F.20.3	44 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Amitriptyline	Oral	25 mg (2dd 1)	Tablet
20.	RKN (042xxx)	L	30	F.20.0	34 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
21.	WMN(049xxx)	L	35	F.20.3	44 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
22.	KT (050xxx)	L	30	F.20.3	34 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
						Vit. B Complex	Oral	(2dd1)	Tablet
23.	PMO (050xxx)	L	31	F.20.3	33 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
24.	JJG (052xxx)	L	28	F.20.1	68 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Amitriptyline	Oral	25 mg (2dd 1)	Tablet
25.	ISI (050xxx)	L	35	F.20.3	44 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
26.	SF (050xxx)	L	42	F.20.3	36 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet

September

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
1.	SM (028xxx)	P	26	F. 20.3	41 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
2.	MY (050xxx)	P	35	F. 20.3	32 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
3.	EW (010xxx)	P	43	F. 20.3	32 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
4.	WM (010xxx)	P	43	F. 20.3	36 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
5.	SNS (050xxx)	P	28	F. 20.0	73 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
6.	SL (044xxx)	P	29	F. 20.0	32 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet

No.	Initial &	JK	Usia	Diagnosis	Lama	Obat Yang Digunakan	Dosis Penelitian		
7.	SK (036xxx)	P	38	F. 20.0	31 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
8.	SK (025xxx)	P	30	F. 20.3	30 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
9.	SYM (023xxx)	P	41	F. 20.3	35 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
10.	NMI (041xxx)	P	28	F. 20.8	57 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
11.	NW (041xxx)	L	29	F. 20.8	94 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd 2)	Ampul
12.	AM (029xxx)	L	34	F. 20.0	96 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
13.	LNO (046xxx)	L	27	F. 20.3	36 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
14.	TSO (044xxx)	L	27	F. 20.3	33 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul

No.	Initial &	JK	Usia	Diagnosis	Lama	Obat Yang Digunakan	Dosis Penelitian		
15.	JSO (013xxx)	L	37	F. 20.3	46 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd 4)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
16.	SMJ (050xxx)	L	30	F. 20.3	33 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
17.	SDO (050xxx)	L	37	F. 20.0	46 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
18.	AS (050xxx)	L	27	F. 20.0	33 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
19.	SRT (017xxx)	L	32	F. 20.0	36 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
20.	STS (050xxx)	L	29	F. 20.1	35 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet

Oktober

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
1.	SRM (003xxx)	P	40	F. 20.3	50 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
2.	SJW (051xxx)	P	30	F. 20.8	49 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
3.	WNI (050xxx)	P	38	F. 20.8	41 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
4.	LL (050xxx)	P	30	F. 20.3	41 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
5.	LR (049xxx)	P	34	F. 20.0	34 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
6.	ERN (051xxx)	P	26	F. 20.8	36 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
7.	SP (034xxx)	P	25	F. 20.1	32 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
8.	SH (030xxx)	P	31	F. 20.8	47 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
9.	AC (006xxx)	P	43	F. 20.5	41 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
10.	DR(039xxx)	P	33	F. 20.3	31 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
11.	SKN (049xxx)	L	25	F. 20.3	48 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
12.	SNI (049xxx)	L	41	F. 20.0	45 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
13.	SW0 (027xxx)	L	35	F. 20.4	73 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
14.	RKN(042xxx)	L	30	F. 20.0	42 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
15.	TW (050xxx)	L	27	F. 20.0	42 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd 2)	Ampul
						Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
16.	PWO (050xxx)	L	32	F. 20.3	53 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
17.	AW (050xxx)	L	35	F. 20.3	32 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
18.	SWT (010xxx)	L	27	F. 20.1	31 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Amitriptyline	Oral	25 mg (1dd 1)	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
19.	BSK (021xxx)	L	40	F. 20.3	34 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
20.	WDI (041xxx)	L	26	F. 20.3	36 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
						Atropin sulfas injeksi	Intra Vena	0,5 mg/ml (1dd1)	Ampul
21.	SWD (022xxx)	L	41	F. 20.3	37 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet

November

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
1.	PWH (049xxx)	P	43	F.20.8	35 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
2.	EM (049xxx)	P	25	F.20.3	62 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
3.	PMI (017xxx)	P	40	F.20.3	35 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
4.	YTH (019xxx)	P	33	F.20.3	42 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
5.	RHN (011xxx)	P	32	F.20.3	62 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
6.	CLN (051xxx)	P	35	F.20.1	62 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
7.	LTR (034xxx)	P	29	F.20.0	37 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
8.	TTK (051xxx)	P	37	F.20.3	62 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
9.	ASH (051xxx)	P	40	F.20.8	35 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
10.	UJ (051xxx)	P	36	F.20.8	46 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
11.	MNK (051xxx)	P	33	F.20.3	36 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
12.	WE (051xxx)	P	40	F.20.3	36 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
13.	RYT (046xxx)	L	26	F.20.8	48 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
14.	SJO (048xxx)	L	29	F.20.3	49 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
15.	SPY (009xxx)	L	35	F.20.0	33 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
16.	SYN (051xxx)	L	25	F.20.3	43 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
17.	ER (051xxx)	L	40	F.20.8	33 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
18.	MNT (049xxx)	L	26	F.20.8	35 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Phenitoin	Oral	100 mg (2dd1)	Tablet
						Phenobarbital	Oral	30 mg (2dd1)	Tablet
19.	WDY (051xxx)	L	32	F.20.0	35 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
20.	SNT (018xxx)	L	39	F.20.3	39 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
						Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
21.	DS (051xxx)	L	36	F.20.3	38 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
22.	MLM (051xxx)	L	32	F.20.3	38 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
23.	LMD (041xxx)	L	41	F.20.8	33 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
24.	MM (051xxx)	L	29	F.20.1	41 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
25.	JS (051xxx)	L	27	F.20.3	37 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet

Desember

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
1.	TTK (043xxx)	P	35	F.20.3	79 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd 2)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
2.	LSR (048xxx)	P	29	F.20.8	41 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
3.	SWT (018xxx)	P	36	F.20.1	46 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
4.	IN (018xxx)	P	33	F.20.3	64 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd 2)	Ampul
5.	PDM (010xxx)	P	30	F.20.8	64 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd 2)	Ampul
						Phenobarbital	Oral	30 mg (3dd1)	Tablet
6.	EN (051xxx)	P	37	F.20.8	64 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
						Amitriptyline	Oral	25 mg (1dd 1)	Tablet
7.	SGY (051xxx)	P	26	F.20.3	50 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
8.	UKN (049xxx)	P	26	F.20.3	64 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
9.	MJT (051xxx)	P	40	F.20.8	31 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
10.	TM (034xxx)	P	43	F.20.8	43 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
11.	DN (023xxx)	P	30	F.20.0	37 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
12.	SG (035xxx)	P	37	F.20.3	36 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
13.	HRW(051xxx)	P	31	F.20.8	35 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Amitriptyline	Oral	25 mg (1dd 1)	Tablet
14.	ATN (051xxx)	P	30	F.20.3	50 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd 2)	Ampul
15.	TNT (051xxx)	P	25	F.20.3	36 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
16.	TKM (036xxx)	P	41	F.20.8	40 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
17.	AS (051xxx)	P	25	F.20.3	35 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
18.	STG (027xxx)	P	31	F.20.3	30 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
19.	SWT (010xxx)	L	35	F.20.3	39 hari	Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
						Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
20.	PWT (000xxx)	L	44	F.20.3	39 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
21.	SN (051xxx)	L	42	F.20.3	39 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
22.	SMN (051xxx)	L	38	F.20.3	56 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
23.	SGY (051xxx)	L	40	F.20.0	42 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
24.	ALT (051xxx)	L	40	F.20.3	33 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
25.	FRI (051xxx)	L	25	F.20.3	33 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
26.		L	43	F.20.3	41 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
	SN (051xxx)								
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
27.	PW (051xxx)	L	35	F.20.1	36 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd 4)	Ampul
28.	AH (046xxx)	L	31	F.20.3	41 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
29.	KTN (027xxx)	L	32	F.20.3	45 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
30.	SKR (051xxx)	L	44	F.20.0	39 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
31.	WST (051xxx)	L	30	F.20.3	36 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
32.	WJT (051xxx)	L	42	F.20.8	42 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul

No.	Initial & No. RM	JK	Usia	Diagnosis	Lama Dirawat	Obat Yang Digunakan	Dosis Penelitian		
							Cara Pakai	Dosis	Sediaan
33.	CCK(050xxx)	L	39	F.20.8	36 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
34.	HDK(051xxx)	L	37	F.20.3	37 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
						Amitriptyline	Oral	25 mg (1dd1)	Tablet
35.	SMD(051xxx)	L	35	F.20.3	50 hari	Trihexilphenidyl	Oral	2 mg (2dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul
36.	SBD(051xxx)	L	43	F.20.8	37 hari	Trihexilphenidyl	Oral	2 mg (3dd1)	Tablet
						Dipenhidramin HCL Inj	Intra Vena	10 mg/ml (1dd1)	Ampul

Total sampel : 290 Rekam Medis Pasien Skizofrenia Rawat Inap Di RSJD Surakarta

Ket :

- F. 20.0 = Skizofrenia Paranoid
- F. 20.1 = Skizofrenia Hebrefenik
- F. 20.2 = Skizofrenia Katatonik
- F. 20.3 = Skizofrenia Tak Terinci
- F. 20.4 = Depresi Pasca Skizofrenia
- F. 20.5 = Skizofrenia Residual
- F. 20.6 = Skizofrenia Simplex
- F. 20.8 = Skizofrenia Lainnya

