

INTISARI

SRI MULYATI. 2019. POLA PERESEPAN OBAT ANALGETIK PADA PASIEN PASCA OPERASI CAESAR DI POLI OBGYN RAWAT JALAN RSUD TIDAR KOTA MAGELANG PERIODE BULAN JUNI - AGUSTUS 2018.

Bedah *Caesar* merupakan suatu cara melahirkan janin dengan membuat sayatan pada dinding uterus melalui dinding depan perut atau vagina. Keluhan yang dirasakan pasien pasca operasi salah satunya adalah timbulnya rasa nyeri di daerah bekas sayatan operasi. Rasa nyeri hanya merupakan suatu gejala, fungsinya memberi tanda tentang adanya gangguan di tubuh seperti peradangan, infeksi kuman atau kejang otot. Tujuan penelitian ini adalah untuk mengetahui gambaran karakteristik pasien berdasarkan usia dan penggunaan obat analgetik pasien pasca operasi.

Penelitian ini merupakan penelitian deskriptif non eksperimental dengan pengambilan data secara retrospektif meliputi pasien rawat jalan kontrol pertama pasca operasi *caesar* dengan jumlah sampel 124 pasien yang telah memenuhi kriteria inklusi.

Hasil penelitian menunjukkan bahwa pasien pasca operasi *caesar* di Poli Obgyn Rawat Jalan RSUD Tidar Kota Magelang Periode Juni-Agustus 2018 sebanyak 124 sampel pasien dengan rincian berusia 26-35 tahun sebanyak 66 pasien (53,23%), pasien lebih dari 36 tahun sebanyak 42 pasien (28,67%), pasien berusia 16-25 tahun sebanyak 16 pasien (12,90%). Obat analgetik yang paling sering digunakan adalah asam mefenamat sebanyak 98 pasien (79,03%).

Kata kunci : Analgetik, Operasi Caesar, Rawat Jalan.

ABSTRACT

SRI MULYATI. 2019. ANALGETIC MEDICINE PREPARATION PATTERN IN CAESAR POST OPERATING PATIENTS IN POLY OBGYN OUTPATIENT MAGELANG CITY HOSPITAL TIDAR PERIOD OF MONTH JUNE - AUGUST 2018.

Caesarean section is a way of giving birth to a fetus by making an incision in the uterine wall through the front wall of the abdomen or vagina. One of the complaints felt by patients after surgery is the emergence of pain in the area of the former surgical incision. Pain is only a symptom, its function is to give a sign about a disturbance in the body such as inflammation, germ infection or muscle spasms. The purpose of this study was to determine the description of patient characteristics based on age and use of analgesic drugs in postoperative patients.

This research is a non-experimental descriptive study with retrospective data collection including first control outpatient after cesarean with a sample of 124 patients who have met the inclusion criteria.

The results showed that post caesarean section patients in the Obsgyn Outpatient Clinic of Tidar Hospital Magelang City in the June-August 2018 period were 124 patients with details aged 26-35 years of 66 patients (53.23%), patients over 36 years of age 42 patients (28.67%), patients aged 16-25 years were 16 patients (12.90%). The most commonly used analgesic drug is mefenamic acid in 98 patients (79.03%).

Keywords: Analgesic, Caesarean section, Outpatient.