

DAFTAR PUSTAKA

- Ah, H., Yousof, J., Himanshu, A., Bhakta, K., & Choi, J. S. (2016). Prunin is a highly potent flavonoid from *Prunus davidiana* stems that inhibits protein tyrosine phosphatase 1B and stimulates glucose uptake in insulin-resistant HepG2 cells. *Archives of Pharmacal Research*. <https://doi.org/10.1007/s12272-016-0852-3>
- Andriaty, S. N., Akbar, F., & Wahab, A. (2019). Perbandingan Efektifitas Ekstrak Etanol 96% Akar Dan Daun Kumis Kucing (*Orthosiphon stamineus*) Terhadap Penurunan Glukosa Darah Mencit (*Mus Musculus*). *Jurnal Ilmu Kedokteran Dan Kesehatan*, 6(4), 296–303. <https://doi.org/10.33024/jikk.v6i4.2118>
- Annadurai, T., Muralidharan, A. R., Joseph, T., Hsu, M. J., Thomas, P. A., & Geraldine, P. (2012). Antihyperglycemic and antioxidant effects of a flavanone, naringenin, in streptozotocin-nicotinamide-induced experimental diabetic rats. *Journal of Physiology and Biochemistry*, 68(3), 307–318. <https://doi.org/10.1007/s13105-011-0142-y>
- Batubara, I., Komariah, K., Sandrawati, A., & Nurcholis, W. (2020). Genotype selection for phytochemical content and pharmacological activities in ethanol extracts of fifteen types of *Orthosiphon aristatus* (Blume) Miq . leaves using chemometric analysis. *Scientific Reports*, 1–11. <https://doi.org/10.1038/s41598-020-77991-2>
- Birgani, G. A., Ahangarpour, A., Khorsandi, L., & Moghaddam, H. F. (2018). Anti-diabetic effect of betulinic acid on streptozotocin-nicotinamide induced diabetic male mouse model. *Brazilian Journal of Pharmaceutical Sciences*, 54(2), 1–7. <https://doi.org/10.1590/s2175-97902018000217171>
- Chen, W. Di, Zhao, Y. L., Dai, Z., Zhou, Z. S., Zhu, P. F., Liu, Y. P., Zhao, L. X., & Luo, X. D. (2020). Bioassay-guided isolation of anti-inflammatory diterpenoids with highly oxygenated substituents from kidney tea (*Clerodendranthus spicatus*). *Journal of Food Biochemistry*, 44(12), 1–10. <https://doi.org/10.1111/jfbc.13511>
- Cyntia, V., Astuti, Y., Pendidikan, P., Kedokteran, S., Kedokteran, F., & Diponegoro, U. (2012). (*Orthosiphon aristatus*) TERHADAP PENURUNAN KADAR GLUKOSA DARAH TIKUS WISTAR YANG DIINDUKSI JURNAL MEDIA MEDIKA MUDA PENGARUH PEMBERIAN EKSTRAK DAUN KUMIS KUCING (*Orthosiphon aristatus*) TERHADAP PENURUNAN KADAR.
- Ding, H., Hu, X., Xu, X., Zhang, G., & Gong, D. (2018). Inhibitory mechanism of two allosteric inhibitors, oleanolic acid and ursolic acid on α -glucosidase.

- International Journal of Biological Macromolecules*, 107, 1844–1855.
<https://doi.org/10.1016/j.ijbiomac.2017.10.040>
- Elidawati, Safrida, & Mukhlis. (2018). *Potensi Anti-Oksidan sebagai Anti-Diabetes*. 38, 40–42.
- Faramayuda, F., & Mariani, T. S. (2021). *Research Article Chemical Compound Identification of Two Varieties Cat of Whiskers* (.).
- Faramayuda, F., Riyanti, S., Pratiwi, A. S., Mariani, T. S., Elfahmi, E., & Sukrasno, S. (2021). Isolasi Sinensetin dari Kumis Kucing (*Orthosiphon aristatus* Blume miq.) Varietas Putih. *JPSCR: Journal of Pharmaceutical Science and Clinical Research*, 6(2), 111.
<https://doi.org/10.20961/jpscr.v6i2.48084>
- Febriyanto, G., Saleh, M. I., & Theodorus, T. (2021). Efektivitas Antidiabetes Fraksi Air Daun Karamunting (*Rhodomyrtus tomentosa* (Ait.) Hassk.) terhadap Kadar Glukosa Darah dan Sekresi Insulin pada Tikus Model Diabetes. *Jurnal Ilmiah Kedokteran Wijaya Kusuma*, 10(1), 57.
<https://doi.org/10.30742/jikw.v10i1.1098>
- Gandhi, G. R., Ignacimuthu, S., Paulraj, M. G., & Sasikumar, P. (2011). Antihyperglycemic activity and antidiabetic effect of methyl caffeate isolated from *Solanum torvum* Swartz. fruit in streptozotocin induced diabetic rats. *European Journal of Pharmacology*, 670(2–3), 623–631.
<https://doi.org/10.1016/j.ejphar.2011.09.159>
- Ganiswara, G.S., 1995, *Farmakologi dan Terapi*, Edisi Keempat, Balai Penerbit FKUI, Jakarta.
- Ghedira, K., & Goetz, P. (2015). *Orthosiphon stamineus* Benth.: *orthosiphon* (Lamiaceae). *Phytotherapie*, 13(1), 39–44. <https://doi.org/10.1007/s10298-015-0914-y>
- Goodman dan Gilman. 2010. *Manual Farmakologi dan Terapi*. Sukandar EY et al. Penerjemah; Brunton L et al, Editor. Jakarta: ECG. Terjemahan dari: *Manual of Pharmacology and therapeutic*. Hlm 988-989.
- Guspratiwi, R., Mursyida, E., & Yulinar. (2019). Pengaruh Ekstrak Etanol 96% Daun Jambu Biji (*Psidium guajava* L.) Terhadap Kadar Gula Darah Tikus Wistar Jantan (*Rattus norvegicus*) Yang Diinduksi Aloksan. *Collaborative Medical Journal*, 2(3), 114.
- Harborne, J.B., (1987). *Metode Fitokimia: Penuntun Cara Modern Menganalisa Tumbuhan*. Bandung: ITB Press.

- Harini, R., Pugalendi, K. V., Harini, R., & Pugalendi, K. V. (2013). *Antioxidant and antihyperlipidaemic activity of protocatchuic acid on streptozotocindabetic rats* *Antioxidant and antihyperlipidaemic activity of protocatchuic acid on streptozotocin- diabetic rats*. 0002. <https://doi.org/10.1179/174329210X12650506623285>
- Huang, X. L., He, Y., Ji, L. L., Wang, K. Y., Wang, Y. L., Chen, D. F., Geng, Y., OuYang, P., & Lai, W. M. (2017). Hepatoprotective potential of isoquercitrin against type 2 diabetes-induced hepatic injury in rats. *Oncotarget*, 8(60), 101545–101559. <https://doi.org/10.18632/oncotarget.21074>
- Hunaefi, D., Yuliana, N. D., Smetanska, I., & Gruda, N. (2018). Effect of ultraviolet and ultrasonic on potential antidiabetic activity of in vitro shoot cultures of *Orthosiphon aristatus*. *IOP Conference Series: Earth and Environmental Science*, 207(1). <https://doi.org/10.1088/1755-1315/207/1/012008>
- Irianty, R. S., & Yenti, S. R. (2014). Pengaruh perbandingan pelarut etanol-air terhadap kadar tanin pada sokletasi daun gambir (*Uncaria gambir* Roxb). *Jurnal Sagu*, 13(1), 1-7.
- Katzung BG, Susan BM, Anthony JT. 2015. *Basic & Clinical Pharmacology*. 13th Edition. New York: McGraw-Hill
- Keperawatan, P. S., Dian, A. K., Studi, P., Keperawatan, I., & Keperawatan, P. S. (2019). © 2019 *Jurnal Keperawatan*.
- Khattak, M. M. A. K., Taher, M., Ichwan, S. J. A., & Azahari, N. (2013). Selected Herbal Extracts Improve Diabetes Associated Factors in 3T3-L1 Adipocytes. *Procedia - Social and Behavioral Sciences*, 91, 357–375. <https://doi.org/10.1016/j.sbspro.2013.08.433>
- Kurniawaty, E., & Lestari, E. E. (2016). Uji Efektivitas Daun Belimbing Wuluh (*Averrhoa bilimbi* L.) sebagai Pengobatan Diabetes Melitus The Effectiveness Test for Extract Wuluh Starfruit Leaf (*Averrhoa bilimbi* L.) as Diabetes Mellitus Treatment. *Jurnal Majority*, 5(2), 32–36. <http://joke.kedokteran.unila.ac.id/index.php/majority/article/view/1074>
- Lau, C. H., & Chua, L. S. (2019). *Solvation Free Energy Simulation for Rosmarinic Acid Extraction from Orthosiphon stamineus*.
- Lee, H. J., Choi, Y. J., Park, S. Y., Kim, J. Y., Won, K. C., Son, J. K., & Kim, Y. W. (2015). Hexane extract Of *Orthosiphon stamineus* induces insulin expression and prevents glucotoxicity in INS-1 cells. *Diabetes and Metabolism Journal*, 39(1), 51–58. <https://doi.org/10.4093/dmj.2015.39.1.51>

- Liem, S., Khumaidi, A., Kunci, K., Etanol Daun Salam, E., & Glukosa Darah, K. (2015). Uji Aktivitas Antidiabetes Kombinasi GLIBENKLAMID DAN EKSTRAK DAUN SALAM (*Syzygium polyanthum* Wight.) TERHADAP MENCIT (*Mus musculus*) YANG DIINDUKSI ALOKSAN ANTIDIABETIC ACTIVITY TEST OF COMBINATION OF GLIBENCLAMIDE AND BAY LEAF EXTRACT (*Syzygium polyanthu*. *GALENKA Journal of Pharmacy*, 1(1), 42–47.
- Liu, J., Wang, X., Chen, Y. P., Mao, L. F., Shang, J., Sun, H. Bin, & Zhang, L. Y. (2014). Maslinic acid modulates glycogen metabolism by enhancing the insulin signaling pathway and inhibiting glycogen phosphorylase. *Chinese Journal of Natural Medicines*, 12(4), 259–265. [https://doi.org/10.1016/S1875-5364\(14\)60052-2](https://doi.org/10.1016/S1875-5364(14)60052-2)
- Lokman, E. F., Saparuddin, F., Muhammad, H., Omar, M. H., & Zulkapli, A. (2019). Orthosiphon stamineus as a potential antidiabetic drug in maternal hyperglycemia in streptozotocin-induced diabetic rats. *Integrative Medicine Research*, 8(3), 173–179. <https://doi.org/10.1016/j.imr.2019.05.006>
- Lolok, N., Yuliastri, W. O., & Abdillah, F. A. (2020). Efek Antidiabetes Kombinasi Ekstrak Etanol Daun Pandan Wangi (*Pandanus amaryllifolius* Roxb.) Dan Daun Salam (*Syzygium polyanthum* Wight.) Pada Tikus Putih Dengan Metode Induksi Aloksan. *Jurnal Mandala Pharmacon Indonesia*, 6(01), 13–29. <https://doi.org/10.35311/jmpi.v6i01.52>
- Luo, Y., Liu, Y., Wen, Q., Feng, Y., & Tan, T. (2021). Comprehensive chemical and metabolic profiling of anti-hyperglycemic active fraction from *Clerodendranthi Spicati* Herba. *Journal of Separation Science*, 44(9), 1805–1814. <https://doi.org/10.1002/jssc.202000834>
- Manna, P., Ghosh, J., Das, J., & Sil, P. C. (2010). Streptozotocin induced activation of oxidative stress responsive splenic cell signaling pathways: Protective role of arjunolic acid. *Toxicology and Applied Pharmacology*, 244(2), 114–129. <https://doi.org/10.1016/j.taap.2009.12.024>
- Marlinda, M., Sangi, M. S., & Wuntu, A. D. (2012). Analisis Senyawa Metabolit Sekunder dan Uji Toksisitas Ekstrak Etanol Biji Buah Alpukat (*Persea americana* Mill.). *Jurnal MIPA*, 1(1), 24. <https://doi.org/10.35799/jm.1.1.2012.427>
- Mohamed, E. A., Ahmad, M., Ang, L. F., Asmawi, M. Z., & Yam, M. F. (2015). Evaluation of α -Glucosidase Inhibitory Effect of 50% Ethanol Standardized Extract of *Orthosiphon stamineus* Benth in Normal and Streptozotocin-Induced Diabetic Rats. *Evidence-Based Complementary and Alternative Medicine*, 2015. <https://doi.org/10.1155/2015/754931>

- Mohamed, Elsnoussi Ali H., Siddiqui, M. J. A., Ang, L. F., Sadikun, A., Chan, S. H., Tan, S. C., Asmawi, M. Z., & Yam, M. F. (2012). Potent α -glucosidase and α -amylase inhibitory activities of standardized 50% ethanolic extracts and sinensetin from *Orthosiphon stamineus* Benth as anti-diabetic mechanism. *BMC Complementary and Alternative Medicine*, 12. <https://doi.org/10.1186/1472-6882-12-176>
- Mohamed, Elsnoussi Ali Hussin, Mohamed, A. J., Asmawi, M. Z., Sadikun, A., Ebrika, O. S., & Yam, M. F. (2011). Antihyperglycemic effect of orthosiphon stamineus benth leaves extract and its bioassay-guided fractions. *Molecules*, 16(5), 3787–3801. <https://doi.org/10.3390/molecules16053787>
- Mohamed, Elsnoussi Ali Hussin, Yam, M. F., Ang, L. F., Mohamed, A. J., & Asmawi, M. Z. (2013). Antidiabetic Properties and Mechanism of Action of *Orthosiphon stamineus* Benth Bioactive Sub-fraction in Streptozotocin-induced Diabetic Rats. *JAMS Journal of Acupuncture and Meridian Studies*, 6(1), 31–40. <https://doi.org/10.1016/j.jams.2013.01.005>
- Mudiana, D., & Ariyanti, E. E. (2020). Karakterisasi Morfologi Juwet (*Syzygium cumini* [L.] Skeels.) di Kebun Raya Purwodadi. *Buletin Plasma Nutfah*, 26(1), 11.
- Muhammad Adiweni, K. W. A. (2019). Karakterisasi Kandungan Fitokimia Estrak Daun Karamunting (*Melastoma malabathricum* L.) Menggunakan Metode Gas Chromatography Mass Spectrometry (GC-MS). *Journal of Biota*, 4(1), 16.
- Mukti, A. W. (2020). *Open Acces E-Journals*. 02(01), 377–381.
- Ngo, Y. L., Lau, C. H., & Chua, L. S. (2018). Review on rosmarinic acid extraction, fractionation and its anti-diabetic potential. *Food and Chemical Toxicology*, 121, 687–700. <https://doi.org/10.1016/j.fct.2018.09.064>
- Nguyen, P. H., Tuan, H. N., Hoang, D. T., Vu, Q. T., Pham, M. Q., Tran, M. H., & To, D. C. (2019). Glucose uptake stimulatory and PTP1B inhibitory activities of pimarane diterpenes from *orthosiphon stamineus* benth. *Biomolecules*, 9(12), 1–11. <https://doi.org/10.3390/biom9120859>
- Novianti, T., Saleh, C., & Erwin. (2016). Identifikasi Senyawa Metabolit Sekunder Ekstrak n-Heksana Daun Berwarna Merah dari *Syzygium myrtifolium* Walp. *Jurnal Kimia Mulawarman*, 17(November), 1–27.
- Novitasari, A. E., & Romadloni, L. (2015). Efektivitas Infusa Daun Salam Terhadap Kadar Glukosa Darah Sewaktu Penderita Diabetes Mellitus Desa Kalirejo Dukun Gresik. *Journal of Chemical Information and Modeling*,

53(9), 1689–1699.

- Nugroho AE. 2012. *Farmakologi: Obat-Obat Penting Dalam Pembelajaran Ilmu Farmasi & Dunia Kesehatan*. Yogyakarta : Pustaka Pelajar
- Of, D., & Mellitus, D. (2014). Diagnosis and classification of diabetes mellitus. *Diabetes Care*, 37(SUPPL.1), 81–90. <https://doi.org/10.2337/dc14-S081>
- Pratiwi, E. (2010). *Perbandingan metode maserasi, remaserasi, perkolasi dan reperkolasi dalam ekstraksi senyawa aktif Andrographolide dari tanaman sambiloto (Andrographis paniculata (Burm. f.) nees)*.
- Prawitasari, D. S. (2019). Diabetes Melitus dan Antioksidan. *KELUWIH: Jurnal Kesehatan Dan Kedokteran*, 1(1), 48–52. <https://doi.org/10.24123/kesdok.v1i1.2496>
- Rahmah, A., Ibrahim, A., & Rahmawati, D. (2015). *Efek Antihiperglikemik Kombinasi Ekstrak Etanol Daun Mengkudu (Morinda Citrifolia L) Dan Daun Jambu Biji (Psidium Guajava L) Pada Tikus Putih (Rattus Norvegicus) Yang Diinduksi Aloksan*. 157–161. <https://doi.org/10.25026/mpc.v2i1.54>
- Ramalingam, S., Karuppiah, M., & Thiruppathi, M. (2020). Antihyperglycaemic potential of rosmarinic acid attenuates glycoprotein moiety in high-fat diet and streptozotocin-induced diabetic rats. *All Life*, 13(1), 120–130. <https://doi.org/10.1080/26895293.2020.1733104>
- Restyana NF. 2015. Diabetes Melitus Tipe 2 .*J Majority*, Volume 4 Nomor 5.
- Robinson, Trevor. 1995. *Kandungan Organik Tumbuhan Tinggi, Terjemahan Kokasih*. Padmawinata. Bandung : Penerbit ITB Bandung.
- Roudotuljannah Nur, Y. A. (2019). Studi Etnofarmasi Tumbuhan Yang Berkhasiat Obat Di Kampung Adat Cireunde. *HERBAPHARMA : Journal of Herbs and Pharmacological*, 1(Vol 1 No 2 (2019): Volume 1 Nomor 2 Desember 2019), 44–51. <http://ojs.stikes-muhammadiyahku.ac.id/index.php/herbapharma/article/view/110>
- Santos, F. A., Frota, J. T., Arruda, B. R., De Melo, T. S., Da Silva, A. A. D. C. A., Brito, G. A. D. C., Chaves, M. H., & Rao, V. S. (2012). Antihyperglycemic and hypolipidemic effects of α,β -amyrin, a triterpenoid mixture from *Protium heptaphyllum* in mice. *Lipids in Health and Disease*, 11, 1–8. <https://doi.org/10.1186/1476-511X-11-98>
- Sari, I. W., Junaidin, & Pratiwi, D. (2020). MOLECULAR DOCKING STUDY FLAVONOID COMPOUNDS FROM KUMIS KUCING (*Orthosiphon stamineus* B.) IN α -GLUKOSIDASE RECEPTOR AS ANTIDIABETIC

TYPE 2. *Jurnal Farmagazine*, VII(2), 54–60.

- Sarkar, P., Nath, K., & Banu, S. (2019). Modulatory effect of baicalein on gene expression and activity of antioxidant enzymes in streptozotocin-nicotinamide induced diabetic rats. *Brazilian Journal of Pharmaceutical Sciences*, 55. <https://doi.org/10.1590/s2175-97902019000118201>
- Seyedan, A., Alshawsh, M. A., Alshagga, M. A., & Mohamed, Z. (2017). Antiobesity and Lipid Lowering Effects of Orthosiphon stamineus in High-Fat Diet-Induced Obese Mice. *Planta Medica*, 83(8), 684–692. <https://doi.org/10.1055/s-0042-121754>
- Sikana, A. M., Ningsih, N. F., Saputri, M. R., Wandani, S. A., & Ambarwati, R. (2016). Pemanfaatan Limbah Cangkang Kupang Sebagai Sumber Kitin dan Kitosan. *Sains & Matematika*, 4(2).
- Sinata, N., & Arifin, H. (2016). Antidiabetes dari Fraksi Air Daun Karamunting (*Rhodomyrtus tomentosa* (Ait.) Hassk.) Terhadap Kadar Glukosa Darah Mencit Diabetes. *Jurnal Sains Farmasi & Klinis*, 3(1), 72. <https://doi.org/10.29208/jsfk.2016.3.1.102>
- Song, Y., Wu, T., Yang, Q., Chen, X., Wang, M., Wang, Y., Peng, X., & Ou, S. (2014). Ferulic acid alleviates the symptoms of diabetes in obese rats. *Journal of Functional Foods*, 9(1), 141–147. <https://doi.org/10.1016/j.jff.2014.04.007>
- Sriplang, K., Adisakwattana, S., Rungsipipat, A., & Yibchok-anun, S. (2007). Effects of Orthosiphon stamineus aqueous extract on plasma glucose concentration and lipid profile in normal and streptozotocin-induced diabetic rats. *Journal of Ethnopharmacology*, 109(3), 510–514. <https://doi.org/10.1016/j.jep.2006.08.027>
- Sumekar, D. W., & Barawa, A. T. P. (2016). Orthosiphon stamineus sebagai Terapi Herbal Diabetes Melitus. *Jurnal Majority*, 5(3), 28–32.
- Szkudelski, T. (2001) The Mechanism of Alloxan and Streptozotocin Action in β -Cells of the Rat Pancreas. *Physiological Research*, 50, 537-546.
- Tambunan, R. M., & Juliyanti, W. D. (2018). α -GLUCOSIDASE INHIBITORY ACTIVITY AND FORMULATION OF SOLID LIPID NANOPARTICLE CONTAINING ETHANOL 70% STANDARDIZED EXTRACT OF KUMIS KUCING LEAVES (*Orthosiphon stamineus* Benth.). *Jurnal Ilmu Kefarmasian Indonesia*, 16(1), 45. <https://doi.org/10.35814/jifi.v16i1.485>
- Vinothiya, K., & Ashokkumar, N. (2017). Modulatory effect of vanillic acid on antioxidant status in high fat diet-induced changes in diabetic hypertensive

- rats. *Biomedicine and Pharmacotherapy*, 87, 640–652. <https://doi.org/10.1016/j.biopha.2016.12.134>
- Wang, J., Zhao, J., Yan, Y., Liu, D., Wang, C., & Wang, H. (2020). Inhibition of glycosidase by ursolic acid: in vitro, in vivo and in silico study. In *Journal of the Science of Food and Agriculture* (Vol. 100, Issue 3). <https://doi.org/10.1002/jsfa.10098>
- Wen, Y. J., & Yin, M. C. (2017). The anti-inflammatory and anti-glycative effects of rosmarinic acid in the livers of type 1 diabetic mice. *BioMedicine (France)*, 7(3), 37–41. <https://doi.org/10.1051/bmdcn/2017070319>
- Wu, J. Bin, Kuo, Y. H., Lin, C. H., Ho, H. Y., & Shih, C. C. (2014). Tormentonic Acid, a major component of suspension cells of *eriobotrya japonica*, suppresses high-fat diet-induced diabetes and hyperlipidemia by glucose transporter 4 and amp-activated protein kinase phosphorylation. *Journal of Agricultural and Food Chemistry*, 62(44), 10717–10726. <https://doi.org/10.1021/jf503334d>
- Yang, Z., Huang, W., Zhang, J., Xie, M., & Wang, X. (2019). Baicalein improves glucose metabolism in insulin resistant HepG2 cells. *European Journal of Pharmacology*, 854, 187–193. <https://doi.org/10.1016/j.ejphar.2019.04.005>
- Zainudin, R., Zaini, F., Mona, R., Firdous, J., & Muhamad, N. (2018). Does *Orthosiphon stamineus* Benth. enhance GLUT4 translocation in the skeletal muscle of induced type II diabetic rats? *National Journal of Physiology, Pharmacy and Pharmacology*, 8(7), 1. <https://doi.org/10.5455/njppp.2018.8.1041326032018>
- Zhu, C., Niu, H., Nie, A., & Bian, M. (2021). Bioactivity-guided separation of potential α -glycosidase inhibitor from *clerodendranthus spicatus* based on HSCCC coupled with molecular docking. *Scientific Reports*, 11(1), 1–12. <https://doi.org/10.1038/s41598-021-86379-9>
- Zhou, Y., Fang, R., Liu, L. H., Chen, S. Di, & Tang, H. D. (2015). Clinical characteristics for the relationship between type-2 diabetes mellitus and cognitive impairment: A cross-sectional study. *Aging and Disease*, 6(4), 236–244. <https://doi.org/10.14336/AD.2014.1004>