

INTISARI

EVALUASI PENGGUNAAN OBAT ANTIPLATELET PADA PASIEN STROKE ISKEMIK DI INSTALASI RAWAT INAP RSUD KARANGANYAR TAHUN 2016, KARYA TULIS ILMIAH, FAKULTAS FARMASI, UNIVERSITAS SETIA BUDI, SURAKARTA.

Stroke adalah suatu sindrom yang ditandai dengan gejala dan atau tanda klinis yang berkembang dengan cepat yang berupa gangguan fungsional otak fokal maupun global yang berlangsung lebih dari 24 jam. Penelitian ini bertujuan untuk mengetahui antiplatelet yang paling banyak digunakan dan kesesuaian penggunaan obat antiplatelet pada pasien stroke iskemik di Instalasi Rawat Inap RSUD Karanganyar tahun 2016.

Metode yang digunakan dalam penelitian ini adalah deskriptif yang bersifat noneksperimental, dengan cara pengambilan data secara retrospektif dari rekam medik pasien Stroke Iskemik. Data yang digunakan adalah jenis kelamin, umur, diagnosa, obat, dosis, dan lamanya perawatan. Data yang didapat sebanyak 86 pasien kemudian dikelompokkan berdasarkan indikasi, dianalisis dibandingkan dengan PERDOSSI dan Formularium Rumah Sakit.

Dari hasil penelitan didapatkan hasil penggunaan obat antiplatelet pada pasien stroke iskemik di Instalasi Rawat Inap RSUD Karanganyar tahun 2016 yang paling banyak adalah clopidogrel dan kesesuaian penggunaan obat antiplatelet adalah 100%.

Kata kunci: Stroke Iskemik, Rawat Inap, Deskriptif, Rumah Sakit.

ABSTRACT

EVALUATION OF USE OF ANTIPLATELET DRUGS IN PATIENT OF ISCHEMIA STROKE IN INSTALATION OF INPATIEN HOSPITAL KARANGANYAR 2016, SCIENTIFICPAPER, FACULTY OF PHARMACY, UNIVERSITY SETIA BUDI, SURAKARTA

Stroke is a metabolic disorder characterized by high blood glucose level or insulin resistance. Stroke is a syndrome characterized by symptoms and / or clinical signs that develop rapidly in the form of functional disorders of the focal or global brain that lasted more than 24 hours. This research aimed to determine the most widely used antiplatelet drugs and the appropriateness of use of antiplatelet drugs in patient of ischemia stroke in installation of inpatient Hospital in Karanganyar in 2016.

The method used in this study was non-experimental descriptive, with retrospective retrieval data from medical records of patients with Ischemic Stroke. The data used were sex, age, diagnose, drug, dose, and the duration of treatment. The data obtained were 86 patients then grouped by indication, analyzed compared with PERDOSSI and Hospital Formulary.

From result of the research obtained the results of the use of antiplatelet drugs of Ischemic Stroke at Inpatient Installation of Karanganyar General Hospital in 2016 the most is clopidogrel and the appropriateness of use of antiplatelet drugs is 100%

Keywords: Ischemia Stroke, Hospitalization, Diskriptif, Hospital.