

DAFTAR PUSTAKA

- Abourashed, E. A., & El-Alfy, A. T. 2016. Chemical diversity and pharmacological significance of the secondary metabolites of nutmeg (*Myristica fragrans* Houtt.). *Phytochemistry Reviews* 15(6): 1035–1056. <https://doi.org/10.1007/s11101-016-9469-x>
- Afendi, F. M., Okada, T., Yamazaki, M., Hirai-Morita, A., Nakamura, Y., Nakamura, K., Ikeda, S., Takahashi, H., Altaf-Ul-Amin, M., Darusman, L. K., Saito, K., & Kanaya, S. 2012. KNAPSAcK family databases: Integrated metabolite-plant species databases for multifaceted plant research. *Plant and Cell Physiology* 53(2). <https://doi.org/10.1093/pcp/pcr165>
- Albizu, L., Holloway, T., González-Maeso, J., & Sealfon, S. C. 2011. Functional crosstalk and heteromerization of serotonin 5-HT_{2A} and dopamine D₂ receptors. *Neuropharmacology* 61(4): 770–777. <https://doi.org/10.1016/j.neuropharm.2011.05.023>
- Amaghnouje, A., Mechchate, H., Es-Safi, I., Boukhira, S., Aliqahtani, A. S., Noman, O. M., Nasr, F. A., Conte, R., Calarco, A., & Boustia, D. 2020. Subacute assessment of the toxicity and antidepressant-like effects of *origanum majorana* L. Polyphenols in Swiss albino mice. *Molecules* 25(23): 1-9. <https://doi.org/10.3390/molecules25235653>
- Ansory, H. M., Putri, P. K. K., & Nilawati, A. 2020. The analysis of nutmeg mace essential oil compound using gc-ms and antibacterial activity test toward *Ecschericia coli* and *Staphylococcus aureus*. *Majalah Farmaseutik* 16(1): 1-8.
- Bair, M. J., Robinson, R. L., Katon, W., & Kroenke, K. 2003. Depression and pain comorbidity: a literature review. *Archives of internal medicine* 163(20): 2433–2445. <https://doi.org/10.1001/archinte.163.20.2433>
- Baker, G. B., Coutts, R. T., Mckenna, K. F., & Sherry-Mckenna, R. L. 1992. Insights into the Mechanisms of Action of the MAO Inhibitors Phenelzine and Tranylcypromine: A Review 17(5): 206-214.
- Bandaruk, Y., Mukai, R., Kawamura, T., Nemoto, H., & Terao, J. 2012. Evaluation of the inhibitory effects of quercetin-related flavonoids and tea catechins on the monoamine oxidase-A reaction in mouse brain mitochondria. *Journal of agricultural*

- and food chemistry* 60(41): 10270–10277.
<https://doi.org/10.1021/jf303055b>
- Bansal, H. I. N. A., & Jabalia, N. E. E. T. U. 2017. In silico characterization and molecular modeling of sodium dependent serotonin transporter protein from Homo sapiens. *Asian Journal of Pharmaceutical and Clinical Research* 10: 299–303.
- Bateman, A., Martin, M. J., O'Donovan, C., Magrane, M., Alpi, E., Antunes, R., Bely, B., Bingley, M., Bonilla, C., Britto, R., Bursteinas, B., Bye-AJee, H., Cowley, A., Da Silva, A., De Giorgi, M., Dogan, T., Fazzini, F., Castro, L. G., Figueira, L., Zhang, J. 2017. UniProt: The universal protein knowledgebase. *Nucleic Acids Research* 45(D1): D158–D169.
<https://doi.org/10.1093/nar/gkw1099>
- Bertocci, B., Miggiano, V., Da Prada, M., Dembic, Z., Lahm, H. W., & Malherbe, P. 1991. Human catechol-O-methyltransferase: cloning and expression of the membrane-associated form. *Proceedings of the National Academy of Sciences of the United States of America* 88(4): 1416–1420.
<https://doi.org/10.1073/pnas.88.4.1416>
- Bhat, S., Dao, D. T., Terrillion, C. E., Arad, M., Smith, R. J., Soldatov, N. M., & Gould, T. D. 2012. CACNA1C (Cav1.2) in the pathophysiology of psychiatric disease. *Neurobiology* 99(1): 1–14. <https://doi.org/10.1016/j.pneurobio.2012.06.001>
- Bondy, B. 2002. Pathophysiology of Depression and Mechanisms of Treatment. *Dialogues in Clinical Neuroscience* 4(1): 7–20.
- Borbély, G., Szabadkai, I., Horváth, Z., Markó, P., Varga, Z., Breza, N., Baska, F., Vántus, T., Huszár, M., Geiszt, M., Hunyady, L., Buday, L., Orfi, L., & Kéri, G. 2010. Small-molecule inhibitors of NADPH oxidase 4. *Journal of medicinal chemistry* 53(18): 6758–6762. <https://doi.org/10.1021/jm1004368>
- Barua, S., Kuizon, S., Chadman, K. K., Brown, W. T., & Junaid, M. A. 2015. Microarray analysis reveals higher gestational folic Acid alters expression of genes in the cerebellum of mice offspring-a pilot study. *Brain sciences* 5(1): 14–31.
<https://doi.org/10.3390/brainsci5010014>
- Brigitta, B. 2022. Pathophysiology of depression and mechanisms of treatment. *Dialogues in clinical neuroscience*.

- Chandran U, Mehendale N, Patil S, Chaguturu R, Patwardhan B. 2017. Network Pharmacology. *Innovative Approaches in Drug Discovery* 5: 127–64. <https://doi.org/10.1016/B978-0-12-801814-9.00005-2>
- Cao, X., Jiang, J., Zhang, S., Zhu, L., Zou, J., Diao, Y., Xiao, W., Shan, L., Sun, H., Zhang, W., Huang, J., & Li, H. 2013. Discovery of natural estrogen receptor modulators with structure-based virtual screening. *Bioorganic & medicinal chemistry letters* 23(11): 3329–3333. <https://doi.org/10.1016/j.bmcl.2013.03.105>
- Chaurasiya, N. D., Gogineni, V., Elokely, K. M., León, F., Núñez, M. J., Klein, M. L., Walker, L. A., Cutler, S. J., & Tekwani, B. L. 2016. Isolation of Acacetin from *Calea urticifolia* with Inhibitory Properties against Human Monoamine Oxidase-A and -B. *Journal of natural products* 79(10): 2538–2544. <https://doi.org/10.1021/acs.jnatprod.6b00440>
- Chaves, D. S. A., Frattani, F. S., Assafim, M., Paula De Almeida, A., Zingali, R. B., & Costa, S. S. 2011. Phenolic Chemical Composition of *Petroselinum crispum* Extract and Its Effect on Haemostasis. *Natural Product Communications* 6(7): 961–964
- Chiang, L. C., Ng, L. T., Lin, I. C., Kuo, P. L., & Lin, C. C. 2006. Anti-proliferative effect of apigenin and its apoptotic induction in human Hep G2 cells. *Cancer letters* 237(2): 207–214. <https://doi.org/10.1016/j.canlet.2005.06.002>
- Coleman, J. A., Green, E. M., & Gouaux, E. 2016. X-ray structures and mechanism of the human serotonin transporter. *Nature* 532(7599): 334–339. <https://doi.org/10.1038/nature17629>
- Czczuga-Semeniuk, E., Jarzabek, K., Lemancewicz, D., & Wołczyński, S. 2009. The vitamin A family can significantly decrease the expression of ERbeta of ERs positive breast cancer cells in the presence or absence of ER ligands and paclitaxel. *Gynecological endocrinology* 25(5): 287–293. <https://doi.org/10.1080/09513590802530924>
- Czermak, C., Lehofer, M., Liebmann, P. M., & Traynor, J. 2006. [35S]GTPgammaS binding at the human dopamine D4 receptor variants hD4.2, hD4.4 and hD4.7 following stimulation by dopamine, epinephrine and norepinephrine. *European journal of pharmacology* 531(1-3): 20–24. <https://doi.org/10.1016/j.ejphar.2005.11.063>

- Dell'Osso, B., Buoli, M., Baldwin, D. S., & Altamura, A. C. 2010. Serotonin norepinephrine reuptake inhibitors (SNRIs) in anxiety disorders: A comprehensive review of their clinical efficacy. *Human Psychopharmacology* 25(1): 17–29. <https://doi.org/10.1002/hup.1074>
- Delgado, M. R., Nearing, K. I., Ledoux, J. E., & Phelps, E. A. (2008). Neural circuitry underlying the regulation of conditioned fear and its relation to extinction. *Neuron*, 59(5), 829–838. <https://doi.org/10.1016/j.neuron.2008.06.029>
- Dhingra, D., & Sharma, A. 2006. Antidepressant-like activity of n-hexane extract of nutmeg (*Myristica fragrans*) seeds in mice. *Journal of medicinal food* 9(1): 84–89. <https://doi.org/10.1089/jmf.2006.9.84>
- DiPiro, J. T., Yee, G. C., Posey, L. M., Haines, S. T., Nolin, T. D., & Ellingrod, V. L. 2020. *Pharmacotherapy A Pathophysiologic Approach*. 11th ed. McGraw Hill. New York.
- Dunkel, M., Günther, S., Ahmed, J., Wittig, B., & Preissner, R. 2008. SuperPred: drug classification and target prediction. *Nucleic Acids Research*, 36: W55–W59. <https://doi.org/10.1093/nar/gkn307>
- Es-Safi, I., Mechchate, H., Amaghnouje, A., Jawhari, F. Z., Bari, A., Cerruti, P., Avella, M., Grafov, A., & Boustia, D. 2020. Medicinal plants used to treat acute digestive system problems in the region of fez-meknes in Morocco: An ethnopharmacological survey. *Ethnobotany Research and Applications* 20: 1-14. <https://doi.org/10.32859/era.20.25.1-14>
- Es-Safi, I., Mechchate, H., Amaghnouje, A., Kamaly, O. M. Al, Jawhari, F. Z., Imtara, H., Grafov, A., & Boustia, D. 2021. The potential of parsley polyphenols and their antioxidant capacity to help in the treatment of depression and anxiety: An in vivo subacute study. *Molecules* 26(7): 1-12. <https://doi.org/10.3390/molecules26072009>
- Fan, T., Hu, Y., Xin, J., Zhao, M., & Wang, J. 2020. Analyzing the genes and pathways related to major depressive disorder via a systems biology approach. *Brain and Behavior* 10(2).
- Farzaei, M. H., Abbasabadi, Z., Ardekani, M. R. S., Rahimi, R., & Farzaei, F. 2013. Parsley: a review of ethnopharmacology,

- phytochemistry and biological activities. *Journal of traditional Chinese medicine* 33(6): 815-826.
- Febyan, F., Wijaya, S. H., Tannika, A., & Hudyono, J. 2020. Peranan Sitokin pada Keadaan Stres sebagai Pencetus Depresi. *Jurnal Penyakit Dalam Indonesia* 6(4): 210. <https://doi.org/10.7454/jpdi.v6i4.285>
- Ferraguti, F., Crepaldi, L., & Nicoletti, F. 2008. Metabotropic glutamate 1 receptor: Current concepts and perspectives. *Pharmacological Reviews* 60(4): 536–581. <https://doi.org/10.1124/pr.108.000166>
- Fridrich, D., Teller, N., Esselen, M., Pahlke, G., & Marko, D. 2008. Comparison of delphinidin, quercetin and (-)-epigallocatechin-3-gallate as inhibitors of the EGFR and the ErbB2 receptor phosphorylation. *Molecular nutrition & food research* 52(7): 815–822. <https://doi.org/10.1002/mnfr.200800026>
- Fries, G. R., Saldana, V. A., Finnstein, J., & Rein, T. 2023. Molecular pathways of major depressive disorder converge on the synapse. *Molecular psychiatry* 28(1): 284–297. <https://doi.org/10.1038/s41380-022-01806-1>
- Fu, G., Batchelor, C., Dumontier, M., Hastings, J., Willighagen, E., & Bolton, E. 2015. PubChemRDF: Towards the semantic annotation of PubChem compound and substance databases. *Journal of Cheminformatics* 7(34): 1-15. <https://doi.org/10.1186/s13321-015-0084-4>
- Fulton, B., & Benfield, P. 1996. Moclobemide: an update of its pharmacological properties and therapeutic use. *Drugs* 52: 450-474.
- Gfeller, D., Grosdidier, A., Wirth, M., Daina, A., Michielin, O., & Zoete, V. 2014. SwissTargetPrediction: A web server for target prediction of bioactive small molecules. *Nucleic Acids Research* 42: W32-W38. <https://doi.org/10.1093/nar/gku293>
- Graeff, F. G. 1997. Serotonergic systems. *Psychiatric Clinics of North America* 20(4): 723-739.
- Grimsby, J., Chen, K., Wang, L. J., Lan, N. C., & Shih, J. C. 1991. Human monoamine oxidase A and B genes exhibit identical exon-intron organization. *Proceedings of the National Academy of Sciences of the United States of America* 88(9): 3637–3641. <https://doi.org/10.1073/pnas.88.9.3637>

- Gu, C., Stashko, M. A., Puhl-Rubio, A. C., Chakraborty, M., Chakraborty, A., Frye, S. V., Pearce, K. H., Wang, X., Shears, S. B., & Wang, H. 2019. Inhibition of Inositol Polyphosphate Kinases by Quercetin and Related Flavonoids: A Structure-Activity Analysis. *Journal of medicinal chemistry* 62(3): 1443–1454. <https://doi.org/10.1021/acs.jmedchem.8b01593>
- Ha, doT., Tuan, D. T., Thu, N. B., Nhiem, N. X., Ngoc, T. M., Yim, N., & Bae, K. 2009. Palbinone and triterpenes from Moutan Cortex (*Paeonia suffruticosa*, Paeoniaceae) stimulate glucose uptake and glycogen synthesis via activation of AMPK in insulin-resistant human HepG2 Cells. *Bioorganic & medicinal chemistry letters* 19(19): 5556–5559. <https://doi.org/10.1016/j.bmcl.2009.08.048>
- Ha, M. T., Vu, N. K., Tran, T. H., Kim, J. A., Woo, M. H., & Min, B. S. 2020. Phytochemical and pharmacological properties of *Myristica fragrans* Houtt.: an updated review. *Archives of Pharmacal Research* 43(11): 1067–1092. <https://doi.org/10.1007/s12272-020-01285-4>
- Heluany, C. S., Donate, P. B., Schneider, A. H., Fabris, A. L., Gomes, R. A., Villas-Boas, I. M., Tambourgi, D. V., Silva, T. A. D., Trossini, G. H. G., Nalesso, G., Silveira, E. L. V., Cunha, F. Q., & Farsky, S. H. P. 2021. Hydroquinone Exposure Worsens Rheumatoid Arthritis through the Activation of the Aryl Hydrocarbon Receptor and Interleukin-17 Pathways. *Antioxidants* 10(6): 929. <https://doi.org/10.3390/antiox10060929>
- Hillhouse, T. M., & Porter, J. H. 2015. A brief history of the development of antidepressant drugs: From monoamines to glutamate. *Experimental and Clinical Psychopharmacology* 23(1): 1–21. <https://doi.org/10.1037/a0038550>
- Hopkins, A. L. 2007. Network Pharmacology. *NATURE BIOTECHNOLOGY* 25. <http://www.nature.com/naturebiotechnology>
- Hopkins, A. L. 2008. Network pharmacology: The next paradigm in drug discovery. *Nature Chemical Biology* 4(11): 682–690. <https://doi.org/10.1038/nchembio.118>
- Farzaei, M. H., Abbasabadi, Z., Ardekani, M. R., Rahimi, R., & Farzaei, F. 2013. Parsley: a review of ethnopharmacology, phytochemistry and biological activities. *Journal of traditional*

Chinese medicine 33(6): 815–826.
[https://doi.org/10.1016/s0254-6272\(14\)60018-2](https://doi.org/10.1016/s0254-6272(14)60018-2)

- Houck, K. A., Simha, A., Bone, A., Doering, J. A., Vliet, S. M. F., LaLone, C., Medvedev, A., & Makarov, S. 2021. Evaluation of a multiplexed, multispecies nuclear receptor assay for chemical hazard assessment. *Toxicology in vitro : an international journal published in association with BIBRA* 72: 105016. <https://doi.org/10.1016/j.tiv.2020.105016>
- Ishii, T., Mori, T., Ichikawa, T., Kaku, M., Kusaka, K., Uekusa, Y., Akagawa, M., Aihara, Y., Furuta, T., Wakimoto, T., Kan, T., & Nakayama, T. 2010. Structural characteristics of green tea catechins for formation of protein carbonyl in human serum albumin. *Bioorganic & medicinal chemistry* 18(14): 4892–4896. <https://doi.org/10.1016/j.bmc.2010.06.021>
- Ito, M. 2002. The molecular organization of cerebellar long-term depression. *Nature Reviews Neuroscience* 3(11): 896–902. <https://doi.org/10.1038/nrn962>
- Jacobs, J. M., Traeger, L., Eusebio, J., Simon, N. M., Sequist, L. V., Greer, J. A., Temel, J. S., & Pirl, W. F. 2017. Depression, inflammation, and epidermal growth factor receptor (EGFR) status in metastatic non-small cell lung cancer: A pilot study. *Journal of psychosomatic research* 99: 28–33. <https://doi.org/10.1016/j.jpsychores.2017.05.009>
- Jiang, W., Luo, T., Li, S., Zhou, Y., Shen, X. Y., He, F., Xu, J., & Wang, H. Q. 2016. Quercetin Protects against Okadaic Acid-Induced Injury via MAPK and PI3K/Akt/GSK3 β Signaling Pathways in HT22 Hippocampal Neurons. *PloS one* 11(4): e0152371. <https://doi.org/10.1371/journal.pone.0152371>
- Kanehisa, M., Furumichi, M., Tanabe, M., Sato, Y., & Morishima, K. 2017. KEGG: New perspectives on genomes, pathways, diseases and drugs. *Nucleic Acids Research* 45(D1): D353–D361. <https://doi.org/10.1093/nar/gkw1092>
- Kasture, S. B., & Gujar, K. N. 2005. Depressant effect of trimyristin and its inhibition by some antidepressants in mice. *Acta Horti* 675: 147–152. <https://doi.org/10.17660/ActaHortic.2005.675.21>
- Keiser, M. J., Setola, V., Irwin, J. J., Laggner, C., Abbas, A. I., Hufeisen, S. J., Jensen, N. H., Kuijter, M. B., Matos, R. C., Tran, T. B., Whaley, R., Glennon, R. A., Hert, J., Thomas, K.

- L. H., Edwards, D. D., Shoichet, B. K., & Roth, B. L. 2009. Predicting new molecular targets for known drugs. *Nature* 462(7270): 175–181. <https://doi.org/10.1038/nature08506>
- Keith, C. T., Borisy, A. A., & Stockwell, B. R. 2005. Multicomponent therapeutics for networked systems. *Nature Reviews Drug Discovery* 4: 1–8.
- Ketchesin, K. D., Stinnett, G. S., & Seasholtz, A. F. 2017. Corticotropin-releasing hormone-binding protein and stress: from invertebrates to humans. *Stress* (Amsterdam, Netherlands) 20(5): 449–464. <https://doi.org/10.1080/10253890.2017.1322575>
- Ko, J. H., & Strafella, A. P. 2012. Dopaminergic neurotransmission in the human brain: new lessons from perturbation and imaging. *The Neuroscientist : a review journal bringing neurobiology, neurology and psychiatry* 18(2): 149–168. <https://doi.org/10.1177/1073858411401413>
- Koyama, S., Wada-Hiraike, O., Nakagawa, S., Tanikawa, M., Hiraike, H., Miyamoto, Y., Sone, K., Oda, K., Fukuhara, H., Nakagawa, K., Kato, S., Yano, T., & Taketani, Y. 2010. Repression of estrogen receptor beta function by putative tumor suppressor DBC1. *Biochemical and biophysical research communications* 392(3): 357–362. <https://doi.org/10.1016/j.bbrc.2010.01.025>
- Kuiper, G. G., Lemmen, J. G., Carlsson, B., Corton, J. C., Safe, S. H., van der Saag, P. T., van der Burg, B., & Gustafsson, J. A. 1998. Interaction of estrogenic chemicals and phytoestrogens with estrogen receptor beta. *Endocrinology* 139(10): 4252–4263. <https://doi.org/10.1210/endo.139.10.6216>
- Kuhn, M., von Mering, C., Campillos, M., Jensen, L. J., & Bork, P. 2008. STITCH: Interaction networks of chemicals and proteins. *Nucleic Acids Research* 36(1). <https://doi.org/10.1093/nar/gkm795>
- Lacy, C., Armstrong, L., Ingram, N., Lance, L., & editors. 2006. *Drug information handbook: a comprehensive resource for all clinicians and healthcare professionals* (17 th). Lexi-Comp Inc: New York.
- Lamba, V., Yasuda, K., Lamba, J. K., Assem, M., Davila, J., Strom, S., & Schuetz, E. G. (2004). PXR (NR1I2): splice variants in human tissues, including brain, and identification of

- neurosteroids and nicotine as PXR activators. *Toxicology and applied pharmacology*, 199(3), 251–265.
<https://doi.org/10.1016/j.taap.2003.12.027>
- Larsson, J., Gottfries, J., Bohlin, L., & Backlund, A. 2005. Expanding the ChemGPS chemical space with natural products. *Journal of natural products* 68(7): 985–991.
<https://doi.org/10.1021/np049655u>
- Lau, A. J., & Chang, T. K. 2015. 3-Hydroxyflavone and structural analogues differentially activate pregnane X receptor: Implication for inflammatory bowel disease. *Pharmacological research* 100: 64–72.
<https://doi.org/10.1016/j.phrs.2015.07.031>
- Levinson, D. F. 2006. The Genetics of Depression: A Review. *Biological Psychiatry* 60(2): 84–92.
<https://doi.org/10.1016/j.biopsych.2005.08.024>
- Li, Q., Cheng, T., Wang, Y., & Bryant, S. H. 2010. PubChem as a public resource for drug discovery. *Drug Discovery Today* 15(23–24): 1052–1057.
<https://doi.org/10.1016/j.drudis.2010.10.003>
- Li, S., Zhang, B., & Zhang, N. 2011. Network target for screening synergistic drug combinations with application to traditional Chinese medicine. *BMC Systems Biology* 5(SUPPL. 1).
<https://doi.org/10.1186/1752-0509-5-S1-S10>
- Li, Y. C., & Gao, W. J. 2011. GSK-3 β activity and hyperdopamine-dependent behaviors. *Neuroscience & Biobehavioral Reviews* 35(3): 645–654.
<https://doi.org/10.1016/j.neubiorev.2010.08.001>
- Li, Y., Tan, W. L., Guo, K., Gao, X. W., Wei, J., Yi, D., Zhang, C., & Wang, Q. 2021. Synthesis and Biological Evaluation of Falcarinol-Type Analogues as Potential Calcium Channel Blockers. *Journal of natural products* 84(8): 2138–2148.
<https://doi.org/10.1021/acs.jnatprod.1c00136>
- Liang, Q., He, J., Zhao, X., Xue, Y., Zuo, H., Xu, R., Jin, Y., Wang, J., Li, Q., & Zhao, X. 2021. Selective Discovery of GPCR Ligands within DNA-Encoded Chemical Libraries Derived from Natural Products: A Case Study on Antagonists of Angiotensin II Type I Receptor. *Journal of medicinal chemistry*, 64(7): 4196–4205. <https://doi.org/10.1021/acs.jmedchem.1c00123>

- Lochmann, D., & Richardson, T. 2019. Selective Serotonin Reuptake Inhibitors. *Handbook of Experimental Pharmacology* 250: 135–144). Springer New York LLC. https://doi.org/10.1007/164_2018_172
- Loke, W. M., Proudfoot, J. M., Stewart, S., McKinley, A. J., Needs, P. W., Kroon, P. A., Hodgson, J. M., & Croft, K. D. 2008. Metabolic transformation has a profound effect on anti-inflammatory activity of flavonoids such as quercetin: lack of association between antioxidant and lipoxygenase inhibitory activity. *Biochemical pharmacology* 75(5): 1045–1053. <https://doi.org/10.1016/j.bcp.2007.11.002>
- Lu, H., Chang, D. J., Baratte, B., Meijer, L., & Schulze-Gahmen, U. 2005. Crystal structure of a human cyclin-dependent kinase 6 complex with a flavonol inhibitor, fisetin. *Journal of medicinal chemistry* 48(3): 737–743. <https://doi.org/10.1021/jm049353p>
- Lucido, M. J., Orlando, B. J., Vecchio, A. J., & Malkowski, M. G. 2016. Crystal Structure of Aspirin-Acetylated Human Cyclooxygenase-2: Insight into the Formation of Products with Reversed Stereochemistry. *Biochemistry* 55(8): 1226–1238. <https://doi.org/10.1021/acs.biochem.5b01378>
- Ma, R., Ma, Y., Li, C., & Tong, L. 2022. Potential mechanism exploration of San Wei Tan Xiang capsule for depression treatment by network pharmacology and molecular docking. *Medicine in Novel Technology and Devices* 16. <https://doi.org/10.1016/j.medntd.2022.100160>
- Mertens-Talcott, S. U., Bomser, J. A., Romero, C., Talcott, S. T., & Percival, S. S. 2005. Ellagic acid potentiates the effect of quercetin on p21waf1/cip1, p53, and MAP-kinases without affecting intracellular generation of reactive oxygen species in vitro. *The Journal of nutrition* 135(3): 609–614. <https://doi.org/10.1093/jn/135.3.609>
- Miller, M. W., Wolf, E. J., Sadeh, N., Logue, M., Spielberg, J. M., Hayes, J. P., Sperbeck, E., Schichman, S. A., Stone, A., Carter, W. C., Humphries, D. E., Milberg, W., & McGlinchey, R. 2015. A novel locus in the oxidative stress-related gene ALOX12 moderates the association between PTSD and thickness of the prefrontal cortex. *Psychoneuroendocrinology* 62: 359–365. <https://doi.org/10.1016/j.psyneuen.2015.09.003>

- Moinuddin, G., Devi, K., & Kumar Khajuria, D. 2011. Evaluation of the anti-depressant activity of *Myristica fragrans* (Nutmeg) in male rats Antidepressant activity of *Myristica fragrans*. *Avicenna Journal of Phytomedicine Received* 2(2).
- Molli, P. R., Singh, R. R., Lee, S. W., & Kumar, R. 2008. MTA1-mediated transcriptional repression of BRCA1 tumor suppressor gene. *Oncogene* 27(14): 1971–1980. <https://doi.org/10.1038/sj.onc.1210839>
- Müller N. 2019. COX-2 Inhibitors, Aspirin, and Other Potential Anti-Inflammatory Treatments for Psychiatric Disorders. *Frontiers in psychiatry* 10: 375. <https://doi.org/10.3389/fpsyt.2019.00375>
- Müller, N., Schennach, R., Riedel, M., & Möller, H. J. 2008. Duloxetine in the treatment of major psychiatric and neuropathic disorders. *Neurotherapeutics* 8(4): 527-536.
- Nahrstedt, A., & Butterweck, V. 2010. Lessons learned from herbal medicinal products: the example of St. John's Wort (perpendicular). *Journal of natural products* 73(5): 1015–1021. <https://doi.org/10.1021/np1000329>
- Navarro-Núñez, L., Rivera, J., Guerrero, J. A., Martínez, C., Vicente, V., & Lozano, M. L. 2009. Differential effects of quercetin, apigenin and genistein on signalling pathways of protease-activated receptors PAR(1) and PAR(4) in platelets. *British journal of pharmacology* 158(6): 1548–1556. <https://doi.org/10.1111/j.1476-5381.2009.00440.x>
- O'Carroll, A. M., Bardsley, M. E., & Tipton, K. F. 1986. The oxidation of adrenaline and noradrenaline by the two forms of monoamine oxidase from human and rat brain. *Neurochemistry international* 8(4): 493–500. [https://doi.org/10.1016/0197-0186\(86\)90182-8](https://doi.org/10.1016/0197-0186(86)90182-8)
- Olayinka, J. N., Akawa, O. B., Ogbu, E. K., Eduviere, A. T., Ozolua, R. I., & Soliman, M. 2023. Apigenin attenuates depressive-like behavior via modulating monoamine oxidase A enzyme activity in chronically stressed mice. *Pharmacology and drug discovery* 5: 100161. <https://doi.org/10.1016/j.crphar.2023.100161>
- Oliveri V. 2019. Toward the discovery and development of effective modulators of α -synuclein amyloid aggregation. *European*

- journal of medicinal chemistry* 167: 10–36.
<https://doi.org/10.1016/j.ejmech.2019.01.045>
- Pan, C. H., Chen, S. Y., Wang, J. Y., Tsao, S. P., Huang, H. Y., Wei-Chen Chiu, P., & Wu, C. H. 2020. Sclareol ameliorated ERCC1-mediated cisplatin resistance in A549 human lung adenocarcinoma cells and a murine xenograft tumor model by suppressing AKT-GSK3 β -AP1/Snail and JNK-AP1 pathways. *Chemico-biological interactions* 332: 109304.
<https://doi.org/10.1016/j.cbi.2020.109304>
- Patel, R., Spreng, R. N., Shin, L. M., & Girard, T. A. 2012. Neurocircuitry models of posttraumatic stress disorder and beyond: a meta-analysis of functional neuroimaging studies. *Neuroscience and biobehavioral reviews* 36(9): 2130–2142.
<https://doi.org/10.1016/j.neubiorev.2012.06.003>
- Peltzer, K., & Pengpid, S. 2018. High prevalence of depressive symptoms in a national sample of adults in Indonesia: Childhood adversity, sociodemographic factors and health risk behaviour. *Asian Journal of Psychiatry* 33: 52–59.
<https://doi.org/10.1016/j.ajp.2018.03.017>
- Piñero, J., Queralt-Rosinach, N., Bravo, A., Deu-Pons, J., Bauer-Mehren, A., Baron, M., ... & Furlong, L. I. 2015. DisGeNET: a discovery platform for the dynamical exploration of human diseases and their genes. *Database* 2015, bav028.
<https://doi.org/10.1093/database/bav028>
- Piñero, J., Saüch, J., Sanz, F., & Furlong, L. I. 2021. The DisGeNET cytoscape app: Exploring and visualizing disease genomics data. *Computational and structural biotechnology journal* 19: 2960–2967. <https://doi.org/10.1016/j.csbj.2021.05.015>
- Piton, A., Poquet, H., Redin, C., Masurel, A., Lauer, J., Muller, J., Thevenon, J., Herenger, Y., Chancenotte, S., Bonnet, M., Pinoit, J. M., Huet, F., Thauvin-Robinet, C., Jaeger, A. S., Le Gras, S., Jost, B., Gérard, B., Peoc'h, K., Launay, J. M., Faivre, L., Mandel, J. L. 2014. 20 ans après: a second mutation in MAOA identified by targeted high-throughput sequencing in a family with altered behavior and cognition. *European journal of human genetics* 22(6): 776–783.
<https://doi.org/10.1038/ejhg.2013.243>
- Reynolds, C.F.I.I.I., Butters, M.A., Lopez, O. 2011. Maintenance treatment of depression in old age: a randomized, double blind,

placebo-controlled evaluation of the efficacy and safety of donepezil combined with antidepressant pharmacotherapy. *Arch. Gen. Psychiatry* 68: 51–60.

- Roulier, B., Pérès, B., & Haudecoeur, R. 2020. Advances in the Design of Genuine Human Tyrosinase Inhibitors for Targeting Melanogenesis and Related Pigmentations. *Journal of medicinal chemistry* 63(22): 13428–13443. <https://doi.org/10.1021/acs.jmedchem.0c00994>
- Rubio, V., García-Pérez, A. I., Herráez, A., & Díez, J. C. 2018. Different roles of Nrf2 and NFκB in the antioxidant imbalance produced by esculetin or quercetin on NB4 leukemia cells. *Chemico-biological interactions* 294: 158–166. <https://doi.org/10.1016/j.cbi.2018.08.015>
- Runkle, K. B., Kharbanda, A., Stypulkowski, E., Cao, X. J., Wang, W., Garcia, B. A., & Witze, E. S. 2016. Inhibition of DHHC20-Mediated EGFR Palmitoylation Creates a Dependence on EGFR Signaling. *Molecular cell* 62(3): 385–396. <https://doi.org/10.1016/j.molcel.2016.04.003>
- Schuetz, E. G., Brimer, C., & Schuetz, J. D. 1998. Environmental xenobiotics and the antihormones cyproterone acetate and spironolactone use the nuclear hormone pregnenolone X receptor to activate the CYP3A23 hormone response element. *Molecular pharmacology* 54(6): 1113–1117. <https://doi.org/10.1124/mol.54.6.1113>
- Schultz, D., Mikala, G., Yatani, A., Engle, D. B., Iles, D. E., Segers, B., Sinke, R. J., Weghuis, D. O., Klöckner, U., & Wakamori, M. 1993. Cloning, chromosomal localization, and functional expression of the alpha 1 subunit of the L-type voltage-dependent calcium channel from normal human heart. *Proceedings of the National Academy of Sciences of the United States of America* 90(13): 6228–6232. <https://doi.org/10.1073/pnas.90.13.6228>
- Seierstad, M., & Breitenbucher, J. G. 2008. Discovery and development of fatty acid amide hydrolase (FAAH) inhibitors. *Journal of medicinal chemistry* 51(23): 7327–7343. <https://doi.org/10.1021/jm800311k>
- Shakibaei, M., Shayan, P., Busch, F., Aldinger, C., Buhrmann, C., Lueders, C., & Mobasheri, A. 2012. Resveratrol mediated modulation of Sirt-1/Runx2 promotes osteogenic differentiation

- of mesenchymal stem cells: potential role of Runx2 deacetylation. *PloS one* 7(4): e35712. <https://doi.org/10.1371/journal.pone.0035712>
- Shannon, P., Markiel, A., Ozier, O., Baliga, N. S., Wang, J. T., Ramage, D., Amin, N., Schwikowski, B., & Ideker, T. 2003. Cytoscape: A software Environment for integrated models of biomolecular interaction networks. *Genome Research* 13(11): 2498–2504. <https://doi.org/10.1101/gr.1239303>
- Silva, T., Mohamed, T., Shakeri, A., Rao, P. P., Martínez-González, L., Pérez, D. I., Martínez, A., Valente, M. J., Garrido, J., Uriarte, E., Serrão, P., Soares-da-Silva, P., Remião, F., & Borges, F. 2016. Development of Blood-Brain Barrier Permeable Nitrocatechol-Based Catechol O-Methyltransferase Inhibitors with Reduced Potential for Hepatotoxicity. *Journal of medicinal chemistry* 59(16): 7584–7597. <https://doi.org/10.1021/acs.jmedchem.6b00666>
- Simon, C., Onghena, M., Covaci, A., Van Hoeck, E., Van Loco, J., Vandermarken, T., Van Langenhove, K., Demaegdt, H., Mertens, B., Vandermeiren, K., Scippo, M. L., & Elskens, M. 2016. Screening of endocrine activity of compounds migrating from plastic baby bottles using a multi-receptor panel of in vitro bioassays. *Toxicology in vitro : an international journal published in association with BIBRA* 37: 121–133. <https://doi.org/10.1016/j.tiv.2016.09.008>
- Slighoua, M., Mahdi, I., Amrati, F. ez zahra, Di Cristo, F., Amaghnoije, A., Grafov, A., Boucetta, N., Bari, A., & Bousta, D. 2021. Assessment of in vivo estrogenic and anti-inflammatory activities of the hydro-ethanolic extract and polyphenolic fraction of parsley (*Petroselinum sativum* Hoffm.). *Journal of Ethnopharmacology* 265. <https://doi.org/10.1016/j.jep.2020.113290>
- Sogawa, S., Nihro, Y., Ueda, H., Izumi, A., Miki, T., Matsumoto, H., & Satoh, T. 1993. 3,4-Dihydroxychalcones as potent 5-lipoxygenase and cyclooxygenase inhibitors. *Journal of medicinal chemistry* 36(24): 3904–3909. <https://doi.org/10.1021/jm00076a019>
- Stelzer, G., Rosen, N., Plaschkes, I., Zimmerman, S., Twik, M., Fishilevich, S., Iny Stein, T., Nudel, R., Lieder, I., Mazor, Y., Kaplan, S., Dahary, D., Warshawsky, D., Guan-Golan, Y., Kohn, A., Rappaport, N., Safran, M., & Lancet, D. 2016. The

- GeneCards suite: From gene data mining to disease genome sequence analyses. *Current Protocols in Bioinformatics*, 2016, 1.30.1-1.30.33. <https://doi.org/10.1002/cpbi.5>
- Suenaga, Y., Islam, S. M., Alagu, J., Kaneko, Y., Kato, M., Tanaka, Y., Kawana, H., Hossain, S., Matsumoto, D., Yamamoto, M., Shoji, W., Itami, M., Shibata, T., Nakamura, Y., Ohira, M., Haraguchi, S., Takatori, A., & Nakagawara, A. 2014. NCYM, a Cis-antisense gene of MYCN, encodes a de novo evolved protein that inhibits GSK3 β resulting in the stabilization of MYCN in human neuroblastomas. *PLoS genetics* 10(1): e1003996. <https://doi.org/10.1371/journal.pgen.1003996>
- Szklarczyk, D., Morris, J. H., Cook, H., Kuhn, M., Wyder, S., Simonovic, M., Santos, A., Doncheva, N. T., Roth, A., Bork, P., Jensen, L. J., & von Mering, C. 2017. The STRING database in 2017: quality-controlled protein-protein association networks, made broadly accessible. *Nucleic acids research* 45(D1): D362–D368. <https://doi.org/10.1093/nar/gkw937>
- Verma, P., & Shakya, M. 2021. Transcriptomics and sequencing analysis of gene expression profiling for major depressive disorder. *Indian journal of psychiatry* 63(6): 549–553. https://doi.org/10.4103/psychiatry.IndianJPsychiatry_858_2
- Walf, A. A., & Frye, C. A. 2006. A review and update of mechanisms of estrogen in the hippocampus and amygdala for anxiety and depression behavior. *Neuropsychopharmacology* 31(6): 1097–1111. <https://doi.org/10.1038/sj.npp.1301067>
- Wang, S., Wacker, D., Levit, A., Che, T., Betz, R. M., McCorvy, J. D., Venkatakrishnan, A. J., Huang, X. P., Dror, R. O., Shoichet, B. K., & Roth, B. L. 2017. D4 dopamine receptor high-resolution structures enable the discovery of selective agonists. *Science* 358(6361): 381–386. <https://doi.org/10.1126/science.aan5468>
- Wang, Z., Liang, L., Yin, Z., Lin, J. 2016. Improving Chemical Similarity Ensemble Approach in Target Prediction. *Journal of cheminformatics* 8: 1-10.
- Wang, Z. Q., Weber, N., Lou, Y. J., & Proksch, P. (2006). Prenylflavonoids as nonsteroidal phytoestrogens and related structure-activity relationships. *ChemMedChem*, 1(4), 482–488. <https://doi.org/10.1002/cmdc.200500089>

- Yang, J. Q., Zhou, Q. X., Liu, B. Z., & He, B. C. 2008. Protection of mouse brain from aluminum-induced damage by caffeic acid. *CNS neuroscience & therapeutics* 14(1): 10–16. <https://doi.org/10.1111/j.1527-3458.2007.00031.x>
- Yu, J., Jiang, Q., Liu, N., Fan, D., Wang, M., & Zhao, Y. 2022. Apigenin and apigenin-7, 4'-O-dioctanoate protect against acrolein-aggravated inflammation via inhibiting the activation of NLRP3 inflammasome and HMGB1/MYD88/NF- κ B signaling pathway in Human umbilical vein endothelial cells (HUVEC). *Food and chemical toxicology : an international journal published for the British Industrial Biological Research Association* 168: 113400. <https://doi.org/10.1016/j.fct.2022.113400>
- Yulinah S., E., Andrajati, R., Joseph, I. S., Adnyana, I. K., Setiadi, A. A. P., & Kusnandar. 2008. *ISO Farmakoterapi Buku 1*. ISFIPenerbitan.
- Zhang, G. B., Li, Q. Y., Chen, Q. L., & Su, S. B. 2013. Network pharmacology: A new approach for Chinese herbal medicine research. In *Evidence-based Complementary and Alternative Medicine* 2013. <https://doi.org/10.1155/2013/621423>
- Zhou, J., Liang, S., Fang, L., Chen, L., Tang, M., Xu, Y., Fu, A., Yang, J., & Wei, Y. 2009. Quantitative proteomic analysis of HepG2 cells treated with quercetin suggests IQGAP1 involved in quercetin-induced regulation of cell proliferation and migration. *Omics : a journal of integrative biology* 13(2): 93–103. <https://doi.org/10.1089/omi.2008.0075>
- Zhou, J., Wang, Q., Xiang, Z., Tong, Q., Pan, J., Wan, L., & Chen, J. 2019. Network Pharmacology Analysis of Traditional Chinese Medicine Formula Xiao Ke Yin Shui Treating Type 2 Diabetes Mellitus. *Evidence-Based Complementary and Alternative Medicine* 2019. <https://doi.org/10.1155/2019/4202563>