

DAFTAR PUSTAKA

- Adiga, U.S., Preethika, A., Swathi, K. (2015). Sigma Metrics In Clinical Chemistry Laboratory – A Guide To Quality Control. *Journal Med Sci*, 8(0974–1143), 281–287.
- Aggarwal, K., Patra, S., Acharya, V., Agrawal, M., Mahapatra, S. K. (2019). Application Of Six Sigma Metrics And Method Decision Charts In Improvising Clinical Chemistry Laboratory Performance Enhancement. *International Journal Of Advances In Medicine*, 6(5), 1524. <https://doi.org/10.18203/2349-3933.Ijam20194155>
- Ariqoh, D.N., Novitasari, D., Adriani, P., Kurniasih, N.A. (2022). Manajemen Hiperglikemia Untuk Mengatasi Masalah Risiko Ketidakstabilan Kadar Glukosa Darah Penderita Dmt2. 2(4), 378–386.
- Azwar, Azrul. 2014. Menjaga Mutu Pelayanan Kesehatan. Edisi Rev. Jakarta: Pustaka Sinar Harapan
- Duan, M., Kang, F., Zhao, H., Wang, W., Du, Y., He, F., Zhong, K. (2018). Analysis And Evaluation Of The External Quality Assessment Results Of Quality Indicators In Laboratory Medicine All Over China From 2015 To 2018. *Clin Chem Lab Med*.
- Fahmi, F.N., Nailufar, F., Nivia, P. (2020). Pengaruh Waktu Penundaan Terhadap Kadar Glukosa Darah Sewaktu Dengan Metode Poct Pada Mahasiswa. *Jurnal Nursing*, 11. No. 2, 1–11.
- Federation, I. D. (2021). *Idf Diabetes Atlas Idf Diabetes Atlas*.
- Freinkel, N. (2018). Standards Of Medical Care In Diabetes — 2018. *Journal Of Clinical And Applied Research And Education*, 41, 1–150.
- Harr, K.E., Flatland, B., Nabity, M., Freeman, K.P. (2013). Asvcp Guidelines: Allowable Total Error Guidelines For Biochemistry. *Veterinary Clinical Pathology*, 42(4), 424–436. <https://doi.org/10.1111/Vcp.12101>
- Herlambang, S.Y.K.A. (2011). Six Sigma, Lean Management, Dan Lean Six Sigma: Tinjauan Literatur Terhadap Konsep Dan Aplikasi.
- Jemani, M.R.K. (2019). Analisa Quality Control Hematologi di Laboratorium Rumah Sakit An-Nisa Tangerang Analysis Of Hematol-

- ogy Quality Control In An-Nisa Tangerang Hospital. *Analisa Quality Control*, 1(2656–5285), 80–85.
- Karyaty, & Rosdarni. (2018). Analisis Pemantapan Mutu Internal Pemeriksaan Glukosa Darah Di Balai Laboratorium Kesehatan Daerah Provinsi Sulawesi Tenggara. *Jurnal Medilab Mandala Waluya Kendari*, 2(2), 40–41. Retrieved From <https://doi.org/10.36566/Medilab.V2i02.22>
- Kumar, B.V., & Mohan, T. (2018). Sigma Metrics As A Tool For Evaluating The Performance Of Internal Quality Control In A Clinical Chemistry Laboratory. *Journal Of Laboratory Physicians*, 10(02), 194–199. https://doi.org/10.4103/Jlp.Jlp_102_17
- Kusmiati, M., Nurpalah, R., Resa, R. (2022). Journal Of Indonesian Medical Laboratory And Science. *Journal Of Indonesian Medical Laboratory And Science Pissn*, 3(2774–2504), 27–37.
- Michael, H.T., Nabity, M.B., Couto, C.G., Moritz, A., Harvey, J.W., Denicola, D.B., & Hammond, J. M. (2022). Improving Quality Control For In-Clinic Hematology Analyzers: Common Myths And Opportunities. *Veterinary Clinical Pathology*, 51(3), 302–310. <https://doi.org/10.1111/Vcp.13154>
- Nabity, M.B., Harr, K.E., Camus, M.S., Bente,D., & Vap, M. (2018). Pedoman Asvcp : Hematologi Kesalahan Total Yang Diperbolehkan, 9–21. <https://doi.org/10.1111/Vcp.12583>
- Nabity, M.B., Harr, K.E., Camus, M.S., Flatland, B., & Vap, L.M. (2018). Asvcp Special Report Asvcp Guidelines : Allowable Total Error Hematology. *American Society For Veterinary Clinical Pathology*, 47, 9–21. <https://doi.org/10.1111/Vcp.12583>
- Nanda, S.K., & Ray,L. (2013). Quantitative Application Of Sigma Metrics In Medical Biochemistry. *Journal Of Clinical And Diagnostic Research*, 7(12), 2689–2691. <https://doi.org/10.7860/Jcdr/2013/7292.3700>
- Peng, S., Zhang, J., Zhou, W., & Mao, W. (2021). Practical Application Of Westgard Sigma Rules With Run Size In Analytical Biochemistry Processes In Clinical Settings, (November 2020), 1–5. <https://doi.org/10.1002/Jcla.23665>
- Permenkes. (2013). Cara Penyelenggaraan Laboratorium Klinik Yang Baik.

- Putra, A.L., Wowor, P.M., & Wungouw, H.I.S. (2015). Gambaran Kadar Gula Darah Sewaktu Pada Mahasiswa Angkatan 2015 Fakultas Kedokteran Universitas Sam Ratulangi Manado. *Jurnal E-Biomedik*, 3(3). <https://doi.org/10.35790/Ebm.3.3.2015.10153>
- Rahmatunisa, A.N., Ali, Y., & Ms, E.M. (2021). Perbandingan Hasil Pemeriksaan Glukosa Darah Pada Serum Segera Dan Ditunda Selama 24 Jam. *Prepotif: Jurnal Kesehatan Masyarakat*, 5(2), 1180–1185. <https://doi.org/10.31004/Prepotif.V5i2.2112>
- Kementrian Kesehatan RI. (2018). Kendali Mutu. *Bahan Ajar Teknologi Laboratorium Medik (Tlm)*, 247–296.
- Rimantho, D., & Mariani, D.M. (2017). Penerapan Metode Six Sigma Pada Pengendalian Kualitas Air Baku Pada Produksi Makanan. *Jurnal Ilmiah Teknik Industri*, 16(1), 1. <https://doi.org/10.23917/Jiti.V16i1.2283>
- Rosita, B., & Khairani, U. (2018). Analisis Lama Waktu Pelayanan Laboratorium Di Rumah Sakit Umum Daerah Pasaman Barat. *Jurnal Kesehatan Perintis (Perintis's Health Journal)*, 5(1), 114–121. <https://doi.org/10.33653/Jkp.V5i1.153>
- Rosita, B., & Khairani, U. (2018b). Analisis Lama Waktu Pelayanan Laboratorium Di Rumah Sakit Umum Daerah Pasaman Barat. *Perintis's Health Journal*, 5(2355-98–53), 138–145.
- Santoso, K. (2015). Pengaruh Pemakaian Setengah Volume Sampel Dan Reagen Pada Pemeriksaan Glukosa Darah Metode God-Pap Terhadap Nilai Simpangan Baku Dan Koefisien Variasi Effect Of Sample And Reagent Volumes Half In Checking Blood Glucose God-Pap Method Against Value Standar. *Jurnal Wiyata*, 2(2355–6498), 114–119.
- Shah, S., Saini, R., Sb, S., Aggarwal, O., & Ak, G. (2019). Six Sigma Metrics And Quality Control In Clinical Laboratory Six Sigma Metrics And Quality Control In Clinical Laboratory. *International Journal Of Medical Research And Review*, 2(2321-127x), 140–149.
- Shaikh, M. S., Ali, S. A., Rashid, A., Karim, F., & Moiz, B. (2018). Performance Evaluation Of A Coagulation Laboratory Using Sigma Metrics. *International Journal Of Health Care Quality Assurance*, 31(6), 600–608. <https://doi.org/10.1108/Ijhcqa-07-2017-0134>

- Siregar. T.M, Wulan. S.W, Seatiawan. D, N. A. (2018). Kendali Mutu. *Pusat Pendidikan Sumber Daya Manusia Kesehatan*, 1–529.
- Subiyono., Martsiningsih, M. A., & Gabrela, D. (2016). Gambaran Kadar Glukosa Darah Metode God-Pap (Glucose Oksidase – Peroxidase Aminoantipirin) Sampel Serum Dan Plasma Edta (Ethylen Diamin Terta Acetat). *Jurnal Teknologi Laboratorium*, 5(1), 5–8.
- Westgard, J. O., & Westgard, S.M.S. (2022). Six Sigma- Based Quality Control. *Abbott*, 1–88.
- WHO. (2011). *Quality Management System Handbook*.
- Yudita, F., Dwi, P., Firia, H. R., & Eka, J. (2023). Evaluation Of Quality Control Of Blood Glucose Examination In Laboratory X Palangka Raya. *Borneo Journal Of Medical Laboratory Technology*, 5(2622–6111), 358–365.
- Zhou, B., Wu, Y., He, H., Li, C., Tan, L., & Cao, Y. (2019). Practical Application Of Six Sigma Management In Analytical Biochemistry Processes In Clinical Settings, (October), 1–10. <https://doi.org/10.1002/Jcla.23126>